



wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 27, 2022 – 10:40 am BST

PDB ID : 7QYR
Title : Crystal structure of RimK from Pseudomonas aeruginosa PAO1
Authors : Thompson, C.M.A.; Little, R.H.; Stevenson, C.E.M.; Lawson, D.M.; Malone, J.G.
Deposited on : 2022-01-29
Resolution : 2.40 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.31.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.














Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	 2% 86% 7% 7%
1	B	314	 % 83% 9% 9%
1	C	314	 2% 83% 7% 10%
1	D	314	 6% 88% 5% 7%
1	E	314	 86% 6% 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	314	
1	G	314	
1	H	314	
2	K	60	
2	L	60	
2	M	60	
2	N	60	
2	O	60	
2	P	60	
2	Q	60	
2	T	60	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ADP	D	401	-	-	-	X

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 17790 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable alpha-L-glutamate ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	292	2184	1374	392	403	15	0	0	0
1	B	287	2149	1356	382	396	15	0	0	0
1	C	284	2124	1340	376	393	15	0	0	0
1	D	293	2179	1373	388	403	15	0	0	0
1	E	290	2163	1362	386	400	15	0	0	0
1	F	277	2082	1312	370	386	14	0	0	0
1	G	286	2130	1341	379	395	15	0	0	0
1	H	279	2084	1315	366	388	15	0	0	0

There are 104 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	302	LYS	-	expression tag	UNP Q9HTZ2
A	303	LEU	-	expression tag	UNP Q9HTZ2
A	304	ALA	-	expression tag	UNP Q9HTZ2
A	305	ALA	-	expression tag	UNP Q9HTZ2
A	306	ALA	-	expression tag	UNP Q9HTZ2
A	307	LEU	-	expression tag	UNP Q9HTZ2
A	308	GLU	-	expression tag	UNP Q9HTZ2
A	309	HIS	-	expression tag	UNP Q9HTZ2
A	310	HIS	-	expression tag	UNP Q9HTZ2
A	311	HIS	-	expression tag	UNP Q9HTZ2
A	312	HIS	-	expression tag	UNP Q9HTZ2
A	313	HIS	-	expression tag	UNP Q9HTZ2
A	314	HIS	-	expression tag	UNP Q9HTZ2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	302	LYS	-	expression tag	UNP Q9HTZ2
B	303	LEU	-	expression tag	UNP Q9HTZ2
B	304	ALA	-	expression tag	UNP Q9HTZ2
B	305	ALA	-	expression tag	UNP Q9HTZ2
B	306	ALA	-	expression tag	UNP Q9HTZ2
B	307	LEU	-	expression tag	UNP Q9HTZ2
B	308	GLU	-	expression tag	UNP Q9HTZ2
B	309	HIS	-	expression tag	UNP Q9HTZ2
B	310	HIS	-	expression tag	UNP Q9HTZ2
B	311	HIS	-	expression tag	UNP Q9HTZ2
B	312	HIS	-	expression tag	UNP Q9HTZ2
B	313	HIS	-	expression tag	UNP Q9HTZ2
B	314	HIS	-	expression tag	UNP Q9HTZ2
C	302	LYS	-	expression tag	UNP Q9HTZ2
C	303	LEU	-	expression tag	UNP Q9HTZ2
C	304	ALA	-	expression tag	UNP Q9HTZ2
C	305	ALA	-	expression tag	UNP Q9HTZ2
C	306	ALA	-	expression tag	UNP Q9HTZ2
C	307	LEU	-	expression tag	UNP Q9HTZ2
C	308	GLU	-	expression tag	UNP Q9HTZ2
C	309	HIS	-	expression tag	UNP Q9HTZ2
C	310	HIS	-	expression tag	UNP Q9HTZ2
C	311	HIS	-	expression tag	UNP Q9HTZ2
C	312	HIS	-	expression tag	UNP Q9HTZ2
C	313	HIS	-	expression tag	UNP Q9HTZ2
C	314	HIS	-	expression tag	UNP Q9HTZ2
D	302	LYS	-	expression tag	UNP Q9HTZ2
D	303	LEU	-	expression tag	UNP Q9HTZ2
D	304	ALA	-	expression tag	UNP Q9HTZ2
D	305	ALA	-	expression tag	UNP Q9HTZ2
D	306	ALA	-	expression tag	UNP Q9HTZ2
D	307	LEU	-	expression tag	UNP Q9HTZ2
D	308	GLU	-	expression tag	UNP Q9HTZ2
D	309	HIS	-	expression tag	UNP Q9HTZ2
D	310	HIS	-	expression tag	UNP Q9HTZ2
D	311	HIS	-	expression tag	UNP Q9HTZ2
D	312	HIS	-	expression tag	UNP Q9HTZ2
D	313	HIS	-	expression tag	UNP Q9HTZ2
D	314	HIS	-	expression tag	UNP Q9HTZ2
E	302	LYS	-	expression tag	UNP Q9HTZ2
E	303	LEU	-	expression tag	UNP Q9HTZ2
E	304	ALA	-	expression tag	UNP Q9HTZ2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	305	ALA	-	expression tag	UNP Q9HTZ2
E	306	ALA	-	expression tag	UNP Q9HTZ2
E	307	LEU	-	expression tag	UNP Q9HTZ2
E	308	GLU	-	expression tag	UNP Q9HTZ2
E	309	HIS	-	expression tag	UNP Q9HTZ2
E	310	HIS	-	expression tag	UNP Q9HTZ2
E	311	HIS	-	expression tag	UNP Q9HTZ2
E	312	HIS	-	expression tag	UNP Q9HTZ2
E	313	HIS	-	expression tag	UNP Q9HTZ2
E	314	HIS	-	expression tag	UNP Q9HTZ2
F	302	LYS	-	expression tag	UNP Q9HTZ2
F	303	LEU	-	expression tag	UNP Q9HTZ2
F	304	ALA	-	expression tag	UNP Q9HTZ2
F	305	ALA	-	expression tag	UNP Q9HTZ2
F	306	ALA	-	expression tag	UNP Q9HTZ2
F	307	LEU	-	expression tag	UNP Q9HTZ2
F	308	GLU	-	expression tag	UNP Q9HTZ2
F	309	HIS	-	expression tag	UNP Q9HTZ2
F	310	HIS	-	expression tag	UNP Q9HTZ2
F	311	HIS	-	expression tag	UNP Q9HTZ2
F	312	HIS	-	expression tag	UNP Q9HTZ2
F	313	HIS	-	expression tag	UNP Q9HTZ2
F	314	HIS	-	expression tag	UNP Q9HTZ2
G	302	LYS	-	expression tag	UNP Q9HTZ2
G	303	LEU	-	expression tag	UNP Q9HTZ2
G	304	ALA	-	expression tag	UNP Q9HTZ2
G	305	ALA	-	expression tag	UNP Q9HTZ2
G	306	ALA	-	expression tag	UNP Q9HTZ2
G	307	LEU	-	expression tag	UNP Q9HTZ2
G	308	GLU	-	expression tag	UNP Q9HTZ2
G	309	HIS	-	expression tag	UNP Q9HTZ2
G	310	HIS	-	expression tag	UNP Q9HTZ2
G	311	HIS	-	expression tag	UNP Q9HTZ2
G	312	HIS	-	expression tag	UNP Q9HTZ2
G	313	HIS	-	expression tag	UNP Q9HTZ2
G	314	HIS	-	expression tag	UNP Q9HTZ2
H	302	LYS	-	expression tag	UNP Q9HTZ2
H	303	LEU	-	expression tag	UNP Q9HTZ2
H	304	ALA	-	expression tag	UNP Q9HTZ2
H	305	ALA	-	expression tag	UNP Q9HTZ2
H	306	ALA	-	expression tag	UNP Q9HTZ2
H	307	LEU	-	expression tag	UNP Q9HTZ2

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	308	GLU	-	expression tag	UNP Q9HTZ2
H	309	HIS	-	expression tag	UNP Q9HTZ2
H	310	HIS	-	expression tag	UNP Q9HTZ2
H	311	HIS	-	expression tag	UNP Q9HTZ2
H	312	HIS	-	expression tag	UNP Q9HTZ2
H	313	HIS	-	expression tag	UNP Q9HTZ2
H	314	HIS	-	expression tag	UNP Q9HTZ2

- Molecule 2 is a protein called poly-glutamate.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	K	5	37	21	5	11	0	0	0
2	L	5	37	21	5	11	0	0	0
2	M	5	37	21	5	11	0	0	0
2	N	3	23	13	3	7	0	0	0
2	O	3	23	13	3	7	0	0	0
2	P	5	37	21	5	11	0	0	0
2	Q	5	37	21	5	11	0	0	0
2	T	26	210	118	26	66	0	0	0

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	Total	C	N	O	0	0
			19	10	5	4		
3	B	1	Total	C	N	O	0	0
			19	10	5	4		
3	C	1	Total	C	N	O	0	0
			19	10	5	4		
3	D	1	Total	C	N	O	0	0
			19	10	5	4		
3	E	1	Total	C	N	O	0	0
			19	10	5	4		
3	F	1	Total	C	N	O	0	0
			19	10	5	4		
3	G	1	Total	C	N	O	0	0
			19	10	5	4		
3	H	1	Total	C	N	O	0	0
			19	10	5	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	25	Total	O	0	0
			25	25		
4	B	18	Total	O	0	0
			18	18		
4	C	12	Total	O	0	0
			12	12		
4	D	13	Total	O	0	0
			13	13		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	13	Total 13	O 13	0	0
4	F	7	Total 7	O 7	0	0
4	G	7	Total 7	O 7	0	0
4	H	7	Total 7	O 7	0	0




- Molecule 1: Probable alpha-L-glutamate ligase

Chain E: 86% 6% 8%





- Molecule 1: Probable alpha-L-glutamate ligase

Chain F: 9% 80% 7% 12%





- Molecule 1: Probable alpha-L-glutamate ligase

Chain G: 8% 85% 6% 9%




- Molecule 1: Probable alpha-L-glutamate ligase

Chain H: 6% 82% 7% 11%




- Molecule 2: poly-glutamate

Chain K:  7% . 92%



• Molecule 2: poly-glutamate

Chain L:  2%
5% . 92%



• Molecule 2: poly-glutamate

Chain M:  3%
7% . 92%




• Molecule 2: poly-glutamate

Chain N:  3%
5% . 95%




• Molecule 2: poly-glutamate

Chain O:  3%
5% . 95%




• Molecule 2: poly-glutamate

Chain P:  2%
7% . 92%





• Molecule 2: poly-glutamate

Chain Q:  3%
5% . 92%



• Molecule 2: poly-glutamate



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.90Å 153.59Å 138.54Å 90.00° 102.39° 90.00°	Depositor
Resolution (Å)	44.45 – 2.40 44.41 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.2 (44.45-2.40) 99.2 (44.41-2.40)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.47 (at 2.39Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.212 , 0.232 0.213 , 0.232	Depositor DCC
R_{free} test set	5200 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	56.8	Xtrriage
Anisotropy	0.169	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.014 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	17790	wwPDB-VP
Average B, all atoms (Å ²)	77.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.67	0/2217	0.78	0/2993
1	B	0.66	0/2181	0.78	0/2943
1	C	0.66	0/2154	0.78	1/2908 (0.0%)
1	D	0.68	0/2211	0.80	0/2985
1	E	0.66	0/2194	0.77	0/2962
1	F	0.66	0/2111	0.77	1/2851 (0.0%)
1	G	0.66	0/2160	0.76	0/2917
1	H	0.67	0/2113	0.79	0/2856
2	K	0.82	0/36	0.90	0/47
2	L	0.82	0/36	0.73	0/47
2	M	0.83	0/36	0.72	0/47
2	N	0.75	0/22	0.62	0/28
2	O	0.86	0/22	0.87	0/28
2	P	2.65	1/36 (2.8%)	0.77	0/47
2	Q	1.15	0/36	0.72	0/47
2	T	0.82	0/207	0.81	0/273
All	All	0.68	1/17772 (0.0%)	0.78	2/23979 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	P	15	GLU	C-O	15.11	1.52	1.23

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	36	ARG	CB-CG-CD	5.57	126.07	111.60
1	F	226	THR	CA-CB-OG1	5.10	119.71	109.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2184	0	2228	14	0
1	B	2149	0	2196	23	0
1	C	2124	0	2168	18	0
1	D	2179	0	2221	10	0
1	E	2163	0	2202	13	0
1	F	2082	0	2123	21	0
1	G	2130	0	2155	11	0
1	H	2084	0	2119	12	0
2	K	37	0	21	2	0
2	L	37	0	21	3	0
2	M	37	0	21	0	0
2	N	23	0	13	0	0
2	O	23	0	13	0	0
2	P	37	0	21	1	0
2	Q	37	0	21	1	0
2	T	210	0	129	3	0
3	A	19	0	12	0	0
3	B	19	0	12	0	0
3	C	19	0	12	0	0
3	D	19	0	12	0	0
3	E	19	0	12	0	0
3	F	19	0	12	1	0
3	G	19	0	12	0	0
3	H	19	0	12	0	0
4	A	25	0	0	1	0
4	B	18	0	0	0	0
4	C	12	0	0	0	0
4	D	13	0	0	0	0
4	E	13	0	0	0	0
4	F	7	0	0	0	0
4	G	7	0	0	0	0
4	H	7	0	0	0	0
All	All	17790	0	17768	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 99 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:262:ASN:HD21	2:L:15:GLU:CB	2.01	0.73
1:F:226:THR:HG22	1:F:227:PRO:HD2	1.72	0.72
1:F:41:ILE:HG13	1:F:42:ALA:H	1.55	0.72
1:B:20:GLU:HG2	2:T:45:GLU:HG2	1.73	0.71
1:A:262:ASN:HD21	2:K:15:GLU:CB	2.07	0.68

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	290/314 (92%)	283 (98%)	7 (2%)	0	100	100
1	B	283/314 (90%)	276 (98%)	7 (2%)	0	100	100
1	C	280/314 (89%)	274 (98%)	6 (2%)	0	100	100
1	D	291/314 (93%)	284 (98%)	7 (2%)	0	100	100
1	E	288/314 (92%)	282 (98%)	6 (2%)	0	100	100
1	F	273/314 (87%)	266 (97%)	6 (2%)	1 (0%)	34	48
1	G	282/314 (90%)	276 (98%)	6 (2%)	0	100	100
1	H	275/314 (88%)	270 (98%)	5 (2%)	0	100	100
2	K	3/60 (5%)	2 (67%)	1 (33%)	0	100	100
2	L	3/60 (5%)	3 (100%)	0	0	100	100
2	M	3/60 (5%)	0	2 (67%)	1 (33%)	0	0
2	N	1/60 (2%)	0	1 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	O	1/60 (2%)	0	1 (100%)	0	100	100
2	P	3/60 (5%)	2 (67%)	1 (33%)	0	100	100
2	Q	3/60 (5%)	1 (33%)	2 (67%)	0	100	100
2	T	20/60 (33%)	18 (90%)	2 (10%)	0	100	100
All	All	2299/2992 (77%)	2237 (97%)	60 (3%)	2 (0%)	51	68

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	43	SER
2	M	14	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	229/252 (91%)	225 (98%)	4 (2%)	60	78
1	B	225/252 (89%)	221 (98%)	4 (2%)	59	76
1	C	223/252 (88%)	219 (98%)	4 (2%)	59	76
1	D	227/252 (90%)	225 (99%)	2 (1%)	78	90
1	E	225/252 (89%)	221 (98%)	4 (2%)	59	76
1	F	219/252 (87%)	215 (98%)	4 (2%)	59	76
1	G	221/252 (88%)	217 (98%)	4 (2%)	59	76
1	H	218/252 (86%)	213 (98%)	5 (2%)	50	70
2	K	3/60 (5%)	3 (100%)	0	100	100
2	L	3/60 (5%)	3 (100%)	0	100	100
2	M	3/60 (5%)	3 (100%)	0	100	100
2	N	2/60 (3%)	2 (100%)	0	100	100
2	O	2/60 (3%)	2 (100%)	0	100	100
2	P	3/60 (5%)	3 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	Q	3/60 (5%)	2 (67%)	1 (33%)	0 0
2	T	20/60 (33%)	18 (90%)	2 (10%)	7 11
All	All	1826/2496 (73%)	1792 (98%)	34 (2%)	57 75

5 of 34 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	157	GLU
1	H	172	HIS
2	T	23	GLU
1	D	172	HIS
1	C	200	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 13 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	253	ASN
1	D	253	ASN
1	H	253	ASN
1	F	253	ASN
1	G	253	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ADP	G	401	-	18,21,29	0.61	0	18,31,45	0.93	2 (11%)
3	ADP	E	401	-	18,21,29	0.65	0	18,31,45	0.96	1 (5%)
3	ADP	H	401	-	18,21,29	0.59	0	18,31,45	0.91	2 (11%)
3	ADP	C	401	-	18,21,29	0.63	0	18,31,45	0.72	1 (5%)
3	ADP	B	401	-	18,21,29	0.64	0	18,31,45	0.80	1 (5%)
3	ADP	F	401	-	18,21,29	0.64	0	18,31,45	0.74	1 (5%)
3	ADP	D	401	-	18,21,29	0.64	0	18,31,45	0.72	1 (5%)
3	ADP	A	401	-	18,21,29	0.64	0	18,31,45	0.85	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	G	401	-	-	0/2/22/32	0/3/3/3
3	ADP	E	401	-	-	2/2/22/32	0/3/3/3
3	ADP	H	401	-	-	2/2/22/32	0/3/3/3
3	ADP	C	401	-	-	0/2/22/32	0/3/3/3
3	ADP	B	401	-	-	2/2/22/32	0/3/3/3
3	ADP	F	401	-	-	0/2/22/32	0/3/3/3
3	ADP	D	401	-	-	0/2/22/32	0/3/3/3
3	ADP	A	401	-	-	2/2/22/32	0/3/3/3

There are no bond length outliers.

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	401	ADP	C3'-C2'-C1'	2.54	104.81	100.98
3	G	401	ADP	C3'-C2'-C1'	2.43	104.63	100.98
3	H	401	ADP	C5-C6-N6	2.28	123.82	120.35
3	F	401	ADP	C5-C6-N6	2.21	123.71	120.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	401	ADP	C5-C6-N6	2.14	123.60	120.35

There are no chirality outliers.

5 of 8 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	401	ADP	O4'-C4'-C5'-O5'
3	E	401	ADP	O4'-C4'-C5'-O5'
3	H	401	ADP	O4'-C4'-C5'-O5'
3	A	401	ADP	C3'-C4'-C5'-O5'
3	H	401	ADP	C3'-C4'-C5'-O5'


There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	401	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	T	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	T	33:GLU	C	41:GLU	N	21.13
1	T	47:GLU	C	61:GLU	N	19.51

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	292/314 (92%)	0.41	5 (1%) 70 68	45, 60, 89, 139	0
1	B	287/314 (91%)	0.34	2 (0%) 87 86	49, 69, 99, 129	0
1	C	284/314 (90%)	0.47	7 (2%) 57 55	48, 68, 99, 121	0
1	D	293/314 (93%)	0.68	18 (6%) 21 20	46, 73, 107, 145	0
1	E	290/314 (92%)	0.37	1 (0%) 94 93	51, 70, 105, 122	0
1	F	277/314 (88%)	0.74	28 (10%) 7 6	52, 86, 120, 144	0
1	G	286/314 (91%)	0.69	24 (8%) 11 10	61, 86, 122, 169	0
1	H	279/314 (88%)	0.56	20 (7%) 15 14	49, 75, 108, 118	0
2	K	5/60 (8%)	0.06	0 100 100	90, 93, 99, 101	0
2	L	5/60 (8%)	1.85	1 (20%) 1 0	110, 114, 122, 130	0
2	M	5/60 (8%)	2.60	2 (40%) 0 0	111, 111, 125, 126	0
2	N	3/60 (5%)	2.08	2 (66%) 0 0	133, 133, 134, 136	0
2	O	3/60 (5%)	1.92	2 (66%) 0 0	112, 112, 113, 117	0
2	P	5/60 (8%)	1.04	1 (20%) 1 0	118, 125, 128, 131	0
2	Q	5/60 (8%)	2.03	2 (40%) 0 0	112, 114, 115, 124	0
2	T	26/60 (43%)	1.42	9 (34%) 0 0	78, 101, 147, 150	0
All	All	2345/2992 (78%)	0.56	124 (5%) 26 25	45, 73, 115, 169	0

The worst 5 of 124 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	M	11	GLU	7.4
1	F	250	LEU	5.6
2	Q	15	GLU	5.3
1	F	45	LYS	5.0
1	D	206	ALA	4.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ADP	D	401	19/27	0.70	0.59	87,117,160,162	0
3	ADP	H	401	19/27	0.74	0.34	78,103,137,137	0
3	ADP	G	401	19/27	0.81	0.45	85,101,139,142	0
3	ADP	F	401	19/27	0.82	0.39	89,105,146,148	0
3	ADP	E	401	19/27	0.83	0.32	61,75,103,103	0
3	ADP	C	401	19/27	0.84	0.29	58,77,125,129	0
3	ADP	A	401	19/27	0.89	0.29	49,67,105,105	0
3	ADP	B	401	19/27	0.92	0.28	58,75,118,120	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ADP D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP H 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around ADP G 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ADP F 401:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around ADP A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ADP B 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.