



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 10, 2023 – 08:04 AM EDT

PDB ID : 7T1V
Title : Crystal structure of an equine H7 hemagglutinin from A/equine/NY/49/73 (H7N7) in complex with 3'-GcLN
Authors : Zhu, X.; Wilson, I.A.
Deposited on : 2021-12-02
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1692 (2.04-2.04)
Clashscore	141614	1773 (2.04-2.04)
Ramachandran outliers	138981	1752 (2.04-2.04)
Sidechain outliers	138945	1752 (2.04-2.04)
RSRZ outliers	127900	1672 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	334	 90% 6%
1	C	334	 86% 8% 6%
1	E	334	 37% 78% 13% 6%
2	B	186	 8% 84% 6% 9%
2	D	186	 22% 81% 10% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	186	 77% 79% 11% 9%
3	G	3	 67% 33%
4	H	3	 100%
5	I	2	 50% 50%
5	K	2	 50% 50%
6	J	2	 100%
6	L	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	NAG	E	401	-	-	-	X

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 12574 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin HA1 chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	315	2448	1531	435	467	15	0	0	0
1	C	315	2448	1531	435	467	15	0	0	0
1	E	315	2448	1531	435	467	15	0	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	8	ASP	-	expression tag	UNP A0A348FV55
A	9	PRO	-	expression tag	UNP A0A348FV55
A	10	GLY	-	expression tag	UNP A0A348FV55
C	8	ASP	-	expression tag	UNP A0A348FV55
C	9	PRO	-	expression tag	UNP A0A348FV55
C	10	GLY	-	expression tag	UNP A0A348FV55
E	8	ASP	-	expression tag	UNP A0A348FV55
E	9	PRO	-	expression tag	UNP A0A348FV55
E	10	GLY	-	expression tag	UNP A0A348FV55

- Molecule 2 is a protein called Hemagglutinin HA2 chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	170	1390	862	247	276	5	0	0	0
2	D	170	1390	862	247	276	5	0	0	0
2	F	170	1390	862	247	276	5	0	0	0

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	179	GLU	-	expression tag	UNP A0A348FV55
B	180	SER	-	expression tag	UNP A0A348FV55
B	181	GLY	-	expression tag	UNP A0A348FV55
B	182	ARG	-	expression tag	UNP A0A348FV55
B	183	LEU	-	expression tag	UNP A0A348FV55
B	184	VAL	-	expression tag	UNP A0A348FV55
B	185	PRO	-	expression tag	UNP A0A348FV55
B	186	ARG	-	expression tag	UNP A0A348FV55
D	179	GLU	-	expression tag	UNP A0A348FV55
D	180	SER	-	expression tag	UNP A0A348FV55
D	181	GLY	-	expression tag	UNP A0A348FV55
D	182	ARG	-	expression tag	UNP A0A348FV55
D	183	LEU	-	expression tag	UNP A0A348FV55
D	184	VAL	-	expression tag	UNP A0A348FV55
D	185	PRO	-	expression tag	UNP A0A348FV55
D	186	ARG	-	expression tag	UNP A0A348FV55
F	179	GLU	-	expression tag	UNP A0A348FV55
F	180	SER	-	expression tag	UNP A0A348FV55
F	181	GLY	-	expression tag	UNP A0A348FV55
F	182	ARG	-	expression tag	UNP A0A348FV55
F	183	LEU	-	expression tag	UNP A0A348FV55
F	184	VAL	-	expression tag	UNP A0A348FV55
F	185	PRO	-	expression tag	UNP A0A348FV55
F	186	ARG	-	expression tag	UNP A0A348FV55

- Molecule 3 is an oligosaccharide called N-glycolyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
			Total	C	N				O
3	G	3	47	25	2	20	0	0	0

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	H	3	39	22	2	15	0	0	0

- Molecule 5 is an oligosaccharide called N-glycolyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	I	2	33	17	1	15	0	0	0
5	K	2	33	17	1	15	0	0	0

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
6	J	2	28	16	2	10	0	0	0
6	L	2	28	16	2	10	0	0	0

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			14	8	1	5		
7	C	1	Total	C	N	O	0	0
			14	8	1	5		
7	E	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	298	Total	O	0	0
			298	298		
8	B	87	Total	O	0	0
			87	87		
8	C	267	Total	O	0	0
			267	267		
8	D	84	Total	O	0	0
			84	84		
8	E	62	Total	O	0	0
			62	62		
8	F	12	Total	O	0	0
			12	12		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.






- Molecule 1: Hemagglutinin HA1 chain




- Molecule 1: Hemagglutinin HA1 chain




- Molecule 1: Hemagglutinin HA1 chain





- Molecule 2: Hemagglutinin HA2 chain







- Molecule 2: Hemagglutinin HA2 chain



- Molecule 2: Hemagglutinin HA2 chain



- Molecule 3: N-glycolyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: N-glycolyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose



GAL1
MGC2


- Molecule 5: N-glycolyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose

Chain K:  50% 50%GAL1
MGC2

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%MAG1
MAG2

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 3	Depositor
Cell constants a, b, c, α , β , γ	112.75Å 112.75Å 130.19Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.01 – 2.05 48.82 – 2.05	Depositor EDS
% Data completeness (in resolution range)	99.2 (50.01-2.05) 99.3 (48.82-2.05)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 2.05Å)	Xtrriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.217 , 0.245 0.221 , 0.246	Depositor DCC
R_{free} test set	5856 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	31.7	Xtrriage
Anisotropy	0.440	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 53.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.010 for -h,-k,l 0.027 for h,-h-k,-l 0.019 for -k,-h,-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12574	wwPDB-VP
Average B, all atoms (Å ²)	69.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, BMA, NGC, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.50	0/2497	0.73	0/3368
1	C	0.48	0/2497	0.72	1/3368 (0.0%)
1	E	0.47	0/2497	0.84	8/3368 (0.2%)
2	B	0.52	0/1415	0.72	3/1907 (0.2%)
2	D	0.45	0/1415	0.64	1/1907 (0.1%)
2	F	0.43	0/1415	0.64	2/1907 (0.1%)
All	All	0.48	0/11736	0.73	15/15825 (0.1%)

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	193	ARG	NE-CZ-NH1	9.20	124.90	120.30
1	E	155	LEU	CB-CG-CD1	-8.18	97.10	111.00
2	F	123	ARG	NE-CZ-NH1	6.36	123.48	120.30
1	E	52	CYS	CB-CA-C	6.20	122.80	110.40
2	D	123	ARG	NE-CZ-NH1	6.15	123.38	120.30
1	E	90	ARG	NE-CZ-NH2	-6.03	117.29	120.30
1	E	275	ASP	CB-CG-OD1	5.99	123.69	118.30
1	E	193	ARG	NE-CZ-NH2	-5.94	117.33	120.30
1	C	256	ARG	NE-CZ-NH1	5.83	123.22	120.30
2	B	19	ASP	CB-CG-OD1	5.67	123.41	118.30
1	E	90	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	E	256	ARG	NE-CZ-NH1	5.19	122.90	120.30
2	B	69	GLU	CB-CA-C	-5.13	100.13	110.40
2	B	127	ARG	NE-CZ-NH1	5.09	122.85	120.30
2	F	85	ARG	NE-CZ-NH2	-5.04	117.78	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2448	0	2419	4	0
1	C	2448	0	2419	11	0
1	E	2448	0	2419	28	0
2	B	1390	0	1303	6	0
2	D	1390	0	1303	9	0
2	F	1390	0	1303	11	0
3	G	47	0	31	0	0
4	H	39	0	34	0	0
5	I	33	0	19	1	0
5	K	33	0	19	0	0
6	J	28	0	25	0	0
6	L	28	0	25	0	0
7	A	14	0	13	0	0
7	C	14	0	13	0	0
7	E	14	0	13	0	0
8	A	298	0	0	1	0
8	B	87	0	0	2	0
8	C	267	0	0	1	0
8	D	84	0	0	2	0
8	E	62	0	0	0	0
8	F	12	0	0	0	0
All	All	12574	0	11358	65	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:81:GLU:OE2	1:C:119:LYS:HD2	1.89	0.72
1:E:132:THR:HG23	1:E:152:LYS:HD2	1.70	0.71
2:B:30:GLN:HE22	2:B:145:ASP:HB2	1.56	0.70
1:A:150:GLU:OE1	1:A:256:ARG:HD3	1.94	0.66
1:C:150:GLU:OE1	1:C:256:ARG:HD3	1.95	0.66
1:E:150:GLU:OE1	1:E:256:ARG:HD3	1.95	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:56:LYS:NZ	1:C:279:GLY:O	2.30	0.65
1:E:98:TYR:CE2	1:E:226:GLN:HG2	2.32	0.65
1:E:29:LEU:HD23	2:F:105:GLN:OE1	2.01	0.60
1:E:28:THR:HG21	2:F:108:ILE:HD12	1.83	0.59
1:E:277:CYS:SG	1:E:289:ILE:HD11	2.44	0.57
2:F:163:ARG:O	2:F:167:ILE:HD12	2.06	0.56
1:C:208:LYS:NZ	8:C:501:HOH:O	2.39	0.55
2:B:30:GLN:NE2	2:B:145:ASP:HB2	2.22	0.55
2:D:163:ARG:O	2:D:167:ILE:HD12	2.06	0.54
1:E:185:SER:OG	1:E:191:GLN:HB2	2.07	0.54
1:E:44:GLU:HG2	1:E:290:SER:OG	2.08	0.54
1:E:43:VAL:HG12	1:E:294:PHE:HB2	1.89	0.53
2:B:127:ARG:O	2:B:159:HIS:CD2	2.62	0.52
2:D:74:GLU:OE1	2:D:76:GLN:HB3	2.09	0.52
2:F:120:GLU:OE2	2:F:123:ARG:NH2	2.43	0.51
2:D:120:GLU:OE2	2:D:123:ARG:NH2	2.43	0.51
2:F:74:GLU:OE1	2:F:76:GLN:HB3	2.10	0.51
1:E:131:ARG:HB2	1:E:155:LEU:HD12	1.94	0.50
2:B:128:GLU:N	8:B:201:HOH:O	2.30	0.50
1:E:51:ILE:HD11	1:E:270:SER:OG	2.12	0.50
1:C:51:ILE:HD11	1:C:270:SER:OG	2.13	0.49
1:E:201:LEU:CD1	1:E:203:THR:HG23	2.45	0.47
1:E:110:LYS:HE3	2:F:66:ILE:HA	1.97	0.47
1:C:59:ILE:HD11	1:C:79:PHE:CD1	2.49	0.47
1:E:267:GLY:O	1:E:302:ILE:HD11	2.14	0.47
1:A:307:ARG:NH2	8:A:506:HOH:O	2.48	0.46
1:C:58:THR:HG21	1:C:274:LEU:HD21	1.98	0.46
1:E:48:ILE:HG23	1:E:287:THR:HB	1.97	0.46
1:E:175:PRO:HB2	1:E:236:MET:CE	2.46	0.46
1:E:19:ALA:HB1	1:E:322:ASN:OD1	2.15	0.46
1:E:223:ILE:CD1	1:E:229:ARG:NH2	2.79	0.45
2:D:73:ILE:HD12	2:D:77:ILE:HG23	1.98	0.45
2:F:127:ARG:HG2	2:F:128:GLU:HG3	1.98	0.45
1:E:192:THR:HG22	1:E:197:SER:HA	1.98	0.45
1:C:192:THR:HG22	1:C:197:SER:HA	1.98	0.45
2:D:127:ARG:HG2	2:D:128:GLU:HG3	1.98	0.45
2:F:73:ILE:HD12	2:F:77:ILE:HG23	1.99	0.45
1:A:175:PRO:HB2	1:A:236:MET:CE	2.47	0.44
1:C:175:PRO:HB2	1:C:236:MET:CE	2.47	0.44
1:E:52:CYS:HB3	1:E:275:ASP:HB3	2.00	0.44
1:E:138:ALA:HB2	1:E:226:GLN:OE1	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192:THR:HG22	1:A:197:SER:HA	2.00	0.43
2:B:76:GLN:NE2	8:B:205:HOH:O	2.50	0.43
2:B:73:ILE:HD12	2:B:77:ILE:HG23	2.01	0.42
1:E:311:GLN:CD	1:E:314:LEU:HD11	2.39	0.42
1:C:190:GLU:OE2	5:I:2:NGC:O9	2.37	0.42
2:F:3:PHE:CE2	2:F:113:SER:HB2	2.54	0.42
1:E:36:VAL:CG2	1:E:319:GLY:O	2.67	0.42
1:E:292:LEU:HB2	1:E:293:PRO:HD2	2.00	0.42
2:D:3:PHE:CE2	2:D:113:SER:HB2	2.55	0.41
2:D:61:GLN:O	8:D:201:HOH:O	2.22	0.41
2:F:130:ALA:O	2:F:131:GLU:CG	2.69	0.41
1:C:61:LEU:HB3	1:C:64:CYS:O	2.20	0.41
2:D:76:GLN:NE2	8:D:208:HOH:O	2.52	0.41
1:E:302:ILE:HD13	2:F:65:LEU:HG	2.02	0.41
1:E:43:VAL:CG2	1:E:313:SER:HA	2.50	0.41
2:D:158:ASP:OD1	2:D:160:LYS:HG2	2.22	0.40
1:E:60:ASP:OD2	1:E:90:ARG:NH1	2.54	0.40
1:E:61:LEU:HB3	1:E:64:CYS:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	313/334 (94%)	306 (98%)	7 (2%)	0	100	100
1	C	313/334 (94%)	306 (98%)	7 (2%)	0	100	100
1	E	313/334 (94%)	307 (98%)	6 (2%)	0	100	100
2	B	168/186 (90%)	157 (94%)	11 (6%)	0	100	100
2	D	168/186 (90%)	157 (94%)	11 (6%)	0	100	100
2	F	168/186 (90%)	156 (93%)	12 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1443/1560 (92%)	1389 (96%)	54 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	270/288 (94%)	262 (97%)	8 (3%)	41	34
1	C	270/288 (94%)	262 (97%)	8 (3%)	41	34
1	E	270/288 (94%)	256 (95%)	14 (5%)	23	14
2	B	146/160 (91%)	141 (97%)	5 (3%)	37	30
2	D	146/160 (91%)	142 (97%)	4 (3%)	44	38
2	F	146/160 (91%)	141 (97%)	5 (3%)	37	30
All	All	1248/1344 (93%)	1204 (96%)	44 (4%)	36	29

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	ASP
1	A	12	LYS
1	A	18	HIS
1	A	30	THR
1	A	59	ILE
1	A	132	THR
1	A	172	LYS
1	A	302	ILE
2	B	32	GLU
2	B	125	GLN
2	B	147	ASP
2	B	159	HIS
2	B	170	ARG
1	C	11	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	12	LYS
1	C	18	HIS
1	C	30	THR
1	C	121	GLU
1	C	132	THR
1	C	172	LYS
1	C	302	ILE
2	D	62	GLN
2	D	125	GLN
2	D	137	CYS
2	D	170	ARG
1	E	11	ASP
1	E	29	LEU
1	E	30	THR
1	E	44	GLU
1	E	132	THR
1	E	144	ARG
1	E	155	LEU
1	E	172	LYS
1	E	187	SER
1	E	201	LEU
1	E	277	CYS
1	E	292	LEU
1	E	310	LYS
1	E	311	GLN
2	F	62	GLN
2	F	125	GLN
2	F	131	GLU
2	F	137	CYS
2	F	170	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	HIS
1	A	163	GLN
2	B	159	HIS
1	C	163	GLN
2	F	62	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

14 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	G	1	3	15,15,15	0.55	0	21,21,21	0.88	0
3	GAL	G	2	3	11,11,12	0.27	0	15,15,17	0.86	0
3	NGC	G	3	3	21,21,22	0.91	1 (4%)	25,29,32	1.24	1 (4%)
4	NAG	H	1	4,2	14,14,15	0.39	0	17,19,21	0.93	0
4	NAG	H	2	4	14,14,15	0.32	0	17,19,21	0.56	0
4	BMA	H	3	4	11,11,12	0.39	0	15,15,17	0.89	0
5	GAL	I	1	5	12,12,12	0.68	0	17,17,17	1.21	2 (11%)
5	NGC	I	2	5	21,21,22	0.93	1 (4%)	25,29,32	1.19	2 (8%)
6	NAG	J	1	2,6	14,14,15	0.33	0	17,19,21	0.95	0
6	NAG	J	2	6	14,14,15	0.35	0	17,19,21	0.81	0
5	GAL	K	1	5	12,12,12	0.49	0	17,17,17	0.61	0
5	NGC	K	2	5	21,21,22	0.60	0	25,29,32	1.13	3 (12%)
6	NAG	L	1	2,6	14,14,15	0.40	0	17,19,21	1.23	2 (11%)
6	NAG	L	2	6	14,14,15	0.37	0	17,19,21	1.24	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	G	1	3	-	0/6/26/26	0/1/1/1
3	GAL	G	2	3	-	1/2/19/22	0/1/1/1
3	NGC	G	3	3	-	1/19/36/40	0/1/1/1
4	NAG	H	1	4,2	-	1/6/23/26	0/1/1/1
4	NAG	H	2	4	-	0/6/23/26	0/1/1/1
4	BMA	H	3	4	-	2/2/19/22	0/1/1/1
5	GAL	I	1	5	-	1/2/22/22	0/1/1/1
5	NGC	I	2	5	-	1/19/36/40	0/1/1/1
6	NAG	J	1	2,6	-	2/6/23/26	0/1/1/1
6	NAG	J	2	6	-	0/6/23/26	0/1/1/1
5	GAL	K	1	5	-	0/2/22/22	0/1/1/1
5	NGC	K	2	5	-	1/19/36/40	0/1/1/1
6	NAG	L	1	2,6	-	2/6/23/26	0/1/1/1
6	NAG	L	2	6	-	0/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	I	2	NGC	C2-C1	3.00	1.55	1.52
3	G	3	NGC	O6-C2	-2.30	1.40	1.43

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	L	1	NAG	C1-O5-C5	3.54	116.99	112.19
3	G	3	NGC	C6-O6-C2	3.41	118.64	111.34
6	L	2	NAG	C1-C2-N2	-3.06	105.26	110.49
5	K	2	NGC	C4-C5-N5	-2.82	104.79	110.38
5	I	2	NGC	O1B-C1-C2	2.71	120.77	113.03
6	L	2	NAG	C3-C4-C5	2.66	114.99	110.24
5	I	2	NGC	C6-O6-C2	2.58	116.87	111.34
5	I	1	GAL	O5-C5-C6	2.45	112.53	106.44
6	L	1	NAG	O5-C1-C2	-2.33	107.61	111.29
5	K	2	NGC	O1B-C1-C2	2.30	119.60	113.03
5	K	2	NGC	C6-O6-C2	2.25	116.15	111.34
5	I	1	GAL	C1-C2-C3	2.21	114.90	110.31

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	G	3	NGC	O10-C10-C11-O11

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	I	2	NGC	O10-C10-C11-O11
5	K	2	NGC	O10-C10-C11-O11
6	L	1	NAG	C4-C5-C6-O6
6	L	1	NAG	O5-C5-C6-O6
4	H	3	BMA	O5-C5-C6-O6
4	H	3	BMA	C4-C5-C6-O6
6	J	1	NAG	C4-C5-C6-O6
6	J	1	NAG	O5-C5-C6-O6
3	G	2	GAL	O5-C5-C6-O6
4	H	1	NAG	C4-C5-C6-O6
5	I	1	GAL	O5-C5-C6-O6



There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	I	2	NGC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	NAG	E	401	1	14,14,15	0.45	0	17,19,21	1.49	2 (11%)
7	NAG	A	401	1	14,14,15	0.39	0	17,19,21	1.12	1 (5%)
7	NAG	C	401	1	14,14,15	0.41	0	17,19,21	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	E	401	1	-	2/6/23/26	0/1/1/1
7	NAG	A	401	1	-	2/6/23/26	0/1/1/1
7	NAG	C	401	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	E	401	NAG	C1-O5-C5	4.16	117.83	112.19
7	A	401	NAG	C1-O5-C5	3.95	117.55	112.19
7	E	401	NAG	O5-C5-C6	3.01	111.93	107.20

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	E	401	NAG	O5-C5-C6-O6
7	E	401	NAG	C4-C5-C6-O6
7	A	401	NAG	O5-C5-C6-O6
7	A	401	NAG	C4-C5-C6-O6
7	C	401	NAG	C4-C5-C6-O6
7	C	401	NAG	O5-C5-C6-O6


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	315/334 (94%)	0.03	5 (1%) 72 74	20, 32, 56, 104	0
1	C	315/334 (94%)	-0.02	3 (0%) 82 84	21, 34, 63, 117	0
1	E	315/334 (94%)	2.24	123 (39%) 0 0	37, 74, 192, 260	0
2	B	170/186 (91%)	0.68	14 (8%) 11 12	23, 54, 80, 91	0
2	D	170/186 (91%)	1.24	40 (23%) 0 0	20, 66, 107, 119	0
2	F	170/186 (91%)	7.38	144 (84%) 0 0	55, 197, 250, 304	0
All	All	1455/1560 (93%)	1.57	329 (22%) 0 0	20, 51, 207, 304	0

All (329) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	152	ILE	28.2
2	F	118	LEU	28.0
2	F	29	ALA	25.4
2	F	119	TYR	22.0
2	F	45	ILE	21.8
2	F	167	ILE	20.9
2	F	16	GLY	19.4
1	E	15	LEU	17.8
2	F	126	LEU	17.3
2	F	122	VAL	17.1
2	F	33	GLY	16.6
2	F	21	TRP	16.3
2	F	115	MET	15.4
2	F	113	SER	15.2
2	F	133	ASP	14.9
2	F	5	ALA	14.8
2	F	151	SER	14.4
2	F	14	TRP	14.0
2	F	40	SER	13.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	163	ARG	13.8
2	F	125	GLN	13.8
2	F	1	GLY	13.8
2	F	22	TYR	13.6
2	F	160	LYS	13.4
2	F	168	GLN	13.3
2	F	141	PHE	13.2
2	F	27	GLN	13.1
2	F	157	TYR	12.9
2	F	23	GLY	12.7
1	E	37	VAL	12.6
2	F	32	GLU	12.4
2	F	148	CYS	12.1
2	F	108	ILE	12.0
2	F	44	ALA	11.9
1	E	14	CYS	11.9
2	F	26	HIS	11.8
2	F	43	SER	11.7
2	F	36	ALA	11.6
1	E	323	VAL	11.5
1	E	322	ASN	11.2
2	F	3	PHE	11.1
2	F	24	TYR	11.0
1	E	17	HIS	10.7
1	E	277	CYS	10.6
1	E	22	ASN	10.5
1	E	24	THR	10.4
2	F	153	ARG	10.3
2	F	31	GLY	10.3
2	F	25	ARG	10.3
2	F	116	ASN	10.3
2	F	136	GLY	10.2
1	E	23	GLY	10.0
2	F	159	HIS	10.0
1	E	19	ALA	9.8
2	F	169	ASN	9.8
2	F	143	GLN	9.7
1	E	324	PRO	9.6
2	F	140	ILE	9.6
2	F	150	ALA	9.6
2	F	48	ILE	9.5
2	F	104	ASN	9.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	21	SER	9.3
2	F	134	GLY	9.3
2	F	47	GLN	9.1
2	F	28	ASN	9.0
2	F	2	LEU	9.0
2	F	124	ARG	9.0
2	F	158	ASP	9.0
2	F	37	ASP	9.0
2	F	128	GLU	8.9
1	E	20	VAL	8.8
2	F	11	GLU	8.8
2	F	46	ASN	8.7
2	F	6	ILE	8.6
1	E	16	GLY	8.4
2	F	60	ASN	8.3
2	F	38	TYR	8.2
2	F	131	GLU	8.2
2	F	149	MET	8.2
1	E	34	ILE	8.2
2	F	130	ALA	8.1
1	E	13	ILE	8.1
2	F	34	THR	8.1
2	F	164	LYS	8.0
1	E	39	ALA	7.9
1	E	320	MET	7.9
1	E	12	LYS	7.8
2	F	101	ALA	7.8
1	E	316	LEU	7.7
2	F	15	GLU	7.7
2	F	19	ASP	7.6
1	E	294	PHE	7.5
2	F	156	THR	7.5
2	F	102	VAL	7.4
2	F	98	PHE	7.4
1	E	293	PRO	7.3
2	F	106	HIS	7.3
1	E	32	LYS	7.3
2	F	117	LYS	7.2
1	E	297	ILE	7.2
2	F	123	ARG	7.1
2	F	114	GLU	7.0
2	F	135	ASN	6.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	137	CYS	6.7
2	F	110	LEU	6.7
2	F	161	LYS	6.7
2	F	55	LEU	6.5
2	F	41	THR	6.4
2	F	162	TYR	6.4
2	F	138	PHE	6.3
2	F	146	ASN	6.2
1	E	43	VAL	6.1
2	F	30	GLN	6.1
2	F	8	GLY	6.0
2	F	100	VAL	6.0
2	F	12	ASN	5.9
1	E	291	ASN	5.9
1	E	11	ASP	5.9
1	E	46	LYS	5.9
2	F	105	GLN	5.9
2	F	111	THR	5.9
2	D	33	GLY	5.8
2	F	120	GLU	5.8
2	F	107	THR	5.7
1	E	51	ILE	5.7
2	F	42	GLN	5.7
2	F	52	LEU	5.6
1	E	289	ILE	5.6
1	E	42	THR	5.6
2	F	142	HIS	5.6
1	E	272	ALA	5.6
2	F	170	ARG	5.5
1	E	285	GLY	5.4
2	F	13	GLY	5.4
1	E	26	VAL	5.4
2	F	109	ASP	5.4
2	B	29	ALA	5.3
2	F	58	LYS	5.3
2	D	29	ALA	5.2
2	F	96	ALA	5.2
2	F	112	ASP	5.1
2	F	56	ILE	5.1
2	F	166	ALA	5.1
1	E	18	HIS	5.1
1	E	278	GLU	5.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	314	LEU	5.0
2	F	139	GLU	5.0
1	E	317	ALA	5.0
2	D	31	GLY	5.0
2	F	18	ILE	5.0
2	F	144	CYS	4.9
2	F	17	LEU	4.9
1	E	31	GLU	4.9
2	F	94	TYR	4.8
1	E	199	ASN	4.8
1	E	47	ASN	4.7
1	E	28	THR	4.7
1	E	40	THR	4.7
1	A	22	ASN	4.7
1	E	25	LYS	4.7
1	E	140	ARG	4.6
2	F	7	ALA	4.6
2	F	54	ARG	4.5
2	F	35	ALA	4.5
2	F	92	TRP	4.5
2	D	170	ARG	4.5
1	E	279	GLY	4.5
2	F	91	VAL	4.5
1	E	315	MET	4.4
1	E	27	ASP	4.4
2	F	59	THR	4.4
2	F	154	ASN	4.3
1	E	29	LEU	4.3
2	F	51	LYS	4.3
1	E	33	GLY	4.3
2	F	49	THR	4.3
2	F	121	LYS	4.2
1	E	276	ASN	4.2
2	F	145	ASP	4.2
2	F	4	GLY	4.2
1	E	284	ILE	4.2
2	F	9	PHE	4.1
2	F	155	ASN	4.1
1	E	59	ILE	4.1
1	E	280	GLU	4.1
2	F	10	ILE	4.0
2	F	57	GLU	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	288	ILE	4.0
1	E	155	LEU	4.0
2	F	39	LYS	4.0
1	E	162	PRO	4.0
1	E	306	PRO	3.9
1	E	319	GLY	3.9
1	E	313	SER	3.9
1	E	160	VAL	3.8
2	F	99	LEU	3.8
1	E	309	VAL	3.8
1	E	48	ILE	3.8
1	E	274	LEU	3.8
2	D	164	LYS	3.8
2	D	127	ARG	3.8
1	E	35	GLU	3.7
1	E	49	PRO	3.6
1	E	137	SER	3.6
2	D	2	LEU	3.6
1	E	85	ASN	3.6
2	F	53	ASN	3.6
2	D	140	ILE	3.5
1	E	52	CYS	3.5
1	E	55	GLY	3.5
1	E	161	PHE	3.5
1	E	189	ALA	3.5
1	E	276(A)	ASN	3.5
1	E	312	LYS	3.5
2	B	141	PHE	3.5
1	E	145	SER	3.5
1	E	54	LYS	3.5
2	D	166	ALA	3.5
1	E	283	HIS	3.4
1	E	36	VAL	3.4
1	E	38	ASN	3.4
2	B	60	ASN	3.4
1	E	97	CYS	3.4
2	F	132	GLU	3.4
1	E	321	LYS	3.4
2	F	80	VAL	3.4
2	D	143	GLN	3.4
1	E	318	THR	3.3
2	F	165	GLU	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	79	PHE	3.3
1	E	302	ILE	3.3
2	D	19	ASP	3.3
2	D	167	ILE	3.3
2	B	102	VAL	3.3
1	E	143	SER	3.2
1	E	45	GLN	3.2
1	E	50	LYS	3.2
1	E	41	GLU	3.2
1	E	275	ASP	3.2
1	C	12	LYS	3.2
1	E	57	GLN	3.1
2	D	159	HIS	3.1
1	E	144	ARG	3.1
2	D	27	GLN	3.1
2	D	148	CYS	3.0
1	E	141	ARG	3.0
2	D	116	ASN	3.0
1	E	304	LYS	3.0
2	B	34	THR	2.9
1	E	30	THR	2.9
2	D	36	ALA	2.9
2	F	61	GLN	2.9
2	D	119	TYR	2.9
2	D	17	LEU	2.9
1	E	130	VAL	2.8
1	E	286	GLY	2.8
1	A	276	ASN	2.8
2	D	60	ASN	2.8
2	B	164	LYS	2.8
2	F	127	ARG	2.7
2	F	147	ASP	2.7
2	D	131	GLU	2.7
2	D	35	ALA	2.7
2	D	162	TYR	2.7
2	D	34	THR	2.7
2	F	103	GLU	2.7
2	F	95	ASN	2.7
1	E	58	THR	2.7
2	B	33	GLY	2.7
2	D	141	PHE	2.7
1	E	201	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	198	GLY	2.6
1	E	282	TYR	2.6
2	D	169	ASN	2.6
1	E	133	ASN	2.6
2	F	129	ASN	2.6
1	E	307	ARG	2.6
2	D	26	HIS	2.6
1	C	324	PRO	2.6
1	E	311	GLN	2.6
1	E	194	LEU	2.6
2	F	93	SER	2.5
2	D	123	ARG	2.5
1	E	290	SER	2.5
1	E	308	TYR	2.5
1	A	23	GLY	2.5
2	D	147	ASP	2.5
2	D	152	ILE	2.5
2	D	9	PHE	2.5
2	F	89	ILE	2.5
2	F	84	THR	2.4
1	E	295	GLN	2.4
2	B	167	ILE	2.4
2	B	3	PHE	2.4
1	E	78	GLN	2.4
2	D	160	LYS	2.4
1	E	270	SER	2.4
2	D	149	MET	2.4
1	E	305	CYS	2.3
2	D	139	GLU	2.3
2	B	156	THR	2.3
2	B	147	ASP	2.3
1	C	11	ASP	2.3
2	D	154	ASN	2.3
2	B	77	ILE	2.3
1	E	158	THR	2.2
1	E	197	SER	2.2
2	D	16	GLY	2.2
2	D	18	ILE	2.2
1	E	82	PHE	2.2
1	E	271	ASP	2.2
1	A	21	SER	2.2
1	E	63	GLN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	77	ILE	2.1
2	D	150	ALA	2.1
1	E	88	ILE	2.1
1	E	268	ILE	2.1
2	D	156	THR	2.1
1	E	273	GLN	2.1
2	F	83	TRP	2.1
1	E	135	GLU	2.1
1	E	296	ASN	2.1
1	A	324	PRO	2.1
2	B	135	ASN	2.1
2	D	37	ASP	2.0
1	E	146	SER	2.0
2	F	87	SER	2.0
1	E	287	THR	2.0
2	B	2	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	GAL	I	1	12/12	0.70	0.23	56,72,77,79	0
5	GAL	K	1	12/12	0.73	0.25	109,112,118,118	0
4	BMA	H	3	11/12	0.75	0.26	78,83,88,88	0
6	NAG	L	2	14/15	0.83	0.20	90,93,94,94	0
6	NAG	J	2	14/15	0.84	0.16	60,62,69,69	0
5	NGC	K	2	21/22	0.84	0.29	87,99,103,105	0
4	NAG	H	2	14/15	0.88	0.13	54,57,62,71	0
6	NAG	L	1	14/15	0.89	0.11	68,71,77,82	0
4	NAG	H	1	14/15	0.93	0.11	36,40,47,49	0
5	NGC	I	2	21/22	0.94	0.11	39,41,45,48	0
6	NAG	J	1	14/15	0.95	0.08	40,45,51,52	0
3	NGC	G	3	21/22	0.97	0.08	24,28,31,35	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NAG	G	1	15/15	0.97	0.08	28,34,38,38	0
3	GAL	G	2	11/12	0.97	0.09	24,25,26,27	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain I:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	NAG	E	401	14/15	0.68	0.42	88,93,108,110	0
7	NAG	A	401	14/15	0.82	0.19	61,64,80,80	0
7	NAG	C	401	14/15	0.83	0.24	74,78,83,87	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.