



wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 23, 2025 – 08:20 pm BST

PDB ID : 7Z53 / pdb_00007z53
Title : Structure of native leukocyte myeloperoxidase in complex with a truncated version (SPIN truncated) of the Staphylococcal Peroxidase Inhibitor SPIN from Staphylococcus aureus
Authors : Pfanzagl, V.; Brito, J.A.
Deposited on : 2022-03-07
Resolution : 2.28 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.46


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	8487 (2.30-2.26)
Clashscore	180529	9437 (2.30-2.26)
Ramachandran outliers	177936	9341 (2.30-2.26)
Sidechain outliers	177891	9342 (2.30-2.26)
RSRZ outliers	164620	8487 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	106	% 93% 6% .
1	C	106	4% 92% 8% .
1	G	106	5% 96% .
1	I	106	% 89% 10% .






Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	M	106	
1	O	106	
1	S	106	
1	U	106	
2	B	466	
2	D	466	
2	H	466	
2	J	466	
2	N	466	
2	P	466	
2	T	466	
2	V	466	
3	E	59	
3	F	59	
3	K	59	
3	L	59	
3	Q	59	
3	R	59	
3	W	59	
3	X	59	
4	Y	3	
4	f	3	
4	l	3	
4	o	3	
4	r	3	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	Z	4	 100%
6	a	6	 33% 67%
6	c	6	 17% 83%
6	e	6	 33% 50% 17%
6	h	6	 50% 50%
6	k	6	 17% 67% 17%
6	n	6	 33% 67%
6	q	6	 17% 83%
6	t	6	 17% 83%
7	b	2	 50% 50%
7	d	2	 50% 50%
7	g	2	 50% 50%
7	m	2	 100%
7	p	2	 50% 50%
7	s	2	 100%
8	i	4	 50% 50%
9	j	5	 20% 80%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	ACT	D	1004	-	-	X	-

2 Entry composition

There are 17 unique types of molecules in this entry. The entry contains 83733 atoms, of which 40937 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Myeloperoxidase light chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	105	Total	C	H	N	O	S	0	0	0
			1643	532	800	149	157	5			
1	C	106	Total	C	H	N	O	S	0	0	0
			1657	536	807	150	159	5			
1	G	106	Total	C	H	N	O	S	0	0	0
			1657	536	807	150	159	5			
1	I	105	Total	C	H	N	O	S	0	0	0
			1643	532	800	149	157	5			
1	M	105	Total	C	H	N	O	S	0	0	0
			1643	532	800	149	157	5			
1	O	105	Total	C	H	N	O	S	0	0	0
			1643	532	800	149	157	5			
1	S	106	Total	C	H	N	O	S	0	0	0
			1657	536	807	150	159	5			
1	U	105	Total	C	H	N	O	S	0	0	0
			1643	532	800	149	157	5			

- Molecule 2 is a protein called Myeloperoxidase heavy chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	465	Total	C	H	N	O	S	0	0	0
			7448	2348	3721	686	666	27			
2	D	465	Total	C	H	N	O	S	0	0	0
			7446	2348	3719	686	666	27			
2	H	466	Total	C	H	N	O	S	0	0	0
			7458	2351	3726	687	667	27			
2	J	465	Total	C	H	N	O	S	0	0	0
			7447	2348	3720	686	666	27			
2	N	465	Total	C	H	N	O	S	0	0	0
			7447	2348	3720	686	666	27			
2	P	465	Total	C	H	N	O	S	0	0	0
			7445	2348	3718	686	666	27			

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	T	465	Total	C	H	N	O	S	0	0	0
			7447	2348	3720	686	666	27			
2	V	466	Total	C	H	N	O	S	0	0	0
			7457	2351	3725	687	667	27			

- Molecule 3 is a protein called Myeloperoxidase inhibitor SPIN.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	E	51	Total	C	H	N	O		0	0	0
			814	261	400	70	83				
3	F	57	Total	C	H	N	O		0	0	0
			916	295	449	79	93				
3	K	55	Total	C	H	N	O		0	0	0
			873	278	432	75	88				
3	L	59	Total	C	H	N	O		0	0	0
			941	303	462	81	95				
3	Q	55	Total	C	H	N	O		0	0	0
			873	278	432	75	88				
3	R	59	Total	C	H	N	O		0	0	0
			942	303	463	81	95				
3	W	56	Total	C	H	N	O		0	0	0
			894	287	441	76	90				
3	X	55	Total	C	H	N	O		0	0	0
			873	278	432	75	88				

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
4	Y	3	Total	C	H	N	O		0	0	0
			73	22	34	2	15				
4	f	3	Total	C	H	N	O		0	0	0
			73	22	34	2	15				
4	l	3	Total	C	H	N	O		0	0	0
			73	22	34	2	15				
4	o	3	Total	C	H	N	O		0	0	0
			73	22	34	2	15				

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	r	3	Total	C	H	N	O	0	0	0
			73	22	34	2	15			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	Z	4	Total	C	H	N	O	0	0	0
			93	28	43	2	20			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	a	6	Total	C	H	N	O	0	0	0
			132	40	61	2	29			
6	c	6	Total	C	H	N	O	0	0	0
			132	40	61	2	29			
6	e	6	Total	C	H	N	O	0	0	0
			132	40	61	2	29			
6	h	6	Total	C	H	N	O	0	0	0
			132	40	61	2	29			
6	k	6	Total	C	H	N	O	0	0	0
			132	40	61	2	29			
6	n	6	Total	C	H	N	O	0	0	0
			132	40	61	2	29			
6	q	6	Total	C	H	N	O	0	0	0
			132	40	61	2	29			
6	t	6	Total	C	H	N	O	0	0	0
			132	40	61	2	29			

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a

cetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	b	2	Total	C	H	N	O	0	0	0
			53	16	25	2	10			
7	d	2	Total	C	H	N	O	0	0	0
			53	16	25	2	10			
7	g	2	Total	C	H	N	O	0	0	0
			53	16	25	2	10			
7	m	2	Total	C	H	N	O	0	0	0
			53	16	25	2	10			
7	p	2	Total	C	H	N	O	0	0	0
			53	16	25	2	10			
7	s	2	Total	C	H	N	O	0	0	0
			53	16	25	2	10			

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	i	4	Total	C	H	N	O	0	0	0
			93	28	43	2	20			

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	j	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			

- Molecule 10 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	1	Total	Cl	0	0
			1	1		
10	C	1	Total	Cl	0	0
			1	1		
10	G	1	Total	Cl	0	0
			1	1		
10	I	1	Total	Cl	0	0
			1	1		
10	M	1	Total	Cl	0	0
			1	1		
10	O	1	Total	Cl	0	0
			1	1		
10	S	1	Total	Cl	0	0
			1	1		
10	U	1	Total	Cl	0	0
			1	1		

- Molecule 11 is HEME C (CCD ID: HEC) (formula: C₃₄H₃₄FeN₄O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
11	A	1	Total	C	Fe	H	N	O	0	0
			71	34	1	28	4	4		
11	C	1	Total	C	Fe	H	N	O	0	0
			71	34	1	28	4	4		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
11	G	1	Total	C	Fe	H	N	O	0	0
			72	34	1	29	4	4		
11	I	1	Total	C	Fe	H	N	O	0	0
			72	34	1	29	4	4		
11	M	1	Total	C	Fe	H	N	O	0	0
			72	34	1	29	4	4		
11	O	1	Total	C	Fe	H	N	O	0	0
			72	34	1	29	4	4		
11	S	1	Total	C	Fe	H	N	O	0	0
			72	34	1	29	4	4		
11	U	1	Total	C	Fe	H	N	O	0	0
			71	34	1	28	4	4		

- Molecule 12 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	B	1	Total	Ca	0	0
			1	1		
12	D	1	Total	Ca	0	0
			1	1		
12	H	1	Total	Ca	0	0
			1	1		
12	J	1	Total	Ca	0	0
			1	1		
12	N	1	Total	Ca	0	0
			1	1		
12	P	1	Total	Ca	0	0
			1	1		
12	T	1	Total	Ca	0	0
			1	1		
12	V	1	Total	Ca	0	0
			1	1		

- Molecule 13 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
13	B	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 14 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
14	D	1	Total	C	H	N	O	0	0
			27	8	13	1	5		
14	D	1	Total	C	H	N	O	0	0
			27	8	13	1	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
14	H	1	Total	C	H	N	O	0	0
			27	8	13	1	5		
14	P	1	Total	C	H	N	O	0	0
			27	8	13	1	5		

- Molecule 15 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
15	D	1	Total	C	H	O	0	0
			7	2	3	2		

- Molecule 16 is OXALATE ION (CCD ID: OXL) (formula: C_2O_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
16	P	1	Total	C	O	0	0
			6	2	4		

- Molecule 17 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	A	36	Total	O	0	0
			36	36		
17	B	109	Total	O	0	0
			109	109		
17	C	27	Total	O	0	0
			27	27		
17	D	73	Total	O	0	0
			73	73		
17	E	1	Total	O	0	0
			1	1		
17	F	3	Total	O	0	0
			3	3		
17	G	17	Total	O	0	0
			17	17		
17	H	57	Total	O	0	0
			57	57		
17	I	23	Total	O	0	0
			23	23		
17	J	83	Total	O	0	0
			83	83		
17	L	8	Total	O	0	0
			8	8		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	M	36	Total 36	O 36	0	0
17	N	115	Total 115	O 115	0	0
17	O	35	Total 35	O 35	0	0
17	P	95	Total 95	O 95	0	0
17	Q	2	Total 2	O 2	0	0
17	R	2	Total 2	O 2	0	0
17	S	33	Total 33	O 33	0	0
17	T	127	Total 127	O 127	0	0
17	U	43	Total 43	O 43	0	0
17	V	138	Total 138	O 138	0	0
17	W	1	Total 1	O 1	0	0
17	X	4	Total 4	O 4	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Myeloperoxidase light chain





- Molecule 1: Myeloperoxidase light chain




- Molecule 1: Myeloperoxidase light chain




- Molecule 1: Myeloperoxidase light chain




- Molecule 1: Myeloperoxidase light chain




- Molecule 1: Myeloperoxidase light chain




- Molecule 1: Myeloperoxidase light chain





- Molecule 1: Myeloperoxidase light chain




- Molecule 2: Myeloperoxidase heavy chain



- Molecule 2: Myeloperoxidase heavy chain





- Molecule 2: Myeloperoxidase heavy chain








• Molecule 2: Myeloperoxidase heavy chain





• Molecule 2: Myeloperoxidase heavy chain



• Molecule 2: Myeloperoxidase heavy chain



• Molecule 2: Myeloperoxidase heavy chain





• Molecule 2: Myeloperoxidase heavy chain








- Molecule 3: Myeloperoxidase inhibitor SPIN





- Molecule 3: Myeloperoxidase inhibitor SPIN





- Molecule 3: Myeloperoxidase inhibitor SPIN



- Molecule 3: Myeloperoxidase inhibitor SPIN





- Molecule 3: Myeloperoxidase inhibitor SPIN




- Molecule 3: Myeloperoxidase inhibitor SPIN



- Molecule 3: Myeloperoxidase inhibitor SPIN



- Molecule 3: Myeloperoxidase inhibitor SPIN



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 5: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z: 100%



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a: 33% 67%



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c: 17% 83%




- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e: 33% 50% 17%





- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h: 50% 50%




- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k:  17% 67% 17%



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain n:  33% 67%



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain q:  17% 83%



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain t:  17% 83%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  50% 50%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  50% 50%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  50% 50%

NAG1
NAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain m:  100%


NAG1
NAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain p:  50% 50%

NAG1
NAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain s:  100%

NAG1
NAG2

- Molecule 8: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  50% 50%

NAG1
NAG2
BMA3
MAN4

- Molecule 9: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:  20% 80%

NAG1
NAG2
BMA3
MAN4
MAN5

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	257.02Å 157.20Å 166.56Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	76.19 – 2.28 76.19 – 2.28	Depositor EDS
% Data completeness (in resolution range)	79.2 (76.19-2.28) 73.8 (76.19-2.28)	Depositor EDS
R_{merge}	0.40	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.57 (at 2.27Å)	Xtriage
Refinement program	PHENIX 1.20rc4_4425	Depositor
R, R_{free}	0.174 , 0.229 0.175 , 0.228	Depositor DCC
R_{free} test set	12022 reflections (3.92%)	wwPDB-VP
Wilson B-factor (Å ²)	27.8	Xtriage
Anisotropy	0.047	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 38.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	83733	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.61 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.0943e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEC, MAN, CL, BMA, CSO, CA, EDO, ACT, FUC, OXL, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.66	0/868	0.79	0/1181
1	C	0.57	0/875	0.74	0/1191
1	G	0.57	0/875	0.72	0/1191
1	I	0.55	0/868	0.77	1/1181 (0.1%)
1	M	0.63	0/868	0.75	0/1181
1	O	0.62	0/868	0.75	0/1181
1	S	0.62	0/875	0.78	1/1191 (0.1%)
1	U	0.66	0/868	0.78	0/1181
2	B	0.62	1/3805 (0.0%)	0.70	1/5161 (0.0%)
2	D	0.54	1/3805 (0.0%)	0.65	2/5161 (0.0%)
2	H	0.53	0/3810	0.66	0/5168
2	J	0.56	0/3805	0.67	2/5161 (0.0%)
2	N	0.60	0/3805	0.69	0/5161
2	P	0.56	0/3805	0.69	0/5161
2	T	0.59	0/3805	0.70	2/5161 (0.0%)
2	V	0.60	0/3810	0.70	2/5168 (0.0%)
3	E	0.50	0/420	0.61	0/563
3	F	0.50	0/475	0.61	0/637
3	K	0.45	0/447	0.54	0/599
3	L	0.52	0/487	0.66	0/654
3	Q	0.48	0/447	0.59	0/599
3	R	0.54	0/487	0.67	0/654
3	W	0.48	0/460	0.63	0/617
3	X	0.50	0/447	0.61	0/599
All	All	0.58	2/41085 (0.0%)	0.69	11/55702 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	289	PRO	CA-C	-10.76	1.46	1.51
2	D	289	PRO	CA-C	6.54	1.55	1.51

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	289	PRO	O-C-N	-7.91	117.67	121.31
2	V	715	ASN	CA-C-N	5.97	132.45	121.70
2	V	715	ASN	C-N-CA	5.97	132.45	121.70
2	D	715	ASN	CA-C-N	5.65	131.87	121.70
2	D	715	ASN	C-N-CA	5.65	131.87	121.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	715	ASN	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	843	800	800	4	0
1	C	850	807	807	6	0
1	G	850	807	807	4	0
1	I	843	800	800	7	0
1	M	843	800	800	6	0
1	O	843	800	800	3	0
1	S	850	807	807	7	0
1	U	843	800	800	5	0
2	B	3727	3721	3720	15	0
2	D	3727	3719	3718	29	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	H	3732	3726	3726	27	0
2	J	3727	3720	3719	23	0
2	N	3727	3720	3720	15	1
2	P	3727	3718	3719	24	0
2	T	3727	3720	3720	20	1
2	V	3732	3725	3724	23	0
3	E	414	400	400	2	0
3	F	467	449	449	3	0
3	K	441	432	432	2	0
3	L	479	462	463	5	0
3	Q	441	432	432	2	0
3	R	479	463	463	3	0
3	W	453	441	441	4	0
3	X	441	432	432	2	0
4	Y	39	34	34	0	0
4	f	39	34	34	0	0
4	l	39	34	34	0	0
4	o	39	34	34	0	0
4	r	39	34	34	0	0
5	Z	50	43	43	0	0
6	a	71	61	61	0	0
6	c	71	61	61	0	0
6	e	71	61	61	1	0
6	h	71	61	61	0	0
6	k	71	61	61	1	0
6	n	71	61	61	0	0
6	q	71	61	61	0	0
6	t	71	61	61	0	0
7	b	28	25	25	1	0
7	d	28	25	25	0	0
7	g	28	25	25	0	0
7	m	28	25	25	0	0
7	p	28	25	25	1	0
7	s	28	25	25	0	0
8	i	50	43	43	0	0
9	j	61	52	52	0	0
10	A	1	0	0	0	0
10	C	1	0	0	0	0
10	G	1	0	0	0	0
10	I	1	0	0	0	0
10	M	1	0	0	0	0
10	O	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	S	1	0	0	0	0
10	U	1	0	0	0	0
11	A	43	28	29	3	0
11	C	43	28	29	5	0
11	G	43	29	30	1	0
11	I	43	29	30	3	0
11	M	43	29	30	4	0
11	O	43	29	30	1	0
11	S	43	29	30	3	0
11	U	43	28	29	8	0
12	B	1	0	0	0	0
12	D	1	0	0	0	0
12	H	1	0	0	0	0
12	J	1	0	0	0	0
12	N	1	0	0	0	0
12	P	1	0	0	0	0
12	T	1	0	0	0	0
12	V	1	0	0	0	0
13	B	4	6	6	0	0
14	D	28	26	26	0	0
14	H	14	13	13	0	0
14	P	14	13	13	0	0
15	D	4	3	3	2	0
16	P	6	0	0	0	0
17	A	36	0	0	0	0
17	B	109	0	0	1	0
17	C	27	0	0	0	0
17	D	73	0	0	0	0
17	E	1	0	0	0	0
17	F	3	0	0	0	0
17	G	17	0	0	0	0
17	H	57	0	0	1	0
17	I	23	0	0	0	0
17	J	83	0	0	0	0
17	L	8	0	0	1	0
17	M	36	0	0	0	0
17	N	115	0	0	0	0
17	O	35	0	0	0	0
17	P	95	0	0	0	0
17	Q	2	0	0	0	0
17	R	2	0	0	0	0
17	S	33	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
17	T	127	0	0	1	0
17	U	43	0	0	0	0
17	V	138	0	0	1	0
17	W	1	0	0	0	0
17	X	4	0	0	0	0
All	All	42796	40937	40943	226	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 226 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:U:302:HEC:CMB	2:V:408:GLU:OE2	1.65	1.40
2:B:406:SER:OG	17:B:1101:HOH:O	1.59	1.21
11:U:302:HEC:HMB2	2:V:408:GLU:OE2	1.08	1.20
11:S:302:HEC:HBC2	2:T:501:GLY:HA3	1.45	0.99
11:A:3002:HEC:HBC2	2:B:501:GLY:HA3	1.53	0.91

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:N:571:ARG:HH21	2:T:683:GLU:OE2[4_447]	1.54	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	103/106 (97%)	98 (95%)	5 (5%)	0	100	100
1	C	104/106 (98%)	99 (95%)	5 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	104/106 (98%)	100 (96%)	4 (4%)	0	100	100
1	I	103/106 (97%)	100 (97%)	3 (3%)	0	100	100
1	M	103/106 (97%)	101 (98%)	2 (2%)	0	100	100
1	O	103/106 (97%)	100 (97%)	3 (3%)	0	100	100
1	S	104/106 (98%)	99 (95%)	5 (5%)	0	100	100
1	U	103/106 (97%)	98 (95%)	5 (5%)	0	100	100
2	B	462/466 (99%)	445 (96%)	16 (4%)	1 (0%)	44	53
2	D	462/466 (99%)	443 (96%)	17 (4%)	2 (0%)	30	36
2	H	463/466 (99%)	445 (96%)	18 (4%)	0	100	100
2	J	462/466 (99%)	447 (97%)	13 (3%)	2 (0%)	30	36
2	N	462/466 (99%)	447 (97%)	14 (3%)	1 (0%)	44	53
2	P	462/466 (99%)	445 (96%)	17 (4%)	0	100	100
2	T	462/466 (99%)	449 (97%)	12 (3%)	1 (0%)	44	53
2	V	463/466 (99%)	448 (97%)	15 (3%)	0	100	100
3	E	49/59 (83%)	47 (96%)	2 (4%)	0	100	100
3	F	55/59 (93%)	54 (98%)	1 (2%)	0	100	100
3	K	53/59 (90%)	52 (98%)	1 (2%)	0	100	100
3	L	57/59 (97%)	53 (93%)	3 (5%)	1 (2%)	7	5
3	Q	53/59 (90%)	50 (94%)	2 (4%)	1 (2%)	6	5
3	R	57/59 (97%)	57 (100%)	0	0	100	100
3	W	54/59 (92%)	50 (93%)	2 (4%)	2 (4%)	2	1
3	X	53/59 (90%)	52 (98%)	1 (2%)	0	100	100
All	All	4956/5048 (98%)	4779 (96%)	166 (3%)	11 (0%)	44	53

5 of 11 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	W	100	LYS
2	B	521	PRO
2	D	521	PRO
2	N	521	PRO
2	T	521	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	90/91 (99%)	90 (100%)	0	100	100
1	C	91/91 (100%)	90 (99%)	1 (1%)	70	81
1	G	91/91 (100%)	91 (100%)	0	100	100
1	I	90/91 (99%)	90 (100%)	0	100	100
1	M	90/91 (99%)	90 (100%)	0	100	100
1	O	90/91 (99%)	90 (100%)	0	100	100
1	S	91/91 (100%)	89 (98%)	2 (2%)	47	62
1	U	90/91 (99%)	90 (100%)	0	100	100
2	B	410/410 (100%)	403 (98%)	7 (2%)	56	70
2	D	410/410 (100%)	406 (99%)	4 (1%)	73	83
2	H	410/410 (100%)	403 (98%)	7 (2%)	56	70
2	J	410/410 (100%)	402 (98%)	8 (2%)	50	65
2	N	410/410 (100%)	403 (98%)	7 (2%)	56	70
2	P	410/410 (100%)	405 (99%)	5 (1%)	67	79
2	T	410/410 (100%)	401 (98%)	9 (2%)	47	62
2	V	410/410 (100%)	402 (98%)	8 (2%)	50	65
3	E	45/52 (86%)	45 (100%)	0	100	100
3	F	51/52 (98%)	51 (100%)	0	100	100
3	K	48/52 (92%)	48 (100%)	0	100	100
3	L	52/52 (100%)	52 (100%)	0	100	100
3	Q	48/52 (92%)	48 (100%)	0	100	100
3	R	52/52 (100%)	51 (98%)	1 (2%)	52	67
3	W	49/52 (94%)	48 (98%)	1 (2%)	50	65
3	X	48/52 (92%)	48 (100%)	0	100	100
All	All	4396/4424 (99%)	4336 (99%)	60 (1%)	62	76

5 of 60 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	N	341	MET
2	V	527	LEU
2	P	409	MET
2	V	519	MET
3	W	97	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 48 such sidechains are listed below:

Mol	Chain	Res	Type
2	N	492	ASN
2	P	492	ASN
2	N	506	GLN
2	N	706	ASN
1	S	192	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CSO	D	316	2	3,6,7	0.48	0	0,6,8	-	-
2	CSO	J	316	2	3,6,7	0.63	0	0,6,8	-	-
2	CSO	B	316	2	3,6,7	0.63	0	0,6,8	-	-
2	CSO	H	316	2	3,6,7	0.50	0	0,6,8	-	-
2	CSO	T	316	2	3,6,7	0.53	0	0,6,8	-	-
2	CSO	N	316	2	3,6,7	0.62	0	0,6,8	-	-
2	CSO	P	316	2	3,6,7	0.24	0	0,6,8	-	-
2	CSO	V	316	2	3,6,7	0.70	0	0,6,8	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CSO	D	316	2	-	0/1/5/7	-
2	CSO	J	316	2	-	0/1/5/7	-
2	CSO	B	316	2	-	0/1/5/7	-
2	CSO	H	316	2	-	0/1/5/7	-
2	CSO	T	316	2	-	0/1/5/7	-
2	CSO	N	316	2	-	0/1/5/7	-
2	CSO	P	316	2	-	0/1/5/7	-
2	CSO	V	316	2	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

88 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	Y	1	4,2	14,14,15	0.31	0	17,19,21	0.87	0
4	NAG	Y	2	4	14,14,15	0.95	1 (7%)	17,19,21	0.67	0
4	BMA	Y	3	4	11,11,12	2.27	6 (54%)	15,15,17	0.92	0
5	NAG	Z	1	5,2	14,14,15	0.88	1 (7%)	17,19,21	0.84	1 (5%)
5	NAG	Z	2	5	14,14,15	0.90	1 (7%)	17,19,21	1.10	2 (11%)
5	BMA	Z	3	5	11,11,12	1.27	1 (9%)	15,15,17	1.27	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	MAN	Z	4	5	11,11,12	2.31	6 (54%)	15,15,17	1.33	2 (13%)
6	NAG	a	1	6,2	14,14,15	0.40	0	17,19,21	0.78	0
6	NAG	a	2	6	14,14,15	0.49	0	17,19,21	0.78	0
6	BMA	a	3	6	11,11,12	1.47	2 (18%)	15,15,17	1.17	1 (6%)
6	MAN	a	4	6	11,11,12	2.28	5 (45%)	15,15,17	1.92	3 (20%)
6	MAN	a	5	6	11,11,12	1.44	2 (18%)	15,15,17	0.71	0
6	FUC	a	6	6	10,10,11	1.38	2 (20%)	14,14,16	1.58	3 (21%)
7	NAG	b	1	7,2	14,14,15	0.29	0	17,19,21	0.62	0
7	NAG	b	2	7	14,14,15	1.52	2 (14%)	17,19,21	0.70	0
6	NAG	c	1	6,2	14,14,15	0.89	1 (7%)	17,19,21	1.10	1 (5%)
6	NAG	c	2	6	14,14,15	0.51	0	17,19,21	0.57	0
6	BMA	c	3	6	11,11,12	1.12	2 (18%)	15,15,17	1.37	2 (13%)
6	MAN	c	4	6	11,11,12	0.99	1 (9%)	15,15,17	1.56	2 (13%)
6	MAN	c	5	6	11,11,12	1.34	1 (9%)	15,15,17	1.17	0
6	FUC	c	6	6	10,10,11	1.16	0	14,14,16	1.16	1 (7%)
7	NAG	d	1	7,2	14,14,15	0.24	0	17,19,21	1.01	1 (5%)
7	NAG	d	2	7	14,14,15	0.44	0	17,19,21	0.58	0
6	NAG	e	1	6,2	14,14,15	0.42	0	17,19,21	0.86	0
6	NAG	e	2	6	14,14,15	0.42	0	17,19,21	0.37	0
6	BMA	e	3	6	11,11,12	1.42	2 (18%)	15,15,17	1.00	1 (6%)
6	MAN	e	4	6	11,11,12	1.85	4 (36%)	15,15,17	1.34	2 (13%)
6	MAN	e	5	6	11,11,12	1.35	1 (9%)	15,15,17	1.10	1 (6%)
6	FUC	e	6	6	10,10,11	0.92	0	14,14,16	1.11	1 (7%)
4	NAG	f	1	4,2	14,14,15	0.75	1 (7%)	17,19,21	0.89	1 (5%)
4	NAG	f	2	4	14,14,15	0.38	0	17,19,21	0.91	1 (5%)
4	BMA	f	3	4	11,11,12	2.31	5 (45%)	15,15,17	1.17	1 (6%)
7	NAG	g	1	7,2	14,14,15	0.29	0	17,19,21	1.01	1 (5%)
7	NAG	g	2	7	14,14,15	0.42	0	17,19,21	0.75	0
6	NAG	h	1	6,2	14,14,15	0.48	0	17,19,21	0.79	0
6	NAG	h	2	6	14,14,15	0.40	0	17,19,21	0.56	0
6	BMA	h	3	6	11,11,12	0.89	0	15,15,17	0.86	0
6	MAN	h	4	6	11,11,12	1.14	0	15,15,17	1.02	1 (6%)
6	MAN	h	5	6	11,11,12	1.59	2 (18%)	15,15,17	0.97	1 (6%)
6	FUC	h	6	6	10,10,11	1.54	3 (30%)	14,14,16	1.43	2 (14%)
8	NAG	i	1	2,8	14,14,15	0.53	0	17,19,21	0.74	0
8	NAG	i	2	8	14,14,15	0.54	0	17,19,21	0.46	0
8	BMA	i	3	8	11,11,12	2.07	2 (18%)	15,15,17	1.21	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	MAN	i	4	8	11,11,12	1.94	5 (45%)	15,15,17	1.48	3 (20%)
9	NAG	j	1	2,9	14,14,15	1.00	1 (7%)	17,19,21	0.87	0
9	NAG	j	2	9	14,14,15	0.47	0	17,19,21	0.60	0
9	BMA	j	3	9	11,11,12	1.02	0	15,15,17	1.43	2 (13%)
9	MAN	j	4	9	11,11,12	2.71	7 (63%)	15,15,17	1.48	3 (20%)
9	MAN	j	5	9	11,11,12	2.29	5 (45%)	15,15,17	0.93	0
6	NAG	k	1	6,2	14,14,15	0.30	0	17,19,21	0.85	1 (5%)
6	NAG	k	2	6	14,14,15	0.49	0	17,19,21	0.74	0
6	BMA	k	3	6	11,11,12	1.28	1 (9%)	15,15,17	1.36	2 (13%)
6	MAN	k	4	6	11,11,12	1.82	2 (18%)	15,15,17	1.60	4 (26%)
6	MAN	k	5	6	11,11,12	1.07	0	15,15,17	1.53	3 (20%)
6	FUC	k	6	6	10,10,11	1.63	3 (30%)	14,14,16	1.24	1 (7%)
4	NAG	l	1	4,2	14,14,15	0.41	0	17,19,21	0.41	0
4	NAG	l	2	4	14,14,15	0.64	0	17,19,21	0.59	0
4	BMA	l	3	4	11,11,12	1.78	6 (54%)	15,15,17	1.29	2 (13%)
7	NAG	m	1	7,2	14,14,15	0.71	1 (7%)	17,19,21	0.63	0
7	NAG	m	2	7	14,14,15	0.70	1 (7%)	17,19,21	0.92	1 (5%)
6	NAG	n	1	6,2	14,14,15	0.34	0	17,19,21	0.74	0
6	NAG	n	2	6	14,14,15	0.52	0	17,19,21	0.62	0
6	BMA	n	3	6	11,11,12	1.35	1 (9%)	15,15,17	1.49	2 (13%)
6	MAN	n	4	6	11,11,12	1.51	2 (18%)	15,15,17	1.16	1 (6%)
6	MAN	n	5	6	11,11,12	1.50	1 (9%)	15,15,17	1.09	1 (6%)
6	FUC	n	6	6	10,10,11	0.91	0	14,14,16	1.16	1 (7%)
4	NAG	o	1	4,2	14,14,15	0.74	1 (7%)	17,19,21	0.57	0
4	NAG	o	2	4	14,14,15	0.27	0	17,19,21	0.61	0
4	BMA	o	3	4	11,11,12	2.19	4 (36%)	15,15,17	1.84	5 (33%)
7	NAG	p	1	7,2	14,14,15	0.32	0	17,19,21	1.06	2 (11%)
7	NAG	p	2	7	14,14,15	0.52	0	17,19,21	0.67	0
6	NAG	q	1	6,2	14,14,15	0.67	0	17,19,21	0.83	0
6	NAG	q	2	6	14,14,15	0.66	1 (7%)	17,19,21	0.73	0
6	BMA	q	3	6	11,11,12	1.03	1 (9%)	15,15,17	0.94	0
6	MAN	q	4	6	11,11,12	2.38	4 (36%)	15,15,17	1.55	2 (13%)
6	MAN	q	5	6	11,11,12	1.88	3 (27%)	15,15,17	0.88	0
6	FUC	q	6	6	10,10,11	0.87	0	14,14,16	1.30	2 (14%)
4	NAG	r	1	4,2	14,14,15	0.64	0	17,19,21	1.00	2 (11%)
4	NAG	r	2	4	14,14,15	0.50	0	17,19,21	0.63	0
4	BMA	r	3	4	11,11,12	2.04	6 (54%)	15,15,17	1.40	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	s	1	7,2	14,14,15	0.70	1 (7%)	17,19,21	0.99	1 (5%)
7	NAG	s	2	7	14,14,15	0.63	0	17,19,21	1.46	1 (5%)
6	NAG	t	1	6,2	14,14,15	0.49	0	17,19,21	0.95	1 (5%)
6	NAG	t	2	6	14,14,15	0.66	0	17,19,21	0.63	0
6	BMA	t	3	6	11,11,12	1.40	1 (9%)	15,15,17	1.02	1 (6%)
6	MAN	t	4	6	11,11,12	1.37	1 (9%)	15,15,17	1.40	2 (13%)
6	MAN	t	5	6	11,11,12	1.56	1 (9%)	15,15,17	0.72	0
6	FUC	t	6	6	10,10,11	1.35	2 (20%)	14,14,16	1.19	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	Y	1	4,2	-	1/6/23/26	0/1/1/1
4	NAG	Y	2	4	-	0/6/23/26	0/1/1/1
4	BMA	Y	3	4	-	0/2/19/22	0/1/1/1
5	NAG	Z	1	5,2	-	0/6/23/26	0/1/1/1
5	NAG	Z	2	5	-	1/6/23/26	0/1/1/1
5	BMA	Z	3	5	-	2/2/19/22	0/1/1/1
5	MAN	Z	4	5	-	0/2/19/22	0/1/1/1
6	NAG	a	1	6,2	-	0/6/23/26	0/1/1/1
6	NAG	a	2	6	-	0/6/23/26	0/1/1/1
6	BMA	a	3	6	-	0/2/19/22	0/1/1/1
6	MAN	a	4	6	-	2/2/19/22	0/1/1/1
6	MAN	a	5	6	-	0/2/19/22	0/1/1/1
6	FUC	a	6	6	-	-	0/1/1/1
7	NAG	b	1	7,2	-	2/6/23/26	0/1/1/1
7	NAG	b	2	7	-	0/6/23/26	0/1/1/1
6	NAG	c	1	6,2	-	0/6/23/26	0/1/1/1
6	NAG	c	2	6	-	0/6/23/26	0/1/1/1
6	BMA	c	3	6	-	0/2/19/22	0/1/1/1
6	MAN	c	4	6	-	0/2/19/22	0/1/1/1
6	MAN	c	5	6	-	0/2/19/22	0/1/1/1
6	FUC	c	6	6	-	-	0/1/1/1
7	NAG	d	1	7,2	-	0/6/23/26	0/1/1/1
7	NAG	d	2	7	-	0/6/23/26	0/1/1/1
6	NAG	e	1	6,2	-	0/6/23/26	0/1/1/1
6	NAG	e	2	6	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	BMA	e	3	6	-	0/2/19/22	0/1/1/1
6	MAN	e	4	6	-	0/2/19/22	0/1/1/1
6	MAN	e	5	6	-	0/2/19/22	0/1/1/1
6	FUC	e	6	6	-	-	0/1/1/1
4	NAG	f	1	4,2	-	0/6/23/26	0/1/1/1
4	NAG	f	2	4	-	0/6/23/26	0/1/1/1
4	BMA	f	3	4	-	0/2/19/22	0/1/1/1
7	NAG	g	1	7,2	-	3/6/23/26	0/1/1/1
7	NAG	g	2	7	-	2/6/23/26	0/1/1/1
6	NAG	h	1	6,2	-	0/6/23/26	0/1/1/1
6	NAG	h	2	6	-	0/6/23/26	0/1/1/1
6	BMA	h	3	6	-	0/2/19/22	0/1/1/1
6	MAN	h	4	6	-	2/2/19/22	0/1/1/1
6	MAN	h	5	6	-	0/2/19/22	0/1/1/1
6	FUC	h	6	6	-	-	0/1/1/1
8	NAG	i	1	2,8	-	1/6/23/26	0/1/1/1
8	NAG	i	2	8	-	2/6/23/26	0/1/1/1
8	BMA	i	3	8	-	0/2/19/22	0/1/1/1
8	MAN	i	4	8	-	0/2/19/22	1/1/1/1
9	NAG	j	1	2,9	-	0/6/23/26	0/1/1/1
9	NAG	j	2	9	-	0/6/23/26	0/1/1/1
9	BMA	j	3	9	-	2/2/19/22	0/1/1/1
9	MAN	j	4	9	-	1/2/19/22	1/1/1/1
9	MAN	j	5	9	-	1/2/19/22	0/1/1/1
6	NAG	k	1	6,2	-	0/6/23/26	0/1/1/1
6	NAG	k	2	6	-	0/6/23/26	0/1/1/1
6	BMA	k	3	6	-	0/2/19/22	0/1/1/1
6	MAN	k	4	6	-	1/2/19/22	0/1/1/1
6	MAN	k	5	6	-	0/2/19/22	0/1/1/1
6	FUC	k	6	6	-	-	0/1/1/1
4	NAG	l	1	4,2	-	0/6/23/26	0/1/1/1
4	NAG	l	2	4	-	0/6/23/26	0/1/1/1
4	BMA	l	3	4	-	1/2/19/22	0/1/1/1
7	NAG	m	1	7,2	-	2/6/23/26	0/1/1/1
7	NAG	m	2	7	-	0/6/23/26	0/1/1/1
6	NAG	n	1	6,2	-	0/6/23/26	0/1/1/1
6	NAG	n	2	6	-	0/6/23/26	0/1/1/1
6	BMA	n	3	6	-	0/2/19/22	0/1/1/1
6	MAN	n	4	6	-	2/2/19/22	1/1/1/1
6	MAN	n	5	6	-	0/2/19/22	0/1/1/1
6	FUC	n	6	6	-	-	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	o	1	4,2	-	0/6/23/26	0/1/1/1
4	NAG	o	2	4	-	1/6/23/26	0/1/1/1
4	BMA	o	3	4	-	2/2/19/22	0/1/1/1
7	NAG	p	1	7,2	-	3/6/23/26	0/1/1/1
7	NAG	p	2	7	-	2/6/23/26	0/1/1/1
6	NAG	q	1	6,2	-	0/6/23/26	0/1/1/1
6	NAG	q	2	6	-	0/6/23/26	0/1/1/1
6	BMA	q	3	6	-	0/2/19/22	0/1/1/1
6	MAN	q	4	6	-	0/2/19/22	0/1/1/1
6	MAN	q	5	6	-	0/2/19/22	0/1/1/1
6	FUC	q	6	6	-	-	0/1/1/1
4	NAG	r	1	4,2	-	0/6/23/26	0/1/1/1
4	NAG	r	2	4	-	0/6/23/26	0/1/1/1
4	BMA	r	3	4	-	0/2/19/22	0/1/1/1
7	NAG	s	1	7,2	-	3/6/23/26	0/1/1/1
7	NAG	s	2	7	-	2/6/23/26	0/1/1/1
6	NAG	t	1	6,2	-	0/6/23/26	0/1/1/1
6	NAG	t	2	6	-	0/6/23/26	0/1/1/1
6	BMA	t	3	6	-	0/2/19/22	0/1/1/1
6	MAN	t	4	6	-	1/2/19/22	0/1/1/1
6	MAN	t	5	6	-	0/2/19/22	0/1/1/1
6	FUC	t	6	6	-	-	0/1/1/1

The worst 5 of 116 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	q	4	MAN	C2-C3	4.89	1.59	1.52
4	Y	3	BMA	C2-C3	4.63	1.59	1.52
4	f	3	BMA	C2-C3	4.60	1.59	1.52
8	i	3	BMA	C2-C3	4.59	1.59	1.52
9	j	5	MAN	C2-C3	4.55	1.59	1.52

The worst 5 of 84 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	s	2	NAG	C1-O5-C5	4.96	118.91	112.19
6	a	4	MAN	C1-O5-C5	4.94	118.89	112.19
8	i	4	MAN	C1-O5-C5	4.30	118.02	112.19
6	c	3	BMA	O2-C2-C3	-4.28	101.57	110.14
6	q	4	MAN	O5-C1-C2	-4.18	104.32	110.77

There are no chirality outliers.

5 of 42 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	p	1	NAG	C1-C2-N2-C7
5	Z	3	BMA	O5-C5-C6-O6
7	g	1	NAG	C4-C5-C6-O6
7	m	1	NAG	C4-C5-C6-O6
4	o	3	BMA	O5-C5-C6-O6

All (3) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
9	j	4	MAN	C1-C2-C3-C4-C5-O5
8	i	4	MAN	C1-C2-C3-C4-C5-O5
6	n	4	MAN	C1-C2-C3-C4-C5-O5


4 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	k	4	MAN	1	0
7	b	2	NAG	1	0
7	p	1	NAG	1	0
6	e	5	MAN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


Oligosaccharide Chain Y


















Oligosaccharide Chain a











Oligosaccharide Chain h



































5.6 Ligand geometry [i](#)

Of 31 ligands modelled in this entry, 16 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
14	NAG	H	1002	2	14,14,15	0.51	0	17,19,21	0.69	0
11	HEC	A	3002	2,1	32,50,50	2.53	5 (15%)	24,82,82	1.34	3 (12%)
11	HEC	C	302	17,2,1	32,50,50	2.09	3 (9%)	24,82,82	1.69	5 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	HEC	O	302	2,1	32,50,50	2.36	4 (12%)	24,82,82	1.50	5 (20%)
11	HEC	G	302	2,1	32,50,50	2.21	5 (15%)	24,82,82	1.58	6 (25%)
11	HEC	U	302	2,1	32,50,50	2.33	5 (15%)	24,82,82	1.89	5 (20%)
14	NAG	P	1002	2	14,14,15	1.14	2 (14%)	17,19,21	0.54	0
14	NAG	D	1002	2	14,14,15	0.61	0	17,19,21	0.66	0
16	OXL	P	1003	-	5,5,5	2.31	2 (40%)	6,6,6	1.26	1 (16%)
11	HEC	M	302	2,1	32,50,50	2.15	5 (15%)	24,82,82	1.40	4 (16%)
14	NAG	D	1003	2	14,14,15	0.42	0	17,19,21	0.42	0
13	EDO	B	1002	-	3,3,3	0.76	0	2,2,2	0.23	0
15	ACT	D	1004	-	3,3,3	1.28	0	3,3,3	1.59	0
11	HEC	I	302	2,1	32,50,50	2.44	7 (21%)	24,82,82	1.63	3 (12%)
11	HEC	S	302	2,1	32,50,50	2.31	4 (12%)	24,82,82	1.45	3 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	NAG	H	1002	2	-	1/6/23/26	0/1/1/1
11	HEC	A	3002	2,1	-	4/10/54/54	-
11	HEC	C	302	17,2,1	-	4/10/54/54	-
11	HEC	O	302	2,1	-	4/10/54/54	-
11	HEC	G	302	2,1	-	4/10/54/54	-
11	HEC	U	302	2,1	-	4/10/54/54	-
14	NAG	P	1002	2	-	0/6/23/26	0/1/1/1
14	NAG	D	1002	2	-	0/6/23/26	0/1/1/1
16	OXL	P	1003	-	-	1/4/4/4	-
11	HEC	M	302	2,1	-	4/10/54/54	-
14	NAG	D	1003	2	-	0/6/23/26	0/1/1/1
13	EDO	B	1002	-	-	0/1/1/1	-
11	HEC	I	302	2,1	-	4/10/54/54	-
11	HEC	S	302	2,1	-	4/10/54/54	-

The worst 5 of 42 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	A	3002	HEC	C2B-C3B	-9.37	1.31	1.40
11	O	302	HEC	C2B-C3B	-7.98	1.32	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	U	302	HEC	C2B-C3B	-7.91	1.32	1.40
11	I	302	HEC	C2B-C3B	-7.83	1.32	1.40
11	C	302	HEC	C2B-C3B	-7.66	1.32	1.40

The worst 5 of 35 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	U	302	HEC	CMC-C2C-C1C	-6.26	118.84	128.46
11	I	302	HEC	CBA-CAA-C2A	-4.78	104.56	112.60
11	C	302	HEC	CMC-C2C-C1C	-4.53	121.50	128.46
11	I	302	HEC	CMC-C2C-C1C	-4.17	122.05	128.46
11	G	302	HEC	CMC-C2C-C1C	-3.74	122.71	128.46

There are no chirality outliers.

5 of 34 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	S	302	HEC	CAD-CBD-CGD-O2D
11	C	302	HEC	CAD-CBD-CGD-O1D
11	M	302	HEC	CAA-CBA-CGA-O1A
11	U	302	HEC	CAD-CBD-CGD-O1D
11	I	302	HEC	CAD-CBD-CGD-O2D


There are no ring outliers.


9 monomers are involved in 30 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	A	3002	HEC	3	0
11	C	302	HEC	5	0
11	O	302	HEC	1	0
11	G	302	HEC	1	0
11	U	302	HEC	8	0
11	M	302	HEC	4	0
15	D	1004	ACT	2	0
11	I	302	HEC	3	0
11	S	302	HEC	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is


within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
















Ligand HEC I 302





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	105/106 (99%)	-0.35	1 (0%) 79 80	23, 32, 60, 105	0
1	C	106/106 (100%)	-0.09	4 (3%) 44 46	26, 41, 73, 106	0
1	G	106/106 (100%)	-0.15	5 (4%) 37 38	26, 41, 79, 123	0
1	I	105/106 (99%)	-0.03	1 (0%) 79 80	26, 43, 64, 79	0
1	M	105/106 (99%)	-0.35	2 (1%) 66 67	22, 32, 64, 95	0
1	O	105/106 (99%)	-0.37	2 (1%) 66 67	22, 34, 63, 88	0
1	S	106/106 (100%)	-0.30	2 (1%) 66 67	22, 33, 59, 88	0
1	U	105/106 (99%)	-0.45	4 (3%) 44 46	22, 30, 64, 86	0
2	B	464/466 (99%)	-0.28	7 (1%) 71 72	19, 39, 63, 98	0
2	D	464/466 (99%)	0.01	13 (2%) 55 56	25, 48, 76, 108	0
2	H	465/466 (99%)	0.05	13 (2%) 55 56	26, 50, 78, 110	0
2	J	464/466 (99%)	-0.18	8 (1%) 69 70	25, 41, 66, 103	0
2	N	464/466 (99%)	-0.34	6 (1%) 74 75	21, 37, 63, 98	0
2	P	464/466 (99%)	-0.25	6 (1%) 74 75	23, 39, 65, 114	0
2	T	464/466 (99%)	-0.34	5 (1%) 77 78	23, 37, 56, 104	0
2	V	465/466 (99%)	-0.45	3 (0%) 85 86	20, 35, 59, 93	0
3	E	51/59 (86%)	0.84	3 (5%) 29 31	47, 72, 103, 111	0
3	F	57/59 (96%)	0.58	1 (1%) 67 68	50, 58, 81, 89	0
3	K	55/59 (93%)	1.56	13 (23%) 2 2	62, 88, 114, 136	0
3	L	59/59 (100%)	0.34	3 (5%) 34 35	31, 56, 91, 112	0
3	Q	55/59 (93%)	0.70	4 (7%) 22 23	40, 61, 93, 105	0
3	R	59/59 (100%)	0.35	1 (1%) 69 70	38, 55, 82, 95	0
3	W	56/59 (94%)	0.67	6 (10%) 12 13	38, 64, 88, 97	0
3	X	55/59 (93%)	0.54	3 (5%) 32 33	34, 61, 86, 95	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
All	All	5004/5048 (99%)	-0.15	116 (2%) 61 62	19, 40, 75, 136	0

The worst 5 of 116 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	T	521	PRO	5.6
2	D	279	VAL	4.9
2	T	279	VAL	4.8
2	P	521	PRO	4.7
2	N	521	PRO	4.6

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CSO	B	316	7/8	0.96	0.07	26,32,43,52	0
2	CSO	D	316	7/8	0.96	0.06	30,36,47,57	0
2	CSO	H	316	7/8	0.96	0.07	31,38,46,46	0
2	CSO	J	316	7/8	0.96	0.06	32,39,49,54	0
2	CSO	N	316	7/8	0.96	0.07	20,26,41,49	0
2	CSO	T	316	7/8	0.96	0.08	22,27,38,39	0
2	CSO	P	316	7/8	0.97	0.05	22,30,40,46	0
2	CSO	V	316	7/8	0.97	0.06	21,26,32,39	0

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	BMA	Y	3	11/12	0.56	0.17	66,74,86,89	0
5	MAN	Z	4	11/12	0.65	0.15	64,76,90,91	0
5	BMA	Z	3	11/12	0.67	0.13	58,68,82,84	0
4	NAG	f	1	14/15	-	-	29,39,48,51	0
4	NAG	f	2	14/15	-	-	48,63,78,79	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	BMA	f	3	11/12	-	-	58,69,80,88	0
4	NAG	l	1	14/15	-	-	34,44,53,55	0
4	NAG	l	2	14/15	-	-	44,60,73,77	0
4	BMA	l	3	11/12	-	-	69,79,92,98	0
4	NAG	o	1	14/15	-	-	34,41,47,49	0
4	NAG	o	2	14/15	-	-	43,66,80,82	0
4	BMA	o	3	11/12	-	-	62,72,86,88	0
4	NAG	r	1	14/15	-	-	29,40,51,59	0
4	NAG	r	2	14/15	-	-	50,62,72,78	0
4	BMA	r	3	11/12	-	-	57,68,83,91	0
4	NAG	Y	2	14/15	0.83	0.12	46,62,80,87	0
4	NAG	Y	1	14/15	0.92	0.10	42,50,59,60	0
5	NAG	Z	2	14/15	0.92	0.10	46,55,64,69	0
5	NAG	Z	1	14/15	0.93	0.10	33,43,55,70	0
6	NAG	a	1	14/15	-	-	23,29,38,38	0
6	NAG	a	2	14/15	-	-	20,28,33,37	0
6	BMA	a	3	11/12	-	-	29,35,49,49	0
6	MAN	a	4	11/12	-	-	51,65,78,94	0
6	MAN	a	5	11/12	-	-	29,36,45,49	0
6	FUC	a	6	10/11	-	-	31,40,48,53	0
6	NAG	c	1	14/15	-	-	21,27,33,36	0
6	NAG	c	2	14/15	-	-	18,23,28,33	0
6	BMA	c	3	11/12	-	-	27,33,40,41	0
6	MAN	c	4	11/12	-	-	48,57,68,76	0
6	MAN	c	5	11/12	-	-	29,35,43,44	0
6	FUC	c	6	10/11	-	-	28,37,48,55	0
6	NAG	e	1	14/15	-	-	33,40,46,52	0
6	NAG	e	2	14/15	-	-	29,39,48,53	0
6	BMA	e	3	11/12	-	-	34,40,48,49	0
6	MAN	e	4	11/12	-	-	56,65,77,78	0
6	MAN	e	5	11/12	-	-	35,43,51,54	0
6	FUC	e	6	10/11	-	-	39,46,55,55	0
6	NAG	h	1	14/15	-	-	26,31,39,40	0
6	NAG	h	2	14/15	-	-	24,29,36,39	0
6	BMA	h	3	11/12	-	-	32,40,48,54	0
6	MAN	h	4	11/12	-	-	50,59,70,74	0
6	MAN	h	5	11/12	-	-	33,45,54,55	0
6	FUC	h	6	10/11	-	-	34,48,61,63	0
6	NAG	k	1	14/15	-	-	24,30,35,38	0
6	NAG	k	2	14/15	-	-	19,28,33,35	0
6	BMA	k	3	11/12	-	-	31,39,48,51	0
6	MAN	k	4	11/12	-	-	53,67,81,88	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	MAN	k	5	11/12	-	-	30,40,50,57	0
6	FUC	k	6	10/11	-	-	28,38,46,49	0
6	NAG	n	1	14/15	-	-	22,28,34,41	0
6	NAG	n	2	14/15	-	-	17,23,29,31	0
6	BMA	n	3	11/12	-	-	26,33,44,45	0
6	MAN	n	4	11/12	-	-	45,59,71,72	0
6	MAN	n	5	11/12	-	-	31,38,46,47	0
6	FUC	n	6	10/11	-	-	33,44,51,62	0
6	NAG	q	1	14/15	-	-	22,28,36,43	0
6	NAG	q	2	14/15	-	-	21,27,32,32	0
6	BMA	q	3	11/12	-	-	29,36,48,48	0
6	MAN	q	4	11/12	-	-	46,66,78,94	0
6	MAN	q	5	11/12	-	-	29,39,46,51	0
6	FUC	q	6	10/11	-	-	36,47,59,61	0
6	NAG	t	1	14/15	-	-	24,32,40,43	0
6	NAG	t	2	14/15	-	-	24,32,38,43	0
6	BMA	t	3	11/12	-	-	32,38,46,51	0
6	MAN	t	4	11/12	-	-	50,61,73,78	0
6	MAN	t	5	11/12	-	-	34,42,51,55	0
6	FUC	t	6	10/11	-	-	37,48,59,65	0
7	NAG	b	1	14/15	-	-	52,62,68,80	0
7	NAG	b	2	14/15	-	-	52,75,90,92	0
7	NAG	d	1	14/15	-	-	54,66,78,84	0
7	NAG	d	2	14/15	-	-	49,67,85,90	0
7	NAG	g	1	14/15	-	-	46,58,63,73	0
7	NAG	g	2	14/15	-	-	50,69,87,91	0
7	NAG	m	1	14/15	-	-	42,63,71,77	0
7	NAG	m	2	14/15	-	-	61,78,99,105	0
7	NAG	p	1	14/15	-	-	43,58,70,73	0
7	NAG	p	2	14/15	-	-	57,72,89,91	0
7	NAG	s	1	14/15	-	-	43,57,67,70	0
7	NAG	s	2	14/15	-	-	54,70,84,92	0
8	NAG	i	1	14/15	-	-	26,42,52,69	0
8	NAG	i	2	14/15	-	-	50,65,77,79	0
8	BMA	i	3	11/12	-	-	62,74,89,89	0
8	MAN	i	4	11/12	-	-	63,76,89,96	0
9	NAG	j	1	14/15	-	-	38,48,57,63	0
9	NAG	j	2	14/15	-	-	49,61,70,83	0
9	BMA	j	3	11/12	-	-	63,72,87,87	0
9	MAN	j	4	11/12	-	-	68,81,96,98	0
9	MAN	j	5	11/12	-	-	66,76,91,94	0




The following is a graphical depiction of the model fit to experimental electron density for oligosac-

charide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain o:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain r:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain Z:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain a:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain c:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain e:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain h:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain k:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain n:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain q:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain t:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain b:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain d:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain g:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain m:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain p:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain s:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain i:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
14	NAG	P	1002	14/15	0.52	0.17	59,82,99,106	0
14	NAG	D	1003	14/15	0.62	0.15	62,78,94,98	0
16	OXL	P	1003	6/6	0.68	0.14	51,62,64,70	0
15	ACT	D	1004	4/4	0.74	0.19	44,50,63,63	0
14	NAG	H	1002	14/15	0.84	0.13	49,64,80,84	0
14	NAG	D	1002	14/15	0.88	0.10	41,51,63,66	0
13	EDO	B	1002	4/4	0.91	0.14	37,45,54,54	0
11	HEC	I	302	43/43	0.97	0.08	22,32,47,64	0
11	HEC	S	302	43/43	0.97	0.07	23,32,43,55	0
11	HEC	G	302	43/43	0.97	0.09	18,36,50,65	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
10	CL	I	301	1/1	0.98	0.06	25,25,25,25	0
11	HEC	A	3002	43/43	0.98	0.07	16,26,39,55	0
11	HEC	M	302	43/43	0.98	0.07	16,24,32,49	0
11	HEC	O	302	43/43	0.98	0.06	20,27,46,56	0
11	HEC	C	302	43/43	0.98	0.07	24,33,48,60	0
11	HEC	U	302	43/43	0.98	0.08	18,25,36,46	0
12	CA	H	1001	1/1	0.98	0.03	39,39,39,39	0
12	CA	J	1001	1/1	0.99	0.02	26,26,26,26	0
12	CA	N	1001	1/1	0.99	0.02	25,25,25,25	0
12	CA	P	1001	1/1	0.99	0.01	26,26,26,26	0
10	CL	O	301	1/1	0.99	0.03	20,20,20,20	0
10	CL	S	301	1/1	0.99	0.05	23,23,23,23	0
10	CL	U	301	1/1	0.99	0.03	23,23,23,23	0
10	CL	G	301	1/1	0.99	0.05	25,25,25,25	0
10	CL	A	3001	1/1	0.99	0.01	20,20,20,20	0
12	CA	B	1001	1/1	0.99	0.04	29,29,29,29	0
10	CL	M	301	1/1	0.99	0.03	20,20,20,20	0
12	CA	V	801	1/1	1.00	0.03	23,23,23,23	0
10	CL	C	301	1/1	1.00	0.02	22,22,22,22	0
12	CA	D	1001	1/1	1.00	0.02	31,31,31,31	0
12	CA	T	1001	1/1	1.00	0.02	25,25,25,25	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEC I 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC S 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC G 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC A 3002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEC M 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEC O 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEC C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC U 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.