



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 30, 2023 – 12:21 PM JST

PDB ID : 8ING
Title : Structure of the ternary complex of lactoperoxidase with substrate nitric oxide (NO) and product nitrite ion (NO₂) at 1.98 Å resolution
Authors : Ahmad, M.I.; Viswanathan, V.; Kumar, M.; Singh, R.P.; Singh, A.K.; Sinha, M.; Kaur, P.; Sharma, P.; Sharma, S.; Singh, T.P.
Deposited on : 2023-03-09
Resolution : 1.98 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.32.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.32.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	11647 (2.00-1.96)
Clashscore	141614	1014 (1.98-1.98)
Ramachandran outliers	138981	1006 (1.98-1.98)
Sidechain outliers	138945	1006 (1.98-1.98)
RSRZ outliers	127900	11410 (2.00-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	595	
2	B	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
12	OSM	A	632	-	-	X	-
4	NO	A	604	-	-	X	-
5	NO2	A	605	-	-	X	-
9	IOD	A	617	-	-	X	-
9	IOD	A	619	-	-	X	-
9	IOD	A	634	-	-	X	-
9	IOD	A	636	-	-	X	-

2 Entry composition [i](#)

There are 14 unique types of molecules in this entry. The entry contains 5333 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactoperoxidase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	N	O	P				S
1	A	595	4774	3035	849	863	1	26	0	2	0

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	B	2	28	16	2	10	0	0	0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is NITRIC OXIDE (three-letter code: NO) (formula: NO) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	N	O	0	0
			2	1	1		
4	A	1	Total	N	O	0	0
			2	1	1		

- Molecule 5 is NITRITE ION (three-letter code: NO2) (formula: NO₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	N	O		
5	A	1	3	1	2	0	0

- Molecule 6 is NITRATE ION (three-letter code: NO3) (formula: NO₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	N	O		
6	A	1	4	1	3	0	0
6	A	1	4	1	3	0	0
6	A	1	4	1	3	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	N	O	0	0
			4	1	3		
6	A	1	Total	N	O	0	0
			4	1	3		
6	A	1	Total	N	O	0	0
			4	1	3		
6	A	1	Total	N	O	0	0
			4	1	3		

- Molecule 7 is THIOCYANATE ION (three-letter code: SCN) (formula: CNS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	S	0	0
			3	1	1	1		
7	A	1	Total	C	N	S	0	0
			3	1	1	1		
7	A	1	Total	C	N	S	0	0
			3	1	1	1		
7	A	1	Total	C	N	S	0	0
			3	1	1	1		

- Molecule 8 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 4 2 2	0	0
8	A	1	Total C O 4 2 2	0	0
8	A	1	Total C O 4 2 2	0	0

- Molecule 9 is IODIDE ION (three-letter code: IOD) (formula: I).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	13	Total I 13 13	0	0

- Molecule 10 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Fe	N			O
10	A	1	43	34	1	4	4	0	0

- Molecule 11 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Ca		
11	A	1	1	1	0	0

- Molecule 12 is 1-(OXIDOSULFANYL)METHANAMINE (three-letter code: OSM) (formula: CH₅NOS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
12	A	1	4	1	1	1	1	0	0

- Molecule 13 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Na		
13	A	2	2	2	0	0


- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
14	A	366	367	367	0	1

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lactoperoxidase



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	54.05Å 80.34Å 76.12Å 90.00° 102.82° 90.00°	Depositor
Resolution (Å)	35.33 – 1.98 35.33 – 1.98	Depositor EDS
% Data completeness (in resolution range)	98.3 (35.33-1.98) 98.3 (35.33-1.98)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.06 (at 1.98Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.183 , 0.234 0.189 , 0.236	Depositor DCC
R_{free} test set	2188 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	29.9	Xtrriage
Anisotropy	0.139	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 39.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5333	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, SEP, EDO, SCN, IOD, NO2, OSM, NA, NO, CA, NO3, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.72	1/4898 (0.0%)	0.83	0/6647

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	171	PRO	C-N	-5.80	1.20	1.34

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4774	0	4682	73	0
2	B	28	0	25	0	0
3	A	42	0	39	1	0
4	A	4	0	0	2	0
5	A	3	0	0	2	0
6	A	28	0	0	3	0
7	A	12	0	0	0	0
8	A	12	0	18	1	0
9	A	13	0	0	8	0
10	A	43	0	30	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	A	1	0	0	0	0
12	A	4	0	5	4	0
13	A	2	0	0	0	0
14	A	367	0	0	12	0
All	All	5333	0	4799	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:634:IOD:I	9:A:636:IOD:I	1.70	1.69
9:A:634:IOD:I	9:A:635:IOD:I	1.58	1.58
1:A:108:ASP:OD2	10:A:626:HEM:CMD	1.64	1.44
1:A:258:GLU:OE2	10:A:626:HEM:CMB	1.74	1.33
1:A:410:ASN:OD1	9:A:619:IOD:I	2.39	1.10
1:A:108:ASP:CG	10:A:626:HEM:HMD1	1.73	1.07
1:A:10:VAL:HA	1:A:41[A]:ARG:HH12	1.11	1.07
1:A:258:GLU:OE2	10:A:626:HEM:HMB1	0.87	1.03
3:A:602:NAG:O4	14:A:701:HOH:O	1.80	0.96
1:A:560:THR:N	6:A:612:NO3:O2	1.99	0.95
9:A:636:IOD:I	14:A:943:HOH:O	2.56	0.92
1:A:10:VAL:HA	1:A:41[A]:ARG:NH1	1.88	0.87
1:A:108:ASP:OD2	10:A:626:HEM:HMD1	0.70	0.87
1:A:10:VAL:CA	1:A:41[A]:ARG:HH12	1.89	0.86
1:A:2:TRP:HB3	1:A:175:LEU:HB2	1.57	0.86
1:A:165:PHE:CZ	1:A:169:THR:HG23	2.16	0.81
5:A:605:NO2:O1	9:A:617:IOD:I	0.96	0.81
1:A:258:GLU:CD	10:A:626:HEM:HMB1	1.99	0.81
1:A:242:THR:O	1:A:245:HIS:CE1	2.36	0.79
1:A:239:PHE:CZ	1:A:427:LYS:HB2	2.19	0.78
1:A:551:ARG:HD3	1:A:584:LYS:HA	1.68	0.76
1:A:169:THR:HB	1:A:170:PRO:HD3	1.72	0.70
4:A:604:NO:O	9:A:617:IOD:I	2.83	0.67
6:A:615:NO3:O2	14:A:703:HOH:O	2.09	0.66
1:A:117:THR:HG21	1:A:138:ASN:HB3	1.78	0.66
1:A:258:GLU:CD	10:A:626:HEM:CMB	2.62	0.63
1:A:2:TRP:CZ3	1:A:173:GLN:HB2	2.33	0.63
1:A:2:TRP:HZ3	1:A:173:GLN:HB2	1.62	0.63
1:A:2:TRP:CZ2	1:A:174:SER:HB3	2.34	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:551:ARG:HD3	1:A:583:ASP:O	2.01	0.61
1:A:108:ASP:CG	10:A:626:HEM:CMD	2.50	0.60
10:A:626:HEM:HMC2	10:A:626:HEM:HBC2	1.84	0.59
1:A:464:LEU:HA	1:A:481:LEU:HD12	1.84	0.59
1:A:481:LEU:HA	1:A:484:TYR:O	2.03	0.58
1:A:117:THR:HG23	1:A:119:LEU:HD23	1.85	0.57
1:A:351:HIS:HD1	1:A:437:ASN:HD21	1.53	0.57
4:A:604:NO:O	5:A:605:NO2:O1	2.22	0.57
1:A:77:GLU:HG3	6:A:614:NO3:O2	2.05	0.56
1:A:237:CYS:HA	1:A:381:PHE:O	2.05	0.56
1:A:239:PHE:HZ	1:A:427:LYS:HB2	1.70	0.56
1:A:523:ARG:HG3	1:A:529:TRP:CE2	2.42	0.55
1:A:551:ARG:CD	1:A:583:ASP:O	2.56	0.54
1:A:225:ALA:N	12:A:632:OSM:O	2.40	0.54
1:A:146:LYS:O	14:A:704:HOH:O	2.18	0.54
1:A:377:HIS:HA	1:A:380:PHE:CE2	2.45	0.52
1:A:11:PRO:O	1:A:12:LEU:HB2	2.11	0.51
12:A:632:OSM:H1	14:A:877:HOH:O	2.10	0.50
1:A:170:PRO:HD2	1:A:171:PRO:HD3	1.94	0.49
1:A:30:ASN:HB3	1:A:33:SER:O	2.12	0.49
1:A:3:GLU:OE2	1:A:4:VAL:O	2.30	0.48
1:A:221:ASP:HB2	1:A:226:TYR:CZ	2.49	0.47
1:A:278:ARG:HH12	12:A:632:OSM:H1	1.78	0.47
9:A:633:IOD:I	14:A:1045:HOH:O	1.18	0.47
1:A:407:MET:HB3	1:A:501:MET:HE2	1.96	0.47
1:A:464:LEU:HA	1:A:481:LEU:CD1	2.45	0.47
1:A:10:VAL:N	1:A:11:PRO:CD	2.78	0.47
1:A:10:VAL:HG12	1:A:11:PRO:HD3	1.97	0.47
1:A:239:PHE:CZ	1:A:427:LYS:CB	2.94	0.47
1:A:517:ARG:NH1	14:A:716:HOH:O	2.47	0.47
1:A:13:VAL:CG1	1:A:27:ASP:HB3	2.45	0.46
1:A:407:MET:HB3	1:A:501:MET:CE	2.46	0.46
8:A:610:EDO:O1	14:A:705:HOH:O	2.21	0.46
1:A:170:PRO:N	1:A:171:PRO:CD	2.79	0.45
1:A:165:PHE:HZ	1:A:169:THR:HG23	1.75	0.45
1:A:451:SER:HA	14:A:909:HOH:O	2.16	0.45
10:A:626:HEM:HBC2	10:A:626:HEM:CMC	2.46	0.44
1:A:170:PRO:CD	1:A:171:PRO:HD3	2.47	0.43
1:A:54:GLY:HA2	14:A:954:HOH:O	2.18	0.43
10:A:626:HEM:HBB2	10:A:626:HEM:HMB2	1.99	0.43
1:A:193:TYR:OH	1:A:273:HIS:HD2	2.02	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:420:LYS:HA	1:A:429:HIS:O	2.19	0.43
1:A:544:LEU:O	1:A:547:VAL:HG22	2.19	0.43
1:A:194:GLY:HA2	1:A:252:GLY:O	2.19	0.42
1:A:410:ASN:CG	9:A:619:IOD:I	3.25	0.42
1:A:118:GLU:C	1:A:119:LEU:HD22	2.40	0.41
1:A:258:GLU:OE2	10:A:626:HEM:C2B	2.62	0.41
1:A:301:GLY:O	1:A:305:GLN:HG3	2.20	0.41
1:A:166:VAL:O	1:A:167:CYS:HB2	2.20	0.41
1:A:539:LYS:HD3	1:A:539:LYS:HA	1.95	0.41
1:A:82:ILE:O	1:A:82:ILE:HG22	2.19	0.41
1:A:408:ASN:HB2	14:A:952:HOH:O	2.18	0.41
1:A:148:ASP:O	1:A:151:LEU:HB2	2.20	0.41
1:A:426:HIS:HB3	1:A:431:PHE:CE1	2.56	0.41
1:A:13:VAL:HG11	1:A:27:ASP:HB3	2.02	0.41
12:A:632:OSM:N	14:A:702:HOH:O	2.08	0.41
1:A:572:TYR:CD1	1:A:573:PRO:HA	2.56	0.40
1:A:117:THR:HG21	1:A:138:ASN:CB	2.46	0.40
1:A:588:SER:N	1:A:589:PRO:CD	2.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	594/595 (100%)	581 (98%)	13 (2%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	518/516 (100%)	517 (100%)	1 (0%)	93 93

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	347	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	135	GLN
1	A	245	HIS
1	A	273	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	A	198	1,13	8,9,10	1.33	1 (12%)	8,12,14	1.96	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	198	1,13	-	5/5/8/10	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	198	SEP	P-OG	2.58	1.68	1.60

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	198	SEP	O2P-P-OG	-4.00	96.09	106.73
1	A	198	SEP	O3P-P-O2P	2.44	116.97	107.64

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	198	SEP	N-CA-CB-OG
1	A	198	SEP	CA-CB-OG-P
1	A	198	SEP	CB-OG-P-O2P
1	A	198	SEP	CB-OG-P-O3P
1	A	198	SEP	CB-OG-P-O1P

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	1	2,1	14,14,15	0.74	0	17,19,21	1.63	4 (23%)
2	NAG	B	2	2	14,14,15	0.42	0	17,19,21	1.77	5 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	B	2	2	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	B	2	NAG	C1-O5-C5	4.12	117.77	112.19
2	B	2	NAG	O5-C5-C6	3.25	112.30	107.20
2	B	1	NAG	C6-C5-C4	3.25	120.61	113.00
2	B	1	NAG	O5-C5-C4	-2.87	103.86	110.83
2	B	1	NAG	O5-C1-C2	-2.74	106.97	111.29
2	B	1	NAG	C1-O5-C5	-2.47	108.84	112.19
2	B	2	NAG	C4-C3-C2	-2.34	107.59	111.02
2	B	2	NAG	C2-N2-C7	-2.16	119.83	122.90
2	B	2	NAG	C3-C4-C5	2.04	113.88	110.24


There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 38 ligands modelled in this entry, 16 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NO3	A	613	-	1,3,3	0.28	0	0,3,3	-	-
6	NO3	A	615	-	1,3,3	0.23	0	0,3,3	-	-
7	SCN	A	631	-	1,2,2	2.49	1 (100%)	0,1,1	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	SCN	A	611	-	1,2,2	1.64	0	0,1,1	-	-
4	NO	A	604	10	0,1,1	-	-	-	-	-
8	EDO	A	627	-	3,3,3	0.30	0	2,2,2	0.16	0
5	NO2	A	605	-	1,2,2	0.55	0	0,1,1	-	-
6	NO3	A	612	-	1,3,3	0.06	0	0,3,3	-	-
6	NO3	A	607	-	1,3,3	0.41	0	0,3,3	-	-
6	NO3	A	614	-	1,3,3	0.12	0	0,3,3	-	-
8	EDO	A	629	-	3,3,3	0.09	0	2,2,2	0.23	0
6	NO3	A	606	-	1,3,3	0.52	0	0,3,3	-	-
10	HEM	A	626	4,1	41,50,50	1.47	5 (12%)	45,82,82	1.78	13 (28%)
4	NO	A	630	13	0,1,1	-	-	-	-	-
3	NAG	A	603	1	14,14,15	0.41	0	17,19,21	1.32	3 (17%)
12	OSM	A	632	-	1,3,3	0.01	0	0,2,2	-	-
7	SCN	A	609	-	1,2,2	1.63	0	0,1,1	-	-
8	EDO	A	610	-	3,3,3	0.11	0	2,2,2	0.33	0
7	SCN	A	608	-	1,2,2	0.83	0	0,1,1	-	-
3	NAG	A	601	1	14,14,15	0.84	0	17,19,21	1.06	0
6	NO3	A	616	-	1,3,3	1.00	0	0,3,3	-	-
3	NAG	A	602	1	14,14,15	0.71	0	17,19,21	1.01	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	HEM	A	626	4,1	-	4/12/54/54	-
8	EDO	A	629	-	-	0/1/1/1	-
3	NAG	A	603	1	-	2/6/23/26	0/1/1/1
12	OSM	A	632	-	-	0/0/1/1	-
3	NAG	A	601	1	-	0/6/23/26	0/1/1/1
8	EDO	A	627	-	-	1/1/1/1	-
8	EDO	A	610	-	-	1/1/1/1	-
3	NAG	A	602	1	-	0/6/23/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	A	626	HEM	C4D-ND	-4.40	1.32	1.40
10	A	626	HEM	FE-NB	3.03	2.11	1.96
10	A	626	HEM	CHB-C1B	2.79	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	631	SCN	C-N	2.49	1.23	1.15
10	A	626	HEM	C4D-C3D	2.32	1.49	1.45
10	A	626	HEM	C3D-C2D	-2.09	1.32	1.36

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	A	626	HEM	C4B-C3B-C2B	-3.60	104.25	107.11
10	A	626	HEM	CAD-C3D-C4D	3.16	130.18	124.66
10	A	626	HEM	C4A-C3A-C2A	3.15	109.19	107.00
10	A	626	HEM	C4C-CHD-C1D	3.09	126.63	122.56
3	A	603	NAG	C1-O5-C5	2.99	116.24	112.19
10	A	626	HEM	CMD-C2D-C1D	2.93	129.50	125.04
10	A	626	HEM	CMC-C2C-C3C	2.86	130.03	124.68
10	A	626	HEM	C3B-C2B-C1B	2.77	108.54	106.49
3	A	603	NAG	O5-C5-C6	2.74	111.50	107.20
10	A	626	HEM	CMA-C3A-C4A	-2.70	124.31	128.46
10	A	626	HEM	CBD-CAD-C3D	-2.60	105.40	112.63
10	A	626	HEM	CHC-C4B-NB	2.54	127.19	124.43
10	A	626	HEM	CHA-C4D-C3D	-2.48	120.67	125.33
3	A	603	NAG	O5-C5-C4	-2.47	104.81	110.83
10	A	626	HEM	C3D-C4D-ND	2.16	112.57	110.17
10	A	626	HEM	C4D-C3D-C2D	-2.11	103.82	106.90

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	603	NAG	C4-C5-C6-O6
3	A	603	NAG	O5-C5-C6-O6
8	A	610	EDO	O1-C1-C2-O2
8	A	627	EDO	O1-C1-C2-O2
10	A	626	HEM	CAA-CBA-CGA-O1A
10	A	626	HEM	CAA-CBA-CGA-O2A
10	A	626	HEM	CAD-CBD-CGD-O1D
10	A	626	HEM	CAD-CBD-CGD-O2D



There are no ring outliers.


9 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	615	NO3	1	0
4	A	604	NO	2	0
5	A	605	NO2	2	0
6	A	612	NO3	1	0
6	A	614	NO3	1	0
10	A	626	HEM	12	0
12	A	632	OSM	4	0
8	A	610	EDO	1	0
3	A	602	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	594/595 (99%)	0.81	57 (9%) 8 9	19, 35, 98, 178	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	173	GLN	22.4
1	A	7	GLY	22.3
1	A	121	SER	19.6
1	A	122	SER	19.6
1	A	172	TYR	19.5
1	A	1	SER	19.0
1	A	2	TRP	18.6
1	A	5	GLY	16.9
1	A	10	VAL	15.1
1	A	4	VAL	14.3
1	A	12	LEU	14.2
1	A	6	CYS	13.9
1	A	119	LEU	10.8
1	A	11	PRO	10.0
1	A	8	ALA	9.9
1	A	595	ASN	9.3
1	A	13	VAL	9.2
1	A	169	THR	9.0
1	A	9	PRO	8.4
1	A	594	GLU	7.8
1	A	168	PRO	6.9
1	A	171	PRO	6.7
1	A	120	GLY	6.6
1	A	124	HIS	5.9
1	A	118	GLU	5.8
1	A	3	GLU	5.7
1	A	593	ARG	5.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	174	SER	5.5
1	A	245	HIS	4.5
1	A	170	PRO	4.5
1	A	128	GLN	4.4
1	A	117	THR	4.4
1	A	132	TYR	4.1
1	A	125	SER	4.1
1	A	283	LEU	4.1
1	A	592	SER	3.7
1	A	127	VAL	3.3
1	A	234	PRO	3.0
1	A	426	HIS	2.9
1	A	167	CYS	2.9
1	A	14	LYS	2.8
1	A	131	GLU	2.6
1	A	32	ARG	2.6
1	A	223	GLY	2.6
1	A	175	LEU	2.6
1	A	286	HIS	2.5
1	A	209	PRO	2.5
1	A	591	ALA	2.5
1	A	107	VAL	2.3
1	A	417	LEU	2.3
1	A	106	ILE	2.2
1	A	134	ILE	2.1
1	A	282	ARG	2.1
1	A	285	PRO	2.1
1	A	433	LEU	2.1
1	A	126	LYS	2.0
1	A	574	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SEP	A	198	10/11	0.84	0.20	35,43,61,61	0

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	B	2	14/15	0.82	0.33	66,72,80,81	14
2	NAG	B	1	14/15	0.94	0.11	38,46,54,55	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NAG	A	603	14/15	0.80	0.23	59,71,78,86	14
3	NAG	A	601	14/15	0.84	0.30	47,60,69,75	0
13	NA	A	638	1/1	0.89	0.11	40,40,40,40	0
8	EDO	A	629	4/4	0.90	0.15	44,44,45,47	0
8	EDO	A	627	4/4	0.90	0.18	32,34,40,52	0
8	EDO	A	610	4/4	0.91	0.14	50,50,52,53	0
7	SCN	A	608	3/3	0.93	0.13	37,37,41,44	3
7	SCN	A	631	3/3	0.93	0.10	39,39,39,44	0
7	SCN	A	611	3/3	0.94	0.10	25,25,26,34	0
3	NAG	A	602	14/15	0.94	0.10	44,50,53,53	0
12	OSM	A	632	4/4	0.95	0.19	33,37,38,43	4
9	IOD	A	619	1/1	0.95	0.09	56,56,56,56	1
4	NO	A	630	2/2	0.96	0.16	42,42,42,46	0
13	NA	A	637	1/1	0.96	0.06	37,37,37,37	0
7	SCN	A	609	3/3	0.96	0.09	38,38,45,47	0
4	NO	A	604	2/2	0.97	0.17	32,32,32,40	0
6	NO3	A	606	4/4	0.97	0.16	31,32,42,49	0
10	HEM	A	626	43/43	0.97	0.16	18,21,26,29	0
6	NO3	A	616	4/4	0.98	0.12	27,33,35,56	0
9	IOD	A	634	1/1	0.98	0.03	37,37,37,37	1
9	IOD	A	618	1/1	0.98	0.03	51,51,51,51	1
9	IOD	A	622	1/1	0.99	0.04	33,33,33,33	1
9	IOD	A	623	1/1	0.99	0.04	35,35,35,35	1
9	IOD	A	624	1/1	0.99	0.06	30,30,30,30	1
9	IOD	A	633	1/1	0.99	0.05	37,37,37,37	1
6	NO3	A	607	4/4	0.99	0.09	30,30,33,43	4
9	IOD	A	635	1/1	0.99	0.05	60,60,60,60	1
9	IOD	A	636	1/1	0.99	0.07	55,55,55,55	1
6	NO3	A	612	4/4	0.99	0.09	19,19,20,22	4
11	CA	A	628	1/1	0.99	0.08	25,25,25,25	0
6	NO3	A	613	4/4	0.99	0.07	20,21,22,23	4
6	NO3	A	614	4/4	0.99	0.09	15,16,17,22	4
6	NO3	A	615	4/4	0.99	0.08	27,28,33,35	4
9	IOD	A	625	1/1	1.00	0.02	40,40,40,40	1
9	IOD	A	621	1/1	1.00	0.02	43,43,43,43	1
5	NO2	A	605	3/3	1.00	0.14	15,15,16,19	3
9	IOD	A	617	1/1	1.00	0.12	25,25,25,25	1
9	IOD	A	620	1/1	1.00	0.07	26,26,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NO A 630:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NO A 604:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 626:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.