



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 24, 2023 – 01:16 PM EDT

PDB ID : 3A79
Title : Crystal structure of TLR2-TLR6-Pam2CSK4 complex
Authors : Kang, J.Y.; Jin, M.S.; Lee, J.-O.
Deposited on : 2009-09-20
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	580	
2	B	562	
3	C	6	
4	D	2	
4	E	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	I	2	 50% 50%
5	F	3	 67% 33%
5	G	3	 67% 33%
5	H	3	 33% 67%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	I	1	X	-	-	-
6	NAG	B	981	-	-	-	X

2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 8906 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toll-like receptor 2, Variable lymphocyte receptor B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	550	4355	2771	736	828	20	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	507	ALA	-	linker	UNP Q4G1L2
A	508	SER	-	linker	UNP Q4G1L2
A	577	LEU	-	expression tag	UNP Q4G1L2
A	578	VAL	-	expression tag	UNP Q4G1L2
A	579	PRO	-	expression tag	UNP Q4G1L2
A	580	ARG	-	expression tag	UNP Q4G1L2

- Molecule 2 is a protein called Toll-like receptor 6, Variable lymphocyte receptor B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	525	4192	2675	721	769	27	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	559	LEU	-	expression tag	UNP Q4G1L3
B	560	VAL	-	expression tag	UNP Q4G1L3
B	561	PRO	-	expression tag	UNP Q4G1L3
B	562	ARG	-	expression tag	UNP Q4G1L3

- Molecule 3 is a protein called Pam2CSK4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	6	49	30	10	8	1	0	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	D	2	28	16	2	10	0	0	0
4	E	2	28	16	2	10	0	0	0
4	I	2	28	16	2	10	0	0	0

- Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	F	3	39	22	2	15	0	0	0
5	G	3	39	22	2	15	0	0	0
5	H	3	39	22	2	15	0	0	0

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
6	A	1	14	8	1	5	0	0
6	A	1	14	8	1	5	0	0
6	B	1	14	8	1	5	0	0
6	B	1	14	8	1	5	0	0
6	B	1	14	8	1	5	0	0

- Molecule 7 is (2S)-propane-1,2-diyl dihexadecanoate (three-letter code: PXS) (formula: C₃₅H₆₈O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			39	35	4		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Toll-like receptor 2, Variable lymphocyte receptor B




- Molecule 2: Toll-like receptor 6, Variable lymphocyte receptor B





- Molecule 3: Pam2CSK4



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  67% 33%

MAG1
MAG2
BMA3

- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  67% 33%

MAG1
MAG2
BMA3

- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  33% 67%

MAG1
MAG2
BMA3

4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	168.90Å 168.90Å 231.35Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	34.11 – 2.90 34.11 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.7 (34.11-2.90) 99.7 (34.11-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.73 (at 2.90Å)	Xtrriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.208 , 0.280 0.198 , 0.267	Depositor DCC
R_{free} test set	4433 reflections (10.17%)	wwPDB-VP
Wilson B-factor (Å ²)	57.0	Xtrriage
Anisotropy	0.453	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 53.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	8906	wwPDB-VP
Average B, all atoms (Å ²)	88.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, PXS, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/4439	0.58	0/6013
2	B	0.41	0/4286	0.60	2/5821 (0.0%)
3	C	0.44	0/48	0.47	0/57
All	All	0.39	0/8773	0.59	2/11891 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	313	LYS	CD-CE-NZ	5.86	125.18	111.70
2	B	289	THR	N-CA-C	5.10	124.78	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	248	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4355	0	4400	198	0
2	B	4192	0	4201	198	0
3	C	49	0	60	5	0
4	D	28	0	25	2	0
4	E	28	0	25	4	0
4	I	28	0	25	0	0
5	F	39	0	34	0	0
5	G	39	0	34	1	0
5	H	39	0	34	1	0
6	A	28	0	26	0	0
6	B	42	0	39	2	0
7	C	39	0	67	12	0
All	All	8906	0	8970	403	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (403) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:48:LYS:H	2:B:48:LYS:HD3	1.13	1.08
1:A:269:LEU:HB3	7:C:581:PXS:H01	1.39	1.05
2:B:389:LEU:H	2:B:413:ASN:HD22	1.03	1.02
2:B:218:ASN:OD1	6:B:981:NAG:O6	1.79	1.00
1:A:112:LEU:H	1:A:134:ASN:HD22	1.06	0.96
2:B:442:GLY:HA3	2:B:464:SER:O	1.66	0.96
2:B:246:THR:HG21	2:B:276:ARG:HD3	1.48	0.94
2:B:258:HIS:HD2	2:B:285:ASN:HD22	1.07	0.94
1:A:350:LEU:O	7:C:581:PXS:H18	1.70	0.91
2:B:246:THR:HG22	2:B:276:ARG:HH11	1.35	0.90
1:A:29:SER:O	1:A:30:CYS:HB2	1.70	0.89
2:B:259:ILE:HD12	2:B:259:ILE:H	1.39	0.86
2:B:467:LYS:H	2:B:467:LYS:HD3	1.39	0.86
1:A:348:VAL:HG22	7:C:581:PXS:H25	1.62	0.82
1:A:446:THR:H	1:A:467:ASN:HD21	1.25	0.82

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:462:ILE:H	2:B:483:ASN:HD22	1.28	0.80
2:B:120:MET:HG2	2:B:123:LEU:HD22	1.62	0.80
2:B:246:THR:CG2	2:B:276:ARG:HD3	2.11	0.80
1:A:112:LEU:HB2	1:A:134:ASN:ND2	1.97	0.79
2:B:224:GLN:HG3	2:B:255:THR:HB	1.63	0.79
2:B:262:THR:HG22	2:B:264:LYS:N	1.96	0.79
1:A:57:LEU:HD11	1:A:59:LEU:HD21	1.66	0.77
2:B:349:PRO:O	2:B:375:THR:HG21	1.85	0.77
1:A:39:ARG:HH11	1:A:39:ARG:HB2	1.49	0.76
2:B:485:LEU:HB2	2:B:507:ASN:ND2	2.01	0.76
2:B:193:ILE:HB	2:B:217:VAL:HG22	1.68	0.75
2:B:427:ALA:HB3	2:B:430:ILE:HD11	1.68	0.75
2:B:218:ASN:H	2:B:218:ASN:ND2	1.84	0.75
2:B:389:LEU:H	2:B:413:ASN:ND2	1.83	0.75
2:B:48:LYS:HD3	2:B:48:LYS:N	1.97	0.74
1:A:112:LEU:N	1:A:134:ASN:HD22	1.85	0.73
2:B:258:HIS:CD2	2:B:285:ASN:HD22	1.99	0.73
1:A:399:LEU:HB2	1:A:423:ASN:HD22	1.53	0.73
2:B:418:HIS:CE1	2:B:441:THR:HG21	2.24	0.73
1:A:531:HIS:HD2	1:A:558:GLY:HA3	1.52	0.73
1:A:112:LEU:H	1:A:134:ASN:ND2	1.84	0.72
1:A:110:ASN:HB2	1:A:134:ASN:HD21	1.55	0.71
1:A:529:TRP:O	1:A:530:LEU:HD12	1.91	0.70
1:A:555:LYS:O	1:A:556:GLU:HB2	1.90	0.70
2:B:88:ILE:H	2:B:110:ASN:HD22	1.39	0.70
2:B:502:ILE:HG22	2:B:529:VAL:HG12	1.73	0.70
1:A:30:CYS:HA	1:A:36:CYS:HA	1.73	0.70
2:B:257:GLN:HE21	2:B:258:HIS:CE1	2.08	0.70
2:B:449:PRO:O	2:B:452:VAL:HG23	1.91	0.70
1:A:521:ARG:H	1:A:521:ARG:HD3	1.55	0.70
2:B:248:GLY:HA3	2:B:277:PRO:HG2	1.73	0.69
1:A:518:ILE:HG23	1:A:519:PHE:CD2	2.28	0.69
1:A:88:ILE:H	1:A:110:ASN:HD22	1.41	0.68
1:A:446:THR:HG23	1:A:448:ILE:HG23	1.74	0.68
2:B:467:LYS:HD3	2:B:467:LYS:N	2.07	0.68
2:B:289:THR:HG22	2:B:290:GLU:HG3	1.76	0.67
2:B:393:PHE:HD1	2:B:419:ALA:HB3	1.59	0.67
1:A:29:SER:OG	1:A:30:CYS:N	2.28	0.67
2:B:493:PHE:HB3	2:B:522:TRP:CZ2	2.30	0.66
2:B:391:ASN:C	2:B:391:ASN:HD22	1.96	0.66
1:A:372:MET:H	1:A:397:ASN:HD22	1.43	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:505:LYS:HA	1:A:529:TRP:HB2	1.78	0.66
2:B:449:PRO:HB2	2:B:452:VAL:HG22	1.78	0.66
1:A:434:TRP:CD1	1:A:456:PRO:HG3	2.30	0.66
2:B:492:VAL:HG23	2:B:493:PHE:H	1.61	0.65
2:B:154:SER:HB3	2:B:177:ASP:OD1	1.96	0.65
1:A:63:LYS:HG2	1:A:87:ARG:HG3	1.79	0.64
1:A:121:GLY:N	1:A:122:PRO:HD2	2.11	0.64
2:B:262:THR:HG22	2:B:264:LYS:H	1.61	0.64
1:A:506:ILE:HG12	1:A:506:ILE:O	1.98	0.64
1:A:313:THR:HG23	1:A:342:THR:HB	1.79	0.64
1:A:492:LEU:HG	1:A:493:PRO:HD2	1.80	0.64
2:B:428:GLU:CD	2:B:428:GLU:H	2.00	0.64
2:B:218:ASN:H	2:B:218:ASN:HD22	1.46	0.64
2:B:92:ASP:O	2:B:95:VAL:HB	1.98	0.63
1:A:222:SER:HB3	1:A:247:VAL:HG11	1.80	0.63
2:B:289:THR:CG2	2:B:290:GLU:HG3	2.28	0.63
1:A:386:TRP:HB3	1:A:389:LEU:HB2	1.79	0.63
1:A:441:LEU:HB3	1:A:459:LEU:HD21	1.80	0.63
2:B:53:ARG:HD2	2:B:77:GLU:OE1	1.99	0.63
1:A:50:LEU:O	1:A:74:ALA:HB1	1.99	0.63
2:B:154:SER:CB	2:B:177:ASP:OD1	2.47	0.63
1:A:147:ASN:C	1:A:148:LEU:HD12	2.19	0.63
4:E:1:NAG:H61	4:E:2:NAG:H2	1.81	0.63
1:A:480:GLN:O	1:A:501:LEU:HD22	1.99	0.62
1:A:346:SER:H	1:A:370:ASN:HD21	1.47	0.62
1:A:268:GLU:O	1:A:271:LYS:HB2	1.99	0.62
1:A:280:SER:HA	1:A:309:VAL:HA	1.82	0.62
1:A:530:LEU:HD23	1:A:535:TRP:CZ2	2.35	0.62
1:A:89:ASN:OD1	1:A:90:THR:HG22	1.99	0.62
2:B:485:LEU:H	2:B:507:ASN:ND2	1.97	0.61
1:A:531:HIS:CD2	1:A:558:GLY:HA3	2.33	0.61
1:A:554:GLN:HG3	1:A:555:LYS:H	1.65	0.61
1:A:484:ILE:O	1:A:484:ILE:HG12	1.99	0.61
2:B:387:ASN:HB2	2:B:413:ASN:HD21	1.65	0.61
1:A:145:PHE:N	1:A:146:PRO:HD3	2.16	0.60
1:A:455:ILE:H	1:A:455:ILE:HD12	1.66	0.60
2:B:189:GLU:HB2	2:B:213:VAL:HG22	1.82	0.60
2:B:391:ASN:ND2	2:B:393:PHE:H	1.99	0.60
2:B:311:HIS:NE2	2:B:313:LYS:HE2	2.17	0.60
1:A:538:SER:HB2	1:A:541:ARG:HD3	1.84	0.60
1:A:103:GLU:HA	1:A:126:LEU:HA	1.84	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:395:VAL:HG21	2:B:415:LEU:HD21	1.84	0.59
1:A:186:LEU:HD21	1:A:189:TYR:HB2	1.82	0.59
2:B:246:THR:CG2	2:B:276:ARG:HH11	2.11	0.59
2:B:393:PHE:CD1	2:B:419:ALA:HB3	2.37	0.59
1:A:443:LEU:O	1:A:446:THR:HB	2.03	0.59
2:B:349:PRO:HB2	2:B:375:THR:HG23	1.85	0.58
1:A:138:THR:HG22	1:A:164:GLU:HB2	1.85	0.58
1:A:483:TYR:CD2	1:A:505:LYS:HD3	2.38	0.58
1:A:518:ILE:HG23	1:A:519:PHE:CE2	2.38	0.58
1:A:159:VAL:HA	1:A:184:LEU:HD12	1.85	0.58
2:B:93:PHE:H	2:B:116:SER:HB3	1.68	0.58
1:A:451:VAL:HG12	1:A:474:LEU:HD22	1.84	0.58
2:B:451:LYS:O	2:B:453:LYS:HE3	2.03	0.58
2:B:465:ILE:HG13	2:B:485:LEU:HD21	1.85	0.58
1:A:167:ARG:NH2	1:A:190:GLN:HE21	2.01	0.57
1:A:329:SER:HA	1:A:332:TYR:CE1	2.39	0.57
2:B:218:ASN:ND2	2:B:218:ASN:N	2.52	0.57
2:B:259:ILE:HD13	2:B:283:ILE:HG23	1.86	0.57
2:B:217:VAL:HG11	2:B:220:LEU:HB2	1.86	0.57
2:B:210:SER:HB2	2:B:237:ARG:NH2	2.19	0.57
2:B:505:HIS:HD2	2:B:506:ASP:OD2	1.88	0.57
2:B:55:LYS:O	2:B:78:LEU:HD12	2.05	0.57
2:B:35:MET:HG3	2:B:36:VAL:N	2.18	0.56
2:B:312:VAL:O	2:B:342:PRO:HD3	2.05	0.56
1:A:220:ILE:HB	1:A:224:VAL:HG23	1.86	0.56
1:A:455:ILE:HD12	1:A:455:ILE:N	2.21	0.56
2:B:478:LEU:HD12	2:B:479:ASN:H	1.69	0.56
2:B:478:LEU:O	2:B:503:TRP:HE3	1.88	0.56
1:A:266:PHE:N	7:C:581:PXS:H37	2.20	0.56
2:B:523:ILE:HG23	2:B:530:VAL:HG21	1.87	0.56
1:A:266:PHE:CA	7:C:581:PXS:H37	2.36	0.56
1:A:383:LYS:HA	1:A:411:THR:HG22	1.88	0.56
2:B:120:MET:HG2	2:B:123:LEU:CD2	2.35	0.56
1:A:43:PHE:CE1	1:A:47:PRO:HG3	2.41	0.55
2:B:363:ASN:HB2	2:B:387:ASN:HD21	1.69	0.55
1:A:526:GLN:HA	1:A:555:LYS:HE3	1.89	0.55
2:B:391:ASN:C	2:B:391:ASN:ND2	2.60	0.55
1:A:143:SER:HB2	1:A:146:PRO:HG3	1.89	0.55
2:B:87:ARG:HD2	2:B:111:ARG:NH2	2.22	0.55
2:B:389:LEU:HG	2:B:413:ASN:ND2	2.22	0.55
2:B:166:VAL:HB	2:B:169:LEU:HD12	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:479:LEU:HD21	1:A:482:LEU:HD13	1.88	0.55
1:A:542:ILE:HG23	1:A:542:ILE:O	2.06	0.55
2:B:97:LEU:HD12	2:B:97:LEU:O	2.06	0.55
2:B:477:GLU:HA	2:B:501:TYR:HB2	1.88	0.54
1:A:462:LEU:HG	1:A:464:VAL:CG2	2.37	0.54
2:B:449:PRO:O	2:B:452:VAL:CG2	2.56	0.54
2:B:349:PRO:HB2	2:B:375:THR:CG2	2.38	0.54
1:A:226:TYR:CE2	1:A:253:LYS:HD3	2.42	0.54
1:A:69:HIS:CD2	1:A:94:ASP:OD1	2.62	0.53
1:A:492:LEU:HD23	1:A:493:PRO:O	2.07	0.53
1:A:504:MET:HG2	1:A:506:ILE:HG22	1.90	0.53
2:B:321:LYS:N	2:B:321:LYS:HD2	2.24	0.53
4:E:1:NAG:O4	4:E:2:NAG:H4	2.07	0.53
2:B:262:THR:HG22	2:B:263:TRP:N	2.22	0.53
2:B:280:TYR:CE2	4:E:1:NAG:H62	2.43	0.53
1:A:483:TYR:CE2	1:A:505:LYS:HD3	2.42	0.53
1:A:501:LEU:O	1:A:524:SER:HB2	2.09	0.53
2:B:64:ILE:H	2:B:86:ASN:ND2	2.07	0.53
2:B:258:HIS:HD2	2:B:285:ASN:ND2	1.91	0.53
2:B:335:MET:HG2	2:B:357:PHE:HB3	1.91	0.53
3:C:14:LYS:HD2	3:C:15:LYS:HG2	1.90	0.52
2:B:136:LEU:HD13	2:B:155:ALA:HB2	1.92	0.52
2:B:365:PHE:H	2:B:387:ASN:HD22	1.55	0.52
2:B:485:LEU:H	2:B:507:ASN:HD22	1.57	0.52
1:A:525:LEU:HD12	1:A:527:LYS:H	1.74	0.52
2:B:358:LEU:HD12	2:B:379:LEU:HD22	1.92	0.52
2:B:491:GLY:HA2	2:B:494:ASP:OD2	2.09	0.52
1:A:455:ILE:H	1:A:455:ILE:CD1	2.23	0.52
2:B:133:PHE:CG	2:B:137:PRO:HG3	2.46	0.51
2:B:65:SER:O	2:B:88:ILE:HA	2.11	0.51
1:A:273:LEU:HD22	1:A:279:LEU:HD12	1.93	0.51
2:B:64:ILE:H	2:B:86:ASN:HD22	1.58	0.51
2:B:218:ASN:O	2:B:249:PRO:HG2	2.10	0.51
1:A:112:LEU:HB2	1:A:134:ASN:HD22	1.71	0.51
2:B:356:THR:HA	2:B:379:LEU:HA	1.93	0.51
2:B:64:ILE:N	2:B:86:ASN:HD22	2.09	0.51
2:B:262:THR:CG2	2:B:263:TRP:N	2.73	0.51
1:A:159:VAL:HG12	1:A:160:GLU:HG3	1.93	0.50
1:A:299:GLU:O	1:A:303:VAL:HG23	2.11	0.50
1:A:522:LEU:C	1:A:524:SER:H	2.14	0.50
2:B:415:LEU:H	2:B:438:ASN:HD22	1.59	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:134:ASN:HB2	1:A:136:TYR:CE2	2.46	0.50
1:A:446:THR:N	1:A:467:ASN:HD21	2.03	0.50
1:A:529:TRP:HD1	1:A:531:HIS:HE2	1.59	0.50
1:A:529:TRP:C	1:A:530:LEU:HD12	2.31	0.50
2:B:68:ARG:O	2:B:71:ASP:HB2	2.11	0.50
1:A:233:ASN:HD21	1:A:235:ALA:HB2	1.76	0.50
2:B:471:HIS:C	2:B:472:LEU:HG	2.31	0.50
2:B:402:MET:O	2:B:404:SER:N	2.44	0.50
2:B:492:VAL:O	2:B:494:ASP:N	2.45	0.50
1:A:285:ASP:O	1:A:287:CYS:N	2.45	0.50
1:A:89:ASN:OD1	1:A:90:THR:CG2	2.60	0.50
1:A:399:LEU:CB	1:A:423:ASN:HD22	2.23	0.50
2:B:259:ILE:CD1	2:B:283:ILE:HG23	2.42	0.49
2:B:264:LYS:HG3	2:B:295:GLU:OE1	2.13	0.49
2:B:359:ASN:HA	2:B:383:ILE:HB	1.94	0.49
1:A:371:LEU:HG	2:B:364:VAL:HG12	1.93	0.49
2:B:120:MET:HE3	2:B:120:MET:H	1.77	0.49
2:B:462:ILE:H	2:B:483:ASN:ND2	2.04	0.49
1:A:402:MET:HE3	1:A:428:MET:HB3	1.95	0.49
1:A:525:LEU:HD12	1:A:526:GLN:N	2.27	0.49
2:B:318:LEU:HA	3:C:11:CYS:O	2.11	0.49
1:A:139:LEU:HD12	1:A:169:ASP:HB3	1.95	0.49
2:B:492:VAL:C	2:B:494:ASP:H	2.16	0.49
2:B:51:PRO:O	2:B:54:THR:OG1	2.27	0.49
1:A:186:LEU:HD11	1:A:188:ASN:O	2.13	0.49
2:B:411:SER:HB2	2:B:436:SER:O	2.13	0.49
1:A:201:HIS:HD2	1:A:225:ARG:HD2	1.78	0.48
1:A:237:PHE:O	1:A:268:GLU:HG3	2.13	0.48
1:A:348:VAL:H	1:A:370:ASN:ND2	2.11	0.48
2:B:274:TRP:CE2	2:B:299:TYR:CD2	3.01	0.48
1:A:346:SER:O	1:A:347:LYS:HB2	2.13	0.48
2:B:519:LEU:O	2:B:523:ILE:HG12	2.14	0.48
1:A:159:VAL:HG12	1:A:160:GLU:CG	2.43	0.48
2:B:375:THR:HG23	2:B:375:THR:O	2.12	0.48
2:B:200:HIS:HE1	2:B:226:SER:OG	1.96	0.48
2:B:195:ASN:OD1	2:B:195:ASN:N	2.45	0.48
2:B:341:THR:H	2:B:363:ASN:HD22	1.62	0.48
2:B:321:LYS:HD2	2:B:321:LYS:H	1.79	0.48
2:B:368:SER:HA	2:B:371:GLN:HG2	1.95	0.48
1:A:214:LEU:HD22	1:A:242:LEU:HD21	1.94	0.48
1:A:538:SER:HB2	1:A:541:ARG:CD	2.43	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:225:LEU:HB2	2:B:228:ILE:HD11	1.96	0.47
2:B:278:VAL:O	2:B:304:LEU:HD23	2.14	0.47
1:A:440:PHE:C	1:A:440:PHE:CD2	2.87	0.47
2:B:78:LEU:HD11	2:B:80:VAL:O	2.15	0.47
1:A:270:LEU:O	1:A:270:LEU:HD22	2.14	0.47
1:A:279:LEU:HD22	1:A:281:GLU:H	1.79	0.47
1:A:346:SER:H	1:A:370:ASN:ND2	2.13	0.47
1:A:372:MET:N	1:A:397:ASN:HD22	2.12	0.47
2:B:120:MET:HE3	2:B:120:MET:N	2.29	0.47
2:B:389:LEU:N	2:B:413:ASN:HD22	1.89	0.47
2:B:96:PHE:HD1	2:B:120:MET:HE1	1.80	0.47
1:A:63:LYS:HG2	1:A:87:ARG:NH1	2.30	0.47
1:A:249:SER:HA	1:A:250:PRO:HD3	1.65	0.47
1:A:562:CYS:SG	1:A:567:LYS:O	2.73	0.47
1:A:490:LYS:O	1:A:511:LEU:HD23	2.15	0.46
1:A:521:ARG:HD3	1:A:521:ARG:N	2.24	0.46
2:B:478:LEU:HD12	2:B:479:ASN:N	2.30	0.46
1:A:529:TRP:HD1	1:A:531:HIS:NE2	2.14	0.46
1:A:538:SER:HB2	1:A:541:ARG:HG2	1.96	0.46
2:B:150:PHE:C	2:B:150:PHE:CD2	2.88	0.46
1:A:455:ILE:HA	1:A:456:PRO:HD3	1.75	0.46
1:A:252:LYS:O	1:A:279:LEU:HD23	2.16	0.46
1:A:69:HIS:HD2	1:A:94:ASP:OD1	1.98	0.46
1:A:128:TYR:C	1:A:128:TYR:CD2	2.89	0.46
1:A:167:ARG:CZ	1:A:190:GLN:HE21	2.28	0.46
2:B:442:GLY:C	2:B:444:VAL:N	2.69	0.46
7:C:581:PXS:C31	7:C:581:PXS:H09	2.46	0.46
1:A:392:LEU:HD12	1:A:393:VAL:N	2.31	0.46
1:A:486:ARG:NH1	4:D:2:NAG:H81	2.31	0.46
1:A:533:ASN:HB3	1:A:535:TRP:NE1	2.30	0.46
2:B:456:ASP:OD1	2:B:458:HIS:ND1	2.47	0.46
1:A:145:PHE:CE2	1:A:154:LEU:HD21	2.51	0.46
1:A:329:SER:HA	1:A:332:TYR:CD1	2.51	0.46
1:A:449:ARG:O	1:A:450:VAL:HG23	2.16	0.46
1:A:531:HIS:O	1:A:532:THR:C	2.55	0.46
2:B:67:LEU:O	2:B:95:VAL:HG21	2.16	0.46
2:B:362:GLN:HA	2:B:386:ARG:O	2.15	0.46
2:B:57:LEU:HD12	2:B:58:SER:N	2.31	0.45
3:C:14:LYS:HG3	3:C:15:LYS:H	1.79	0.45
1:A:497:LEU:HB2	1:A:498:PHE:CE2	2.51	0.45
2:B:215:MET:HB3	2:B:245:LEU:HD21	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:VAL:HG22	1:A:184:LEU:CD1	2.47	0.45
1:A:462:LEU:HG	1:A:464:VAL:HG22	1.98	0.45
2:B:246:THR:HG22	2:B:276:ARG:NH1	2.17	0.45
2:B:485:LEU:HB2	2:B:507:ASN:HD22	1.78	0.45
2:B:525:LYS:HE2	2:B:526:HIS:CE1	2.51	0.45
4:E:1:NAG:C6	4:E:2:NAG:H2	2.44	0.45
1:A:440:PHE:HE2	1:A:442:ASN:HB2	1.80	0.45
2:B:505:HIS:HB3	2:B:541:SER:HB3	1.98	0.45
1:A:420:ILE:HD12	1:A:425:PHE:CZ	2.51	0.45
1:A:508:SER:HA	1:A:532:THR:O	2.15	0.45
2:B:136:LEU:HD13	2:B:155:ALA:CB	2.47	0.45
1:A:28:LEU:HD23	1:A:29:SER:N	2.32	0.45
1:A:486:ARG:HH12	4:D:2:NAG:H81	1.82	0.45
1:A:134:ASN:HA	1:A:135:PRO:HD3	1.65	0.45
1:A:440:PHE:CE2	1:A:442:ASN:HB2	2.52	0.45
1:A:539:CYS:N	1:A:540:PRO:CD	2.80	0.45
2:B:167:ALA:HA	2:B:194:PRO:HB3	1.97	0.45
2:B:427:ALA:O	2:B:430:ILE:HG12	2.17	0.45
1:A:285:ASP:HB3	1:A:286:ASP:H	1.49	0.44
1:A:434:TRP:HE3	1:A:438:MET:HE1	1.81	0.44
2:B:195:ASN:HD22	6:B:981:NAG:H83	1.82	0.44
2:B:516:ILE:O	2:B:516:ILE:HG13	2.16	0.44
1:A:27:SER:O	1:A:41:ARG:HG2	2.18	0.44
1:A:348:VAL:HA	7:C:581:PXS:H24	1.99	0.44
1:A:220:ILE:HB	1:A:224:VAL:CG2	2.46	0.44
1:A:343:VAL:HG21	7:C:581:PXS:H13A	2.00	0.44
2:B:64:ILE:HB	2:B:86:ASN:ND2	2.32	0.44
2:B:193:ILE:CB	2:B:217:VAL:HG22	2.44	0.44
2:B:522:TRP:CE2	2:B:526:HIS:CD2	3.06	0.44
1:A:189:TYR:O	1:A:189:TYR:CD2	2.70	0.44
1:A:525:LEU:O	1:A:555:LYS:HE3	2.17	0.44
2:B:68:ARG:HB3	2:B:70:PRO:HD2	1.99	0.44
2:B:154:SER:HB2	2:B:177:ASP:OD1	2.16	0.44
2:B:164:LEU:HD23	2:B:164:LEU:HA	1.77	0.44
1:A:504:MET:HG2	1:A:506:ILE:CG2	2.48	0.44
1:A:530:LEU:O	1:A:531:HIS:O	2.36	0.44
1:A:554:GLN:HG3	1:A:555:LYS:N	2.32	0.44
2:B:263:TRP:CD1	2:B:292:ILE:HG23	2.53	0.44
2:B:442:GLY:C	2:B:444:VAL:H	2.19	0.44
2:B:454:VAL:HG13	2:B:477:GLU:HB2	1.99	0.44
1:A:62:ASN:OD1	1:A:62:ASN:N	2.51	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:LEU:HD12	1:A:126:LEU:HD22	1.99	0.44
2:B:228:ILE:HB	2:B:259:ILE:HG23	2.00	0.44
2:B:373:CYS:SG	2:B:375:THR:HG22	2.58	0.44
1:A:569:VAL:HG12	1:A:569:VAL:O	2.17	0.44
2:B:496:LEU:HD12	2:B:499:LEU:HD22	2.00	0.44
1:A:538:SER:HB2	1:A:541:ARG:CG	2.48	0.44
2:B:195:ASN:HB3	2:B:219:ALA:HB3	1.99	0.44
2:B:222:HIS:CE1	2:B:255:THR:OG1	2.71	0.44
2:B:185:GLY:O	2:B:187:GLU:HG3	2.19	0.43
2:B:408:LEU:HD13	2:B:410:VAL:HG22	1.99	0.43
2:B:478:LEU:O	2:B:502:ILE:HA	2.18	0.43
1:A:451:VAL:CG1	1:A:474:LEU:HD22	2.46	0.43
2:B:438:ASN:C	2:B:460:ASN:ND2	2.72	0.43
1:A:92:GLU:OE1	1:A:92:GLU:HA	2.17	0.43
1:A:108:SER:HA	1:A:132:MET:O	2.17	0.43
1:A:164:GLU:HB3	1:A:166:ARG:HD2	1.99	0.43
2:B:390:LYS:O	2:B:415:LEU:HA	2.17	0.43
1:A:134:ASN:HB2	1:A:136:TYR:HE2	1.83	0.43
1:A:373:VAL:O	1:A:374:GLU:C	2.57	0.43
1:A:525:LEU:HD12	1:A:525:LEU:C	2.38	0.43
2:B:392:PHE:HA	2:B:415:LEU:HD22	2.00	0.43
1:A:266:PHE:HD1	7:C:581:PXS:H36	1.83	0.43
1:A:47:PRO:HD2	1:A:59:LEU:HD13	2.00	0.43
1:A:366:ASP:HA	1:A:393:VAL:HB	2.01	0.43
2:B:36:VAL:HG11	2:B:50:LEU:CD2	2.48	0.43
2:B:136:LEU:HA	2:B:137:PRO:HD3	1.75	0.43
2:B:181:TYR:CD2	2:B:181:TYR:C	2.91	0.43
1:A:435:PRO:HD2	1:A:438:MET:CE	2.49	0.43
1:A:549:LEU:HB3	1:A:570:ARG:HG2	2.01	0.43
2:B:126:LEU:HD11	2:B:128:LEU:HD21	2.00	0.43
1:A:266:PHE:HB2	7:C:581:PXS:H37	2.01	0.43
2:B:246:THR:CG2	2:B:246:THR:O	2.64	0.43
2:B:339:SER:CB	5:G:1:NAG:H62	2.48	0.43
2:B:399:THR:HA	2:B:402:MET:HG3	1.98	0.43
1:A:88:ILE:N	1:A:110:ASN:HD22	2.13	0.43
2:B:441:THR:OG1	2:B:442:GLY:N	2.50	0.43
1:A:428:MET:HA	1:A:429:PRO:HD3	1.83	0.43
2:B:256:LEU:HB3	2:B:259:ILE:HG12	2.01	0.43
1:A:317:LEU:HD23	7:C:581:PXS:H28A	2.01	0.42
1:A:97:TYR:CD1	1:A:122:PRO:HG3	2.54	0.42
1:A:516:ASP:OD1	1:A:544:TYR:HB3	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:86:ASN:HB3	2:B:87:ARG:H	1.64	0.42
2:B:274:TRP:N	2:B:275:PRO:CD	2.82	0.42
2:B:363:ASN:HB2	2:B:387:ASN:ND2	2.33	0.42
1:A:428:MET:SD	1:A:455:ILE:CD1	3.08	0.42
2:B:485:LEU:N	2:B:507:ASN:HD22	2.17	0.42
2:B:517:ARG:NH1	2:B:521:GLU:HG3	2.34	0.42
1:A:168:ILE:HG13	1:A:169:ASP:N	2.34	0.42
1:A:327:ASP:N	3:C:12:SER:O	2.52	0.42
1:A:535:TRP:HB3	1:A:536:ASP:H	1.63	0.42
1:A:230:ARG:HG2	1:A:257:ARG:HB2	2.00	0.42
1:A:261:LEU:HD13	7:C:581:PXS:H35	2.02	0.42
1:A:84:LYS:HG3	1:A:108:SER:OG	2.20	0.42
1:A:475:PHE:CZ	1:A:477:PRO:HG3	2.54	0.42
2:B:104:TYR:C	2:B:104:TYR:CD2	2.93	0.42
2:B:225:LEU:HD11	2:B:242:LEU:HD21	2.01	0.42
1:A:242:LEU:HB2	1:A:244:VAL:HG22	2.02	0.42
1:A:544:TYR:O	1:A:545:LEU:C	2.58	0.42
2:B:427:ALA:HB3	2:B:430:ILE:CD1	2.44	0.42
2:B:492:VAL:C	2:B:494:ASP:N	2.73	0.42
1:A:29:SER:O	1:A:30:CYS:CB	2.53	0.41
1:A:239:PHE:CG	1:A:240:SER:N	2.87	0.41
1:A:459:LEU:HD12	1:A:459:LEU:HA	1.84	0.41
1:A:571:SER:O	1:A:572:ILE:O	2.37	0.41
3:C:14:LYS:CD	3:C:15:LYS:HG2	2.50	0.41
2:B:393:PHE:HD1	2:B:419:ALA:CB	2.31	0.41
2:B:467:LYS:H	2:B:467:LYS:CD	2.16	0.41
1:A:60:SER:OG	1:A:82:ILE:HG22	2.20	0.41
1:A:455:ILE:HG23	1:A:459:LEU:HD22	2.02	0.41
2:B:222:HIS:HE1	2:B:255:THR:OG1	2.03	0.41
2:B:463:MET:HE2	2:B:463:MET:HB2	1.93	0.41
2:B:304:LEU:HD23	2:B:304:LEU:HA	1.85	0.41
2:B:289:THR:HG22	2:B:290:GLU:N	2.34	0.41
1:A:177:ASN:O	1:A:201:HIS:HB2	2.20	0.41
2:B:349:PRO:HA	2:B:350:PRO:HD3	1.92	0.41
1:A:329:SER:HA	1:A:332:TYR:CZ	2.55	0.41
2:B:382:LEU:HD21	2:B:384:LEU:HD11	2.03	0.41
1:A:474:LEU:HA	1:A:474:LEU:HD12	1.89	0.41
1:A:544:TYR:CE1	1:A:548:TRP:HB2	2.56	0.41
2:B:252:LEU:HD23	2:B:277:PRO:O	2.20	0.41
2:B:300:SER:O	2:B:301:GLU:C	2.58	0.41
2:B:362:GLN:HA	2:B:386:ARG:HB3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:427:ALA:C	2:B:429:SER:H	2.24	0.41
2:B:440:LEU:HD23	2:B:440:LEU:HA	1.92	0.41
2:B:492:VAL:HG23	2:B:493:PHE:CD1	2.56	0.41
1:A:370:ASN:HB2	1:A:397:ASN:HD21	1.86	0.41
1:A:434:TRP:HB3	1:A:435:PRO:HD2	2.02	0.41
1:A:31:ASP:C	1:A:31:ASP:OD2	2.60	0.40
1:A:63:LYS:HA	1:A:87:ARG:HB2	2.02	0.40
1:A:63:LYS:HA	1:A:87:ARG:CG	2.51	0.40
1:A:155:ARG:HG2	1:A:155:ARG:HH11	1.86	0.40
1:A:167:ARG:HH11	1:A:192:GLN:HB2	1.86	0.40
2:B:499:LEU:HD11	2:B:501:TYR:O	2.22	0.40
5:H:1:NAG:H61	5:H:2:NAG:C1	2.50	0.40
2:B:164:LEU:N	2:B:165:PRO:CD	2.84	0.40
2:B:381:THR:HG23	2:B:407:THR:HB	2.03	0.40
2:B:524:ASN:OD1	2:B:552:ARG:HB2	2.22	0.40
1:A:239:PHE:CD2	1:A:240:SER:N	2.89	0.40
1:A:245:ASP:OD1	1:A:245:ASP:N	2.55	0.40
2:B:204:HIS:HA	2:B:205:PRO:HD3	1.78	0.40
2:B:428:GLU:CD	2:B:428:GLU:N	2.72	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	548/580 (94%)	449 (82%)	79 (14%)	20 (4%)	3	14
2	B	523/562 (93%)	430 (82%)	83 (16%)	10 (2%)	8	28
3	C	4/6 (67%)	3 (75%)	0	1 (25%)	0	0
All	All	1075/1148 (94%)	882 (82%)	162 (15%)	31 (3%)	4	18

All (31) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	30	CYS
1	A	39	ARG
1	A	531	HIS
1	A	572	ILE
2	B	249	PRO
2	B	464	SER
1	A	49	GLY
1	A	100	GLY
1	A	244	VAL
1	A	246	GLU
1	A	424	THR
1	A	532	THR
1	A	556	GLU
2	B	403	SER
2	B	481	ALA
2	B	493	PHE
3	C	14	LYS
2	B	250	THR
2	B	474	ALA
2	B	482	SER
1	A	124	SER
1	A	186	LEU
1	A	286	ASP
1	A	501	LEU
2	B	47	PRO
2	B	392	PHE
1	A	86	SER
1	A	508	SER
1	A	542	ILE
1	A	145	PHE
1	A	477	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	510/537 (95%)	457 (90%)	53 (10%)	7 21

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	492/525 (94%)	437 (89%)	55 (11%)	6	18
3	C	6/6 (100%)	6 (100%)	0	100	100
All	All	1008/1068 (94%)	900 (89%)	108 (11%)	6	20

All (108) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	CYS
1	A	33	SER
1	A	39	ARG
1	A	40	SER
1	A	42	SER
1	A	62	ASN
1	A	90	THR
1	A	112	LEU
1	A	142	THR
1	A	147	ASN
1	A	161	THR
1	A	166	ARG
1	A	191	SER
1	A	209	GLU
1	A	215	GLU
1	A	226	TYR
1	A	232	THR
1	A	233	ASN
1	A	238	GLN
1	A	245	ASP
1	A	270	LEU
1	A	279	LEU
1	A	282	VAL
1	A	300	SER
1	A	337	LYS
1	A	338	VAL
1	A	340	ARG
1	A	355	PHE
1	A	371	LEU
1	A	417	SER
1	A	424	THR
1	A	431	SER
1	A	436	GLU
1	A	446	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	449	ARG
1	A	453	THR
1	A	464	VAL
1	A	469	LEU
1	A	470	ASP
1	A	484	ILE
1	A	491	THR
1	A	496	SER
1	A	498	PHE
1	A	500	VAL
1	A	501	LEU
1	A	508	SER
1	A	521	ARG
1	A	524	SER
1	A	525	LEU
1	A	539	CYS
1	A	541	ARG
1	A	547	ARG
1	A	556	GLU
2	B	44	THR
2	B	48	LYS
2	B	61	GLN
2	B	77	GLU
2	B	84	SER
2	B	91	LEU
2	B	95	VAL
2	B	99	ASN
2	B	104	TYR
2	B	115	ILE
2	B	120	MET
2	B	123	LEU
2	B	132	ASP
2	B	135	VAL
2	B	136	LEU
2	B	146	THR
2	B	149	THR
2	B	159	ARG
2	B	164	LEU
2	B	177	ASP
2	B	178	LEU
2	B	188	THR
2	B	195	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	200	HIS
2	B	218	ASN
2	B	237	ARG
2	B	256	LEU
2	B	259	ILE
2	B	261	THR
2	B	269	LEU
2	B	274	TRP
2	B	289	THR
2	B	298	THR
2	B	306	SER
2	B	321	LYS
2	B	333	ILE
2	B	375	THR
2	B	390	LYS
2	B	391	ASN
2	B	403	SER
2	B	408	LEU
2	B	410	VAL
2	B	420	TYR
2	B	424	CYS
2	B	441	THR
2	B	463	MET
2	B	464	SER
2	B	467	LYS
2	B	487	SER
2	B	492	VAL
2	B	498	SER
2	B	519	LEU
2	B	537	VAL
2	B	545	SER
2	B	552	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	69	HIS
1	A	79	GLN
1	A	110	ASN
1	A	134	ASN
1	A	177	ASN
1	A	190	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	201	HIS
1	A	233	ASN
1	A	370	ASN
1	A	397	ASN
1	A	426	HIS
1	A	457	GLN
1	A	467	ASN
1	A	487	ASN
1	A	526	GLN
1	A	531	HIS
2	B	62	ASN
2	B	86	ASN
2	B	110	ASN
2	B	125	HIS
2	B	131	ASN
2	B	200	HIS
2	B	204	HIS
2	B	222	HIS
2	B	224	GLN
2	B	258	HIS
2	B	363	ASN
2	B	387	ASN
2	B	391	ASN
2	B	413	ASN
2	B	416	ASN
2	B	418	HIS
2	B	438	ASN
2	B	460	ASN
2	B	483	ASN
2	B	505	HIS
2	B	507	ASN
2	B	526	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates i

15 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	D	1	4,1	14,14,15	0.53	0	17,19,21	1.33	1 (5%)
4	NAG	D	2	4	14,14,15	0.62	0	17,19,21	1.02	2 (11%)
4	NAG	E	1	4,2	14,14,15	0.69	0	17,19,21	1.89	3 (17%)
4	NAG	E	2	4	14,14,15	0.59	0	17,19,21	0.94	1 (5%)
5	NAG	F	1	5,2	14,14,15	0.50	0	17,19,21	1.39	3 (17%)
5	NAG	F	2	5	14,14,15	0.63	0	17,19,21	1.11	0
5	BMA	F	3	5	11,11,12	0.64	0	15,15,17	0.81	0
5	NAG	G	1	5,2	14,14,15	0.58	0	17,19,21	1.03	1 (5%)
5	NAG	G	2	5	14,14,15	0.60	0	17,19,21	1.56	1 (5%)
5	BMA	G	3	5	11,11,12	0.55	0	15,15,17	1.11	2 (13%)
5	NAG	H	1	5,2	14,14,15	0.46	0	17,19,21	1.48	2 (11%)
5	NAG	H	2	5	14,14,15	0.71	0	17,19,21	1.04	2 (11%)
5	BMA	H	3	5	11,11,12	0.59	0	15,15,17	1.00	1 (6%)
4	NAG	I	1	4,2	14,14,15	0.43	0	17,19,21	2.28	5 (29%)
4	NAG	I	2	4	14,14,15	0.48	0	17,19,21	1.04	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	D	2	4	-	2/6/23/26	0/1/1/1
4	NAG	E	1	4,2	-	3/6/23/26	0/1/1/1
4	NAG	E	2	4	-	3/6/23/26	0/1/1/1
5	NAG	F	1	5,2	-	2/6/23/26	0/1/1/1
5	NAG	F	2	5	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BMA	F	3	5	-	0/2/19/22	0/1/1/1
5	NAG	G	1	5,2	-	0/6/23/26	0/1/1/1
5	NAG	G	2	5	-	0/6/23/26	0/1/1/1
5	BMA	G	3	5	-	2/2/19/22	0/1/1/1
5	NAG	H	1	5,2	-	4/6/23/26	0/1/1/1
5	NAG	H	2	5	-	2/6/23/26	0/1/1/1
5	BMA	H	3	5	-	0/2/19/22	0/1/1/1
4	NAG	I	1	4,2	1/1/5/7	2/6/23/26	0/1/1/1
4	NAG	I	2	4	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	I	1	NAG	C1-O5-C5	6.46	120.94	112.19
5	G	2	NAG	C1-O5-C5	5.30	119.38	112.19
4	E	1	NAG	C1-O5-C5	4.62	118.46	112.19
4	D	1	NAG	C1-O5-C5	4.19	117.87	112.19
5	H	1	NAG	C1-O5-C5	4.02	117.63	112.19
4	I	1	NAG	O5-C1-C2	3.78	117.26	111.29
5	H	1	NAG	C2-N2-C7	-3.49	117.93	122.90
4	E	1	NAG	C4-C3-C2	3.49	116.13	111.02
4	E	1	NAG	C6-C5-C4	-3.03	105.90	113.00
4	I	1	NAG	C4-C3-C2	3.02	115.44	111.02
4	I	1	NAG	C3-C4-C5	2.88	115.38	110.24
5	H	2	NAG	C4-C3-C2	2.88	115.24	111.02
5	G	3	BMA	O5-C5-C6	2.73	111.49	107.20
5	G	1	NAG	C1-O5-C5	2.65	115.79	112.19
4	D	2	NAG	C2-N2-C7	-2.63	119.16	122.90
5	F	1	NAG	C3-C4-C5	2.59	114.85	110.24
5	F	1	NAG	C1-O5-C5	2.50	115.58	112.19
5	F	1	NAG	C4-C3-C2	2.24	114.30	111.02
5	H	3	BMA	C1-O5-C5	2.24	115.22	112.19
4	I	1	NAG	C6-C5-C4	-2.20	107.84	113.00
4	D	2	NAG	C4-C3-C2	2.16	114.18	111.02
5	G	3	BMA	C1-C2-C3	2.14	112.29	109.67
5	H	2	NAG	O5-C1-C2	2.11	114.62	111.29
4	E	2	NAG	C1-C2-N2	2.02	113.94	110.49

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	I	1	NAG	C1

All (23) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	D	2	NAG	C8-C7-N2-C2
4	D	2	NAG	O7-C7-N2-C2
4	E	1	NAG	C1-C2-N2-C7
4	E	1	NAG	C8-C7-N2-C2
4	E	1	NAG	O7-C7-N2-C2
4	E	2	NAG	C8-C7-N2-C2
4	E	2	NAG	O7-C7-N2-C2
4	I	2	NAG	C8-C7-N2-C2
4	I	2	NAG	O7-C7-N2-C2
5	H	1	NAG	C8-C7-N2-C2
5	H	1	NAG	O7-C7-N2-C2
4	I	1	NAG	C8-C7-N2-C2
5	F	1	NAG	C8-C7-N2-C2
5	G	3	BMA	C4-C5-C6-O6
4	I	1	NAG	O7-C7-N2-C2
5	F	1	NAG	O7-C7-N2-C2
5	H	2	NAG	C8-C7-N2-C2
5	H	2	NAG	O7-C7-N2-C2
5	G	3	BMA	O5-C5-C6-O6
5	H	1	NAG	O5-C5-C6-O6
5	H	1	NAG	C4-C5-C6-O6
4	D	1	NAG	C4-C5-C6-O6
4	E	2	NAG	C4-C5-C6-O6


There are no ring outliers.


6 monomers are involved in 8 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	2	NAG	2	0
5	H	1	NAG	1	0
5	H	2	NAG	1	0
4	E	2	NAG	3	0
4	E	1	NAG	4	0
5	G	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	B	921	2	14,14,15	0.52	0	17,19,21	2.28	3 (17%)
7	PXS	C	581	3	38,38,38	1.85	4 (10%)	40,40,40	0.99	3 (7%)
6	NAG	B	981	2	14,14,15	0.51	0	17,19,21	2.28	3 (17%)
6	NAG	B	911	2	14,14,15	0.66	0	17,19,21	1.81	4 (23%)
6	NAG	A	821	1	14,14,15	0.50	0	17,19,21	1.07	1 (5%)
6	NAG	A	811	1	14,14,15	0.45	0	17,19,21	1.49	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	B	921	2	-	3/6/23/26	0/1/1/1
7	PXS	C	581	3	-	19/39/39/39	-
6	NAG	B	981	2	-	3/6/23/26	0/1/1/1
6	NAG	B	911	2	-	3/6/23/26	0/1/1/1
6	NAG	A	821	1	-	3/6/23/26	0/1/1/1
6	NAG	A	811	1	-	3/6/23/26	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	C	581	PXS	O21-C19	-9.52	1.30	1.47
7	C	581	PXS	C20-C19	-2.81	1.39	1.51
7	C	581	PXS	O17-C16	2.77	1.41	1.33
7	C	581	PXS	O21-C22	2.23	1.40	1.34

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	921	NAG	C1-O5-C5	6.98	121.65	112.19
6	B	981	NAG	C1-O5-C5	6.94	121.60	112.19
6	B	911	NAG	C1-O5-C5	5.50	119.64	112.19
6	A	811	NAG	C1-O5-C5	4.35	118.09	112.19
6	B	981	NAG	C1-C2-N2	3.41	116.31	110.49
6	B	981	NAG	C2-N2-C7	3.41	127.76	122.90
6	B	921	NAG	C2-N2-C7	3.40	127.75	122.90
6	B	921	NAG	C1-C2-N2	3.39	116.28	110.49
6	A	821	NAG	C1-O5-C5	3.12	116.42	112.19
7	C	581	PXS	O17-C18-C19	3.09	117.28	108.38
7	C	581	PXS	O21-C22-C23	2.59	117.09	111.50
6	B	911	NAG	C2-N2-C7	-2.52	119.32	122.90
7	C	581	PXS	O17-C16-C15	2.39	119.41	111.91
6	A	811	NAG	O5-C5-C6	2.13	110.55	107.20
6	B	911	NAG	O3-C3-C2	2.08	113.77	109.47
6	B	911	NAG	C6-C5-C4	-2.04	108.22	113.00

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	811	NAG	C8-C7-N2-C2
6	A	811	NAG	O7-C7-N2-C2
6	A	821	NAG	O7-C7-N2-C2
6	B	921	NAG	C1-C2-N2-C7
6	B	921	NAG	C8-C7-N2-C2
6	B	921	NAG	O7-C7-N2-C2
6	B	981	NAG	C1-C2-N2-C7
6	B	981	NAG	C8-C7-N2-C2
6	B	981	NAG	O7-C7-N2-C2
7	C	581	PXS	O17-C18-C19-O21
6	A	821	NAG	C8-C7-N2-C2
7	C	581	PXS	C23-C24-C25-C26
6	B	911	NAG	C8-C7-N2-C2
6	A	821	NAG	C1-C2-N2-C7
6	B	911	NAG	O7-C7-N2-C2
7	C	581	PXS	C30-C31-C32-C33
7	C	581	PXS	C27-C28-C29-C30
7	C	581	PXS	C25-C26-C27-C28
7	C	581	PXS	C13-C14-C15-C16
7	C	581	PXS	C33-C34-C35-C36
7	C	581	PXS	C04-C05-C06-C07
7	C	581	PXS	C32-C33-C34-C35
7	C	581	PXS	C24-C25-C26-C27
7	C	581	PXS	C26-C27-C28-C29
7	C	581	PXS	C15-C16-O17-C18
7	C	581	PXS	C28-C29-C30-C31
7	C	581	PXS	C12-C13-C14-C15
7	C	581	PXS	O39-C16-O17-C18
7	C	581	PXS	O17-C18-C19-C20
6	A	811	NAG	O5-C5-C6-O6
7	C	581	PXS	C02-C03-C04-C05
7	C	581	PXS	C10-C11-C12-C13
7	C	581	PXS	C08-C09-C10-C11
6	B	911	NAG	O5-C5-C6-O6


There are no ring outliers.

2 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	C	581	PXS	12	0
6	B	981	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	550/580 (94%)	-0.08	30 (5%) 25 21	43, 78, 165, 240	0
2	B	525/562 (93%)	0.00	25 (4%) 30 27	48, 78, 137, 202	0
3	C	6/6 (100%)	1.60	2 (33%) 0 0	67, 99, 139, 143	0
All	All	1081/1148 (94%)	-0.03	57 (5%) 26 22	43, 78, 151, 240	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	573	ILE	6.6
1	A	572	ILE	5.6
3	C	16	LYS	5.4
1	A	538	SER	4.9
2	B	469	VAL	4.8
2	B	537	VAL	4.7
1	A	539	CYS	4.4
2	B	554	ILE	4.1
2	B	547	SER	4.0
1	A	540	PRO	3.9
1	A	532	THR	3.8
1	A	537	CYS	3.7
2	B	187	GLU	3.7
1	A	569	VAL	3.5
2	B	43	LEU	3.5
2	B	94	HIS	3.4
2	B	527	SER	3.4
2	B	555	ILE	3.3
2	B	420	TYR	3.2
3	C	15	LYS	3.1
1	A	33	SER	3.0
1	A	563	SER	3.0
2	B	87	ARG	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	466	PRO	3.0
1	A	574	CYS	2.9
1	A	541	ARG	2.9
1	A	535	TRP	2.8
2	B	188	THR	2.7
2	B	553	SER	2.7
2	B	548	GLY	2.7
1	A	536	ASP	2.7
1	A	568	PRO	2.7
1	A	483	TYR	2.6
1	A	243	PRO	2.6
1	A	545	LEU	2.6
2	B	549	LYS	2.5
2	B	468	ASP	2.5
1	A	560	ALA	2.5
2	B	184	LYS	2.5
1	A	54	MET	2.4
2	B	535	GLY	2.4
1	A	571	SER	2.4
2	B	424	CYS	2.4
1	A	531	HIS	2.3
1	A	516	ASP	2.3
1	A	575	PRO	2.2
2	B	528	GLY	2.2
2	B	463	MET	2.2
2	B	550	PRO	2.2
1	A	530	LEU	2.2
1	A	534	PRO	2.2
2	B	513	CYS	2.1
1	A	529	TRP	2.1
1	A	398	HIS	2.1
1	A	499	PRO	2.0
1	A	194	LEU	2.0
2	B	519	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	BMA	H	3	11/12	0.72	0.40	154,164,174,175	0
5	NAG	H	2	14/15	0.79	0.32	94,147,165,175	0
5	BMA	F	3	11/12	0.79	0.27	86,104,110,112	0
4	NAG	I	2	14/15	0.82	0.39	104,126,137,139	0
5	BMA	G	3	11/12	0.83	0.38	95,124,136,138	0
5	NAG	H	1	14/15	0.86	0.26	98,116,136,148	0
4	NAG	E	2	14/15	0.89	0.24	87,135,145,145	0
4	NAG	I	1	14/15	0.89	0.29	89,104,118,119	0
4	NAG	E	1	14/15	0.92	0.18	89,104,121,124	0
4	NAG	D	2	14/15	0.94	0.29	93,111,122,126	0
5	NAG	G	1	14/15	0.95	0.19	57,64,76,81	0
5	NAG	F	1	14/15	0.96	0.14	58,67,79,80	0
5	NAG	G	2	14/15	0.96	0.30	61,71,91,101	0
4	NAG	D	1	14/15	0.96	0.16	71,84,92,97	0
5	NAG	F	2	14/15	0.97	0.23	63,76,86,89	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain E:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain I:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain F:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	B	981	14/15	0.53	0.53	117,139,157,157	0
6	NAG	A	811	14/15	0.70	0.28	96,140,149,153	0
6	NAG	B	921	14/15	0.85	0.34	91,132,147,149	0
6	NAG	A	821	14/15	0.89	0.23	95,109,122,122	0
6	NAG	B	911	14/15	0.92	0.17	64,80,99,110	0
7	PXS	C	581	39/39	0.95	0.25	52,64,96,120	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.