



Full wwPDB EM Validation Report ⓘ

Feb 18, 2023 – 12:55 PM EST

PDB ID : 7UX2
EMDB ID : EMD-26846
Title : cryo-EM structure of the Raptor-TFEB-Rag-Ragulator complex
Authors : Cui, Z.; Hurley, J.
Deposited on : 2022-05-04
Resolution : 2.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.32.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1335	
2	B	313	
2	I	313	
3	C	399	
3	J	399	
4	D	161	
4	K	161	
5	E	125	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	L	125	
6	F	124	
6	M	124	
7	G	99	
7	N	99	
8	H	91	
8	O	91	
9	P	476	

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 54436 atoms, of which 27187 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Regulatory-associated protein of mTOR.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
1	A	1103	17564	5610	8770	1530	1595	59	0	0

- Molecule 2 is a protein called Ras-related GTP-binding protein A.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
2	B	298	4882	1553	2438	427	447	17	0	0
2	I	298	4882	1553	2438	427	447	17	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	66	LEU	GLN	conflict	UNP Q7L523
I	66	LEU	GLN	conflict	UNP Q7L523

- Molecule 3 is a protein called Ras-related GTP-binding protein C.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
3	C	281	4523	1459	2258	370	424	12	0	0
3	J	277	4447	1430	2221	365	419	12	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	75	ASN	SER	engineered mutation	UNP Q9HB90
J	75	ASN	SER	engineered mutation	UNP Q9HB90

- Molecule 4 is a protein called Ragulator complex protein LAMTOR1.

Mol	Chain	Residues	Atoms					AltConf	Trace	
4	D	111	Total	C	H	N	O	S	0	0
			1738	547	870	150	170	1		
4	K	115	Total	C	H	N	O	S	0	0
			1791	562	896	155	176	2		

- Molecule 5 is a protein called Ragulator complex protein LAMTOR2.

Mol	Chain	Residues	Atoms					AltConf	Trace	
5	E	124	Total	C	H	N	O	S	0	0
			1888	590	950	161	180	7		
5	L	124	Total	C	H	N	O	S	0	0
			1888	590	950	161	180	7		

- Molecule 6 is a protein called Ragulator complex protein LAMTOR3.

Mol	Chain	Residues	Atoms					AltConf	Trace	
6	F	120	Total	C	H	N	O	S	0	0
			1892	601	958	157	175	1		
6	M	120	Total	C	H	N	O	S	0	0
			1892	601	958	157	175	1		

- Molecule 7 is a protein called Ragulator complex protein LAMTOR4.

Mol	Chain	Residues	Atoms					AltConf	Trace	
7	G	84	Total	C	H	N	O	S	0	0
			1294	404	652	115	122	1		
7	N	84	Total	C	H	N	O	S	0	0
			1294	404	652	115	122	1		


- Molecule 8 is a protein called Ragulator complex protein LAMTOR5.

Mol	Chain	Residues	Atoms					AltConf	Trace	
8	H	89	Total	C	H	N	O	S	0	0
			1311	400	656	113	135	7		
8	O	89	Total	C	H	N	O	S	0	0
			1311	400	656	113	135	7		

- Molecule 9 is a protein called Transcription factor EB.

Mol	Chain	Residues	Atoms					AltConf	Trace	
9	P	104	Total	C	H	N	O	S	0	0
			1677	526	824	160	162	5		

- Molecule 10 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).




Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O		P
10	B	1	42	10	10	5	14	3	0
10	I	1	42	10	10	5	14	3	0

- Molecule 11 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
11	B	1	1	1	0
11	I	1	1	1	0

- Molecule 12 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).





Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O		P
12	C	1	Total	C	H	N	O	P	0
			38	10	10	5	11	2	
12	J	1	Total	C	H	N	O	P	0
			38	10	10	5	11	2	

3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Regulatory-associated protein of mTOR








● Molecule 2: Ras-related GTP-binding protein A




● Molecule 2: Ras-related GTP-binding protein A




● Molecule 3: Ras-related GTP-binding protein C




● Molecule 3: Ras-related GTP-binding protein C








• Molecule 4: Regulator complex protein LAMTOR1





• Molecule 4: Regulator complex protein LAMTOR1





• Molecule 5: Regulator complex protein LAMTOR2




• Molecule 5: Regulator complex protein LAMTOR2




• Molecule 6: Regulator complex protein LAMTOR3




- Molecule 6: Regulator complex protein LAMTOR3





- Molecule 7: Regulator complex protein LAMTOR4





- Molecule 7: Regulator complex protein LAMTOR4



- Molecule 8: Regulator complex protein LAMTOR5



- Molecule 8: Regulator complex protein LAMTOR5



- Molecule 9: Transcription factor EB



MET	A2	R8	E19	E90	Q21	R24	Q27	V30	M31	H32	Y33	M34	Q35	Q36	Q37	Q38	Q39	Q40	Q41	Q42	Q43	Q44	V57	H58	F59	Q60	S61	P62	P63	P64	V65	P66	G67	E68	V69	L70	K71	V72	Q73	E77	R83	E98	T99	Y100	A105	ALA	HIS	ILE	SER
PRO	ALA	GLN	GLY	ILE	SER	PRO	LYS	PRO	PRO	GLY	VAL	ARG	GLY	HIS	VAL	SER	SER	ALA	GLY	ASP	ASN	ALA	ASN	ALA	SER	PRO	MET	VAL	ALA	GLN	GLY	ASP	ASN	PRO	GLU	ARG	LEU	THR	ASP	VAL	ILE	ARG	LEU	ASP	ASP	ALA			
VAL	LEU	TYR	ILE	ASN	PRO	GLU	LYS	GLU	LEU	PRO	VAL	ARG	SER	SER	HIS	VAL	ASN	VAL	TYR	SER	ALA	ASN	THR	ALA	SER	PRO	VAL	THR	VAL	GLN	GLY	THR	ASP	LEU	THR	LYS	ARG	VAL	GLU	GLU	ASP	ARG	ALA						
LEU	ALA	GLU	ARG	GLN	LYS	LEU	ASP	ASN	GLN	ARG	ARG	ARG	THR	PHE	ASN	ASN	ASP	ARG	ILE	LYS	GLU	LEU	LEU	ILE	ILE	PRO	VAL	ALA	ALA	ASP	LEU	THR	VAL	THR	THR	GLY	LYS	ALA	ALA	SER	VAL	VAL	MET	GLN					
LYS	ASP	LEU	GLN	LYS	ARG	GLU	LEU	ASN	GLN	ARG	GLU	THR	ASN	PHE	LYS	LEU	TRP	LEU	ARG	ILE	LYS	GLN	LEU	GLY	LEU	THR	VAL	THR	VAL	HIS	THR	THR	SER	PRO	SER	GLY	ASN	MET	LEU	ALA	LEU	ALA	VAL	VAL	GLN				
LEU	PRO	SER	GLU	GLY	PRO	GLY	LEU	GLY	LEU	ALA	VAL	ASP	PRO	GLY	GLU	PRO	LEU	ALA	LEU	PRO	PRO	ALA	PRO	LEU	PRO	PRO	THR	THR	THR	PRO	PHE	HIS	PRO	HIS	LEU	ASP	ASP	SER	ALA	LEU	SER	ALA	LEU	GLY	GLY	VAL	VAL	GLY	
PRO	PRO	GLY	TYR	PRO	PRO	LEU	ALA	PRO	GLY	HIS	GLY	SER	SER	PRO	PHE	PRO	LEU	LEU	ASP	ASP	SER	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	THR	THR	THR	THR	THR	LEU	ALA	ALA	SER	ARG	ARG	ARG	PHE	SER			
MET	GLU	GLY	ASP	VAL	LEU																																												

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	377569	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	79.717	Depositor
Minimum map value	-45.300	Depositor
Average map value	0.017	Depositor
Map value standard deviation	1.412	Depositor
Recommended contour level	6.0	Depositor
Map size (Å)	336.0, 336.0, 336.0	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.05, 1.05, 1.05	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, MG, GDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/9001	0.54	0/12230
2	B	0.28	0/2489	0.56	0/3350
2	I	0.27	0/2489	0.58	0/3350
3	C	0.27	0/2309	0.49	0/3114
3	J	0.27	0/2267	0.52	0/3057
4	D	0.26	0/884	0.54	0/1201
4	K	0.26	0/912	0.56	1/1239 (0.1%)
5	E	0.26	0/949	0.54	0/1285
5	L	0.27	0/949	0.53	0/1285
6	F	0.28	0/951	0.54	0/1290
6	M	0.27	0/951	0.53	0/1290
7	G	0.24	0/649	0.55	0/876
7	N	0.26	0/649	0.56	0/876
8	H	0.28	0/661	0.52	0/896
8	O	0.25	0/661	0.49	0/896
9	P	0.26	0/872	0.50	0/1178
All	All	0.27	0/27643	0.54	1/37413 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	M	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	K	72	ASP	CB-CG-OD1	5.40	123.16	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	M	85	ARG	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8794	8770	8769	58	0
2	B	2444	2438	2438	22	0
2	I	2444	2438	2438	28	0
3	C	2265	2258	2258	27	0
3	J	2226	2221	2220	24	0
4	D	868	870	870	12	0
4	K	895	896	896	12	0
5	E	938	950	950	9	0
5	L	938	950	950	14	0
6	F	934	958	958	12	0
6	M	934	958	958	10	0
7	G	642	652	652	9	0
7	N	642	652	652	8	0
8	H	655	656	656	10	0
8	O	655	656	656	9	0
9	P	853	824	824	7	0
10	B	32	10	12	3	0
10	I	32	10	12	2	0
11	B	1	0	0	0	0
11	I	1	0	0	0	0
12	C	28	10	12	0	0
12	J	28	10	12	0	0
All	All	27249	27187	27193	235	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (235) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:51:ARG:NH1	2:I:53:LEU:O	2.07	0.88
2:B:58:LEU:HD22	2:B:180:LEU:HD13	1.65	0.79
6:M:4:ASP:OD2	6:M:7:ARG:NH1	2.18	0.77
5:L:15:ASN:OD1	5:L:22:THR:OG1	2.02	0.77
7:G:67:SER:OG	8:H:66:CYS:SG	2.42	0.76
7:N:38:GLN:NE2	8:O:54:LYS:O	2.19	0.75
1:A:1175:ASP:OD2	1:A:1178:ARG:NH1	2.18	0.75
1:A:1209:GLU:OE1	1:A:1237:ARG:NH2	2.22	0.72
1:A:1210:HIS:ND1	1:A:1231:SER:OG	2.21	0.72
1:A:810:GLN:OE1	1:A:813:ARG:NH1	2.22	0.72
2:B:202:GLU:OE1	2:B:227:ARG:NH1	2.23	0.71
4:D:77:GLU:N	4:D:80:GLU:OE2	2.24	0.71
1:A:1283:SER:OG	1:A:1285:GLU:OE1	2.09	0.70
4:D:103:LYS:NZ	6:F:4:ASP:OD2	2.25	0.70
9:P:21:GLN:OE1	9:P:24:ARG:NH2	2.25	0.70
4:D:143:LEU:HD13	4:D:146:ILE:HD12	1.72	0.69
5:L:116:GLU:O	5:L:120:THR:OG1	2.07	0.69
1:A:1132:GLU:OE2	1:A:1135:THR:OG1	2.10	0.68
1:A:325:TRP:O	1:A:330:ARG:NH2	2.26	0.68
7:N:65:ARG:NE	8:O:68:GLU:OE1	2.27	0.68
1:A:788:ARG:O	1:A:794:SER:OG	2.09	0.67
2:B:208:ARG:NH2	2:B:267:THR:O	2.28	0.67
1:A:257:ASP:O	1:A:276:ARG:NH2	2.28	0.66
4:D:87:GLN:OE1	4:D:91:ARG:NH2	2.28	0.66
2:I:132:VAL:HG21	2:I:140:ILE:CD1	2.25	0.66
2:I:78:ARG:NE	2:I:115:GLN:OE1	2.29	0.66
7:N:72:GLU:OE2	7:N:73:HIS:ND1	2.28	0.66
2:B:18:SER:N	10:B:401:GTP:O1B	2.29	0.66
3:C:202:ASP:OD1	4:K:86:ARG:NH1	2.28	0.65
3:J:108:SER:OG	3:J:263:ASP:OD2	2.14	0.65
3:J:251:ILE:HD11	3:J:259:ALA:CB	2.27	0.64
8:H:46:SER:HA	8:H:83:THR:HG21	1.79	0.64
7:G:14:ASP:OD2	7:G:89:ARG:NH2	2.30	0.63
2:I:213:VAL:HG21	2:I:228:PHE:HB3	1.79	0.63
3:J:141:ILE:HD11	3:J:232:VAL:HG11	1.80	0.62
8:O:41:HIS:O	8:O:45:ILE:HD12	1.99	0.62
1:A:558:LEU:HD21	1:A:580:CYS:SG	2.39	0.62
1:A:558:LEU:HD23	1:A:584:ILE:HD12	1.82	0.62
5:L:16:THR:HG22	5:L:17:GLY:H	1.65	0.62
7:G:14:ASP:OD1	7:G:15:GLN:NE2	2.33	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:J:258:LYS:NZ	3:J:273:ASP:OD1	2.31	0.61
3:J:246:LEU:CD2	4:K:61:THR:HG21	2.32	0.60
6:M:102:LEU:HD22	8:O:47:VAL:HG11	1.82	0.60
1:A:267:LEU:O	1:A:349:ASN:ND2	2.34	0.59
3:J:251:ILE:HD11	3:J:259:ALA:HB2	1.84	0.59
5:E:86:VAL:HG12	5:E:87:ALA:H	1.68	0.59
1:A:437:LEU:HD11	1:A:470:VAL:HG22	1.85	0.58
1:A:1016:GLN:NE2	1:A:1018:PHE:O	2.37	0.58
1:A:547:HIS:NE2	1:A:551:GLU:OE2	2.37	0.58
3:C:205:ASP:OD2	4:K:86:ARG:NH2	2.37	0.57
7:N:16:LEU:O	7:N:32:ASP:N	2.38	0.57
2:B:224:ASP:O	2:B:227:ARG:NE	2.38	0.57
6:F:102:LEU:CD1	8:H:47:VAL:HG11	2.36	0.56
1:A:331:ASP:OD1	1:A:332:LEU:N	2.38	0.56
7:N:15:GLN:N	7:N:15:GLN:OE1	2.38	0.56
6:F:85:ARG:NH2	6:F:107:GLU:OE2	2.38	0.55
2:I:248:SER:N	3:J:321:ASN:OD1	2.38	0.55
6:F:38:ASP:OD1	6:F:39:ASN:N	2.40	0.55
8:H:67:LEU:HD12	8:H:74:ILE:HD11	1.89	0.55
4:D:145:GLN:N	4:D:145:GLN:OE1	2.40	0.54
1:A:1071:THR:OG1	1:A:1089:ASP:OD1	2.25	0.54
5:E:69:LEU:HD21	5:E:72:ILE:HD11	1.90	0.54
3:C:192:GLN:HB2	3:C:217:LEU:HD21	1.89	0.54
4:K:87:GLN:OE1	4:K:91:ARG:NH2	2.41	0.53
4:K:96:SER:OG	4:K:103:LYS:NZ	2.37	0.53
1:A:1251:GLN:NE2	1:A:1252:ILE:O	2.41	0.53
9:P:99:THR:HG22	9:P:100:TYR:CD1	2.43	0.53
5:L:84:THR:HG21	5:L:112:VAL:HG21	1.91	0.53
4:D:144:SER:OG	4:D:145:GLN:OE1	2.21	0.53
9:P:27:GLN:HA	9:P:30:VAL:HG12	1.91	0.53
2:I:32:ILE:CD1	2:I:240:LEU:HD13	2.38	0.53
7:G:18:TYR:O	7:G:30:SER:OG	2.16	0.53
3:J:263:ASP:O	3:J:267:LYS:N	2.40	0.53
2:B:19:GLY:HA2	10:B:401:GTP:H5'	1.90	0.53
3:C:64:ILE:HD12	3:C:110:VAL:HG21	1.91	0.53
4:K:119:LEU:O	7:N:65:ARG:NH1	2.42	0.53
2:B:197:ILE:O	5:E:3:ARG:NH2	2.42	0.53
5:L:25:LEU:O	5:L:90:LEU:N	2.41	0.52
3:C:348:ARG:NH2	5:E:51:ASN:OD1	2.42	0.52
1:A:301:ARG:NH2	1:A:304:ASP:OD1	2.43	0.52
1:A:458:ASP:OD1	1:A:497:LYS:NZ	2.43	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:P:99:THR:HG22	9:P:100:TYR:CE1	2.44	0.52
3:J:251:ILE:HD11	3:J:259:ALA:HB3	1.93	0.51
6:M:79:GLN:NE2	6:M:95:SER:O	2.42	0.51
6:M:99:ASN:ND2	8:O:46:SER:OG	2.40	0.51
2:B:238:PHE:CE2	3:C:318:ILE:HG21	2.45	0.51
1:A:191:ILE:HD11	1:A:343:VAL:HG22	1.93	0.51
1:A:304:ASP:O	1:A:306:ARG:NH1	2.44	0.51
6:F:94:ALA:CB	6:F:103:ILE:HD11	2.42	0.50
5:L:80:ARG:NH1	5:L:99:VAL:O	2.43	0.50
2:B:267:THR:HG22	2:B:268:SER:H	1.77	0.50
1:A:522:LEU:O	1:A:565:GLN:NE2	2.45	0.50
4:D:154:LEU:HD11	5:E:114:TYR:HE1	1.77	0.50
3:J:290:ASP:OD2	9:P:8:ARG:NH2	2.45	0.50
5:L:71:PHE:HD1	5:L:84:THR:HG1	1.59	0.50
1:A:1190:ILE:HD11	1:A:1214:VAL:HG21	1.94	0.49
6:F:9:LEU:HD23	6:F:35:VAL:HG21	1.95	0.49
4:K:88:TYR:OH	6:M:26:ASP:OD2	2.29	0.49
1:A:796:LEU:HD12	1:A:796:LEU:O	2.13	0.49
2:B:17:GLY:O	2:B:128:LYS:NZ	2.41	0.48
8:H:39:ASP:OD2	8:H:39:ASP:N	2.46	0.48
8:O:38:SER:OG	8:O:40:GLU:OE2	2.30	0.48
2:B:94:VAL:O	2:B:144:ARG:NH2	2.47	0.48
5:E:23:LEU:CD2	5:E:46:ALA:HB2	2.44	0.48
1:A:667:LEU:O	1:A:671:VAL:HG23	2.13	0.48
2:I:37:ARG:NH2	9:P:19:GLU:OE2	2.46	0.48
2:I:135:ASP:N	2:I:135:ASP:OD1	2.46	0.48
5:L:51:ASN:ND2	6:M:59:GLN:OE1	2.47	0.48
1:A:592:ARG:NH2	1:A:641:ASP:OD1	2.47	0.47
4:K:148:VAL:HG11	5:L:111:LEU:HD23	1.95	0.47
6:M:81:VAL:HG12	6:M:83:PHE:CE1	2.49	0.47
1:A:1219:LEU:HD13	1:A:1227:ILE:HG13	1.94	0.47
1:A:1064:ASN:ND2	1:A:1068:THR:O	2.47	0.47
7:G:36:ASP:OD1	7:G:36:ASP:N	2.45	0.47
7:G:66:LEU:HD23	7:G:77:VAL:CG2	2.44	0.47
2:I:234:ILE:CG2	3:J:291:VAL:HG23	2.44	0.47
1:A:164:VAL:O	1:A:177:LEU:N	2.47	0.47
1:A:635:ASP:OD1	1:A:636:HIS:N	2.48	0.47
2:B:95:GLU:O	2:B:97:ARG:NH1	2.48	0.47
2:I:210:THR:HG22	2:I:212:LEU:HG	1.96	0.47
3:C:296:SER:O	3:C:300:GLY:N	2.44	0.47
1:A:1170:THR:OG1	1:A:1214:VAL:O	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:56:LEU:HD21	2:B:58:LEU:HD21	1.97	0.46
1:A:667:LEU:HD22	1:A:811:ILE:HD12	1.97	0.46
3:C:327:TYR:OH	3:C:353:ASP:OD1	2.25	0.46
2:I:147:ASP:OD1	2:I:148:LEU:N	2.48	0.46
2:I:32:ILE:HD12	2:I:240:LEU:HD13	1.95	0.46
5:L:16:THR:HG22	5:L:17:GLY:N	2.31	0.46
1:A:1050:ASP:O	1:A:1054:GLY:N	2.48	0.46
1:A:138:ARG:NH2	1:A:141:ALA:O	2.45	0.46
4:D:83:ASP:OD1	4:D:84:ARG:N	2.48	0.46
7:N:67:SER:O	8:O:66:CYS:N	2.47	0.46
1:A:1320:SER:OG	1:A:1322:ASP:OD1	2.19	0.46
3:C:263:ASP:O	3:C:267:LYS:N	2.47	0.46
8:H:68:GLU:N	8:H:68:GLU:OE1	2.49	0.46
6:F:102:LEU:HD12	8:H:47:VAL:HG11	1.97	0.46
6:M:72:ILE:HD13	6:M:100:THR:HG21	1.97	0.46
3:J:296:SER:O	3:J:300:GLY:N	2.45	0.46
2:B:258:ASN:ND2	3:C:300:GLY:O	2.49	0.46
2:I:252:MET:HE1	3:J:291:VAL:HG21	1.98	0.45
2:B:255:ARG:NH2	2:B:283:SER:OG	2.46	0.45
3:C:64:ILE:HD11	3:C:233:VAL:HG22	1.98	0.45
3:C:228:ALA:O	3:C:232:VAL:HG23	2.16	0.45
2:I:67:ASP:O	2:I:70:MET:N	2.49	0.45
3:C:108:SER:OG	3:C:263:ASP:OD2	2.33	0.45
2:I:255:ARG:NH2	2:I:283:SER:OG	2.49	0.45
3:C:137:THR:HG23	3:C:171:MET:SD	2.56	0.45
3:J:257:GLU:OE2	3:J:342:ARG:NE	2.50	0.45
5:E:9:GLN:O	5:E:12:SER:OG	2.23	0.45
3:J:107:SER:O	3:J:107:SER:OG	2.35	0.45
4:D:143:LEU:HG	8:H:82:ILE:HD11	1.97	0.45
8:O:70:ASP:OD1	8:O:71:ASN:N	2.49	0.45
1:A:652:VAL:HG11	1:A:796:LEU:HD21	2.00	0.44
9:P:70:LEU:O	9:P:70:LEU:HD23	2.18	0.44
1:A:1237:ARG:HH12	1:A:1249:VAL:HG22	1.82	0.44
4:K:57:ILE:O	4:K:61:THR:HG22	2.17	0.44
2:B:88:LEU:HD22	2:B:113:ILE:HG13	1.99	0.44
2:I:87:VAL:HG21	2:I:180:LEU:HD11	2.00	0.44
2:I:234:ILE:HG22	3:J:291:VAL:HG23	2.00	0.44
2:B:202:GLU:OE2	3:C:299:TYR:OH	2.27	0.44
3:C:284:LEU:CD2	3:C:326:LEU:HD21	2.48	0.44
6:F:23:VAL:HG11	6:F:50:LEU:HD13	2.00	0.44
3:C:315:MET:SD	3:C:316:ALA:N	2.91	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:K:70:ALA:O	4:K:74:GLN:NE2	2.50	0.44
3:C:273:ASP:OD1	3:C:273:ASP:N	2.49	0.43
3:J:178:HIS:CE1	3:J:220:ILE:HG23	2.53	0.43
1:A:199:ALA:CB	1:A:244:ALA:HB1	2.49	0.43
3:C:284:LEU:HD23	3:C:326:LEU:HD21	1.99	0.43
2:I:15:LYS:O	2:I:20:LYS:NZ	2.52	0.43
3:C:249:ILE:HD12	4:D:58:LEU:HD11	2.00	0.43
1:A:394:PRO:HA	1:A:397:ILE:HG22	1.99	0.43
5:E:86:VAL:HG12	5:E:87:ALA:N	2.31	0.43
6:M:32:VAL:HG13	6:M:120:VAL:HG11	2.00	0.43
1:A:610:ASP:OD2	1:A:615:VAL:HG11	2.19	0.43
4:D:116:HIS:O	7:G:11:ARG:NH2	2.51	0.43
8:H:58:ASP:OD2	8:H:60:THR:OG1	2.27	0.43
2:I:88:LEU:HD22	2:I:113:ILE:HG13	2.00	0.43
2:I:264:ASP:OD1	2:I:265:ILE:N	2.52	0.43
3:J:77:ILE:O	3:J:81:VAL:HG22	2.18	0.43
1:A:778:ILE:HD12	1:A:778:ILE:H	1.83	0.43
1:A:437:LEU:CD1	1:A:470:VAL:HG22	2.48	0.43
2:B:234:ILE:CG2	3:C:291:VAL:HG23	2.49	0.43
1:A:328:LEU:HD21	1:A:370:LEU:HD22	2.01	0.43
1:A:1174:CYS:SG	1:A:1181:ILE:HG23	2.59	0.43
2:I:18:SER:N	10:I:401:GTP:O1B	2.52	0.43
1:A:439:VAL:HG22	1:A:445:HIS:HB2	1.99	0.43
6:F:23:VAL:HG11	6:F:50:LEU:CD1	2.49	0.43
3:J:230:SER:HA	3:J:268:ILE:HG23	2.01	0.43
8:H:6:GLU:O	8:H:9:LEU:N	2.52	0.42
4:K:155:VAL:HG22	4:K:155:VAL:O	2.19	0.42
2:I:258:ASN:ND2	3:J:300:GLY:O	2.48	0.42
5:L:108:ALA:O	5:L:112:VAL:HG23	2.19	0.42
7:N:36:ASP:OD1	7:N:36:ASP:N	2.52	0.42
6:F:80:VAL:HG12	6:F:82:GLN:HG3	2.01	0.42
1:A:147:LEU:HD11	1:A:346:LEU:HD11	2.01	0.42
1:A:191:ILE:HD11	1:A:343:VAL:CG2	2.50	0.42
4:D:111:LEU:HD13	7:G:61:VAL:HG21	2.02	0.42
5:L:23:LEU:HD12	5:L:31:LEU:HD22	2.02	0.42
2:B:92:PHE:CZ	2:B:148:LEU:HD21	2.54	0.42
3:C:164:ALA:HB1	3:C:171:MET:CE	2.50	0.42
3:J:288:MET:HG3	3:J:318:ILE:HD12	2.01	0.42
3:C:331:VAL:O	3:C:364:HIS:NE2	2.51	0.42
1:A:412:GLN:CB	1:A:435:ILE:HG21	2.50	0.41
1:A:1187:ASP:OD1	1:A:1188:GLY:N	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1145:ARG:NH2	1:A:1166:ASP:OD1	2.52	0.41
3:J:191:THR:O	3:J:195:ILE:HD12	2.19	0.41
2:I:283:SER:O	2:I:287:LEU:HD23	2.20	0.41
3:J:81:VAL:HG23	3:J:82:PHE:CD2	2.55	0.41
2:B:149:ARG:NH1	2:B:157:CYS:O	2.54	0.41
3:C:137:THR:O	3:C:168:ASN:ND2	2.53	0.41
3:C:174:GLU:HG3	3:C:232:VAL:HG13	2.01	0.41
6:F:27:ARG:NH1	6:F:85:ARG:O	2.50	0.41
2:I:74:PHE:O	2:I:78:ARG:NH1	2.48	0.41
1:A:114:GLN:HG3	1:A:117:ALA:HB2	2.02	0.41
1:A:564:GLU:OE2	2:B:51:ARG:NH1	2.49	0.41
3:C:131:GLU:OE2	3:C:135:ARG:NH1	2.50	0.41
5:L:31:LEU:HD12	5:L:43:ARG:NH1	2.34	0.41
6:M:3:ASP:N	6:M:3:ASP:OD1	2.52	0.41
2:I:19:GLY:HA2	10:I:401:GTP:H5'	2.03	0.41
8:O:19:VAL:O	8:O:19:VAL:HG13	2.20	0.41
1:A:88:ILE:HD13	1:A:101:THR:HG22	2.03	0.41
2:B:19:GLY:N	10:B:401:GTP:O1B	2.50	0.41
2:I:167:GLU:OE1	2:I:167:GLU:N	2.47	0.41
1:A:319:ILE:HD13	1:A:382:TRP:HB2	2.02	0.41
3:C:248:ASN:OD1	3:C:274:SER:N	2.47	0.41
3:J:234:GLN:CG	3:J:240:LEU:HD11	2.51	0.41
4:K:66:ILE:CD1	5:L:48:ILE:HD12	2.51	0.41
1:A:26:LEU:O	1:A:1079:GLN:NE2	2.54	0.40
7:G:46:LEU:HD22	7:G:66:LEU:HD21	2.03	0.40
2:I:122:ILE:HD13	2:I:155:LEU:HG	2.02	0.40
1:A:1090:ASP:O	1:A:1113:GLN:NE2	2.53	0.40
5:E:8:THR:HG23	5:E:34:TYR:O	2.22	0.40
2:I:25:SER:HB3	2:I:31:TYR:CD2	2.56	0.40
1:A:1069:ARG:NH1	1:A:1089:ASP:OD1	2.54	0.40
6:F:107:GLU:O	6:F:111:ALA:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1087/1335 (81%)	1044 (96%)	43 (4%)	0	100	100
2	B	296/313 (95%)	281 (95%)	15 (5%)	0	100	100
2	I	296/313 (95%)	280 (95%)	16 (5%)	0	100	100
3	C	275/399 (69%)	264 (96%)	11 (4%)	0	100	100
3	J	271/399 (68%)	254 (94%)	17 (6%)	0	100	100
4	D	107/161 (66%)	104 (97%)	3 (3%)	0	100	100
4	K	113/161 (70%)	106 (94%)	7 (6%)	0	100	100
5	E	122/125 (98%)	116 (95%)	6 (5%)	0	100	100
5	L	122/125 (98%)	115 (94%)	7 (6%)	0	100	100
6	F	118/124 (95%)	111 (94%)	7 (6%)	0	100	100
6	M	118/124 (95%)	115 (98%)	3 (2%)	0	100	100
7	G	80/99 (81%)	76 (95%)	4 (5%)	0	100	100
7	N	80/99 (81%)	68 (85%)	12 (15%)	0	100	100
8	H	87/91 (96%)	83 (95%)	4 (5%)	0	100	100
8	O	87/91 (96%)	81 (93%)	6 (7%)	0	100	100
9	P	102/476 (21%)	92 (90%)	10 (10%)	0	100	100
All	All	3361/4435 (76%)	3190 (95%)	171 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	972/1163 (84%)	968 (100%)	4 (0%)	91	97
2	B	271/287 (94%)	270 (100%)	1 (0%)	91	97
2	I	271/287 (94%)	271 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	255/340 (75%)	254 (100%)	1 (0%)	91	97
3	J	251/340 (74%)	250 (100%)	1 (0%)	91	97
4	D	97/141 (69%)	96 (99%)	1 (1%)	76	92
4	K	100/141 (71%)	99 (99%)	1 (1%)	76	92
5	E	97/98 (99%)	97 (100%)	0	100	100
5	L	97/98 (99%)	97 (100%)	0	100	100
6	F	105/108 (97%)	105 (100%)	0	100	100
6	M	105/108 (97%)	105 (100%)	0	100	100
7	G	71/83 (86%)	69 (97%)	2 (3%)	43	76
7	N	71/83 (86%)	71 (100%)	0	100	100
8	H	76/77 (99%)	75 (99%)	1 (1%)	69	90
8	O	76/77 (99%)	76 (100%)	0	100	100
9	P	94/419 (22%)	94 (100%)	0	100	100
All	All	3009/3850 (78%)	2997 (100%)	12 (0%)	91	97

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	43	LYS
1	A	83	ARG
1	A	1123	ARG
1	A	1178	ARG
2	B	295	LYS
3	C	63	ARG
4	D	147	ARG
7	G	88	LYS
7	G	92	ARG
8	H	88	LYS
3	J	210	LYS
4	K	147	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1016	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	GTP	I	401	11	26,34,34	1.14	2 (7%)	32,54,54	1.60	7 (21%)
10	GTP	B	401	11	26,34,34	1.16	2 (7%)	32,54,54	1.60	6 (18%)
12	GDP	J	401	-	24,30,30	0.93	1 (4%)	30,47,47	1.27	4 (13%)
12	GDP	C	401	-	24,30,30	0.95	1 (4%)	30,47,47	1.34	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	GTP	I	401	11	-	5/18/38/38	0/3/3/3
10	GTP	B	401	11	-	3/18/38/38	0/3/3/3
12	GDP	J	401	-	-	5/12/32/32	0/3/3/3
12	GDP	C	401	-	-	5/12/32/32	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B	401	GTP	C5-C6	-4.18	1.38	1.47
10	I	401	GTP	C5-C6	-4.07	1.39	1.47
12	C	401	GDP	C6-N1	-2.46	1.34	1.37
12	J	401	GDP	C6-N1	-2.46	1.34	1.37
10	B	401	GTP	C2-N3	2.15	1.38	1.33
10	I	401	GTP	C2-N3	2.10	1.38	1.33

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	C	401	GDP	PA-O3A-PB	-3.78	119.85	132.83
10	B	401	GTP	PB-O3B-PG	-3.76	119.93	132.83
10	I	401	GTP	PB-O3B-PG	-3.68	120.21	132.83
10	I	401	GTP	C5-C6-N1	3.45	120.05	113.95
10	B	401	GTP	C5-C6-N1	3.31	119.79	113.95
10	B	401	GTP	C8-N7-C5	3.23	109.14	102.99
10	I	401	GTP	C2-N1-C6	-3.15	119.29	125.10
12	J	401	GDP	PA-O3A-PB	-3.09	122.22	132.83
10	B	401	GTP	C2-N1-C6	-3.00	119.57	125.10
10	I	401	GTP	C8-N7-C5	2.99	108.69	102.99
10	B	401	GTP	C3'-C2'-C1'	2.96	105.43	100.98
12	J	401	GDP	C3'-C2'-C1'	2.92	105.38	100.98
12	C	401	GDP	C3'-C2'-C1'	2.85	105.27	100.98
10	I	401	GTP	C3'-C2'-C1'	2.79	105.17	100.98
10	I	401	GTP	PA-O3A-PB	-2.76	123.34	132.83
12	C	401	GDP	C5-C6-N1	2.54	118.44	113.95
12	J	401	GDP	C8-N7-C5	2.53	107.81	102.99
12	J	401	GDP	C5-C6-N1	2.47	118.31	113.95
12	C	401	GDP	C8-N7-C5	2.46	107.68	102.99
10	I	401	GTP	O6-C6-C5	-2.13	120.22	124.37
10	B	401	GTP	O6-C6-C5	-2.08	120.31	124.37

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
12	C	401	GDP	C5'-O5'-PA-O1A
12	C	401	GDP	C5'-O5'-PA-O2A
12	J	401	GDP	PA-O3A-PB-O3B
12	J	401	GDP	C5'-O5'-PA-O1A
12	J	401	GDP	C5'-O5'-PA-O2A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
12	C	401	GDP	O4'-C4'-C5'-O5'
12	C	401	GDP	C3'-C4'-C5'-O5'
10	B	401	GTP	PB-O3A-PA-O5'
10	I	401	GTP	PB-O3A-PA-O5'
12	C	401	GDP	C5'-O5'-PA-O3A
10	I	401	GTP	O4'-C4'-C5'-O5'
10	I	401	GTP	PB-O3A-PA-O1A
10	B	401	GTP	PG-O3B-PB-O2B
10	I	401	GTP	PG-O3B-PB-O1B
12	J	401	GDP	C5'-O5'-PA-O3A
12	J	401	GDP	PB-O3A-PA-O2A
10	B	401	GTP	O4'-C4'-C5'-O5'
10	I	401	GTP	C3'-C4'-C5'-O5'


There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	I	401	GTP	2	0
10	B	401	GTP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26846. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 157



Y Index: 164



Z Index: 165

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 6.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 161 nm^3 ; this corresponds to an approximate mass of 146 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.345 \AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-26846 and PDB model 7UX2. Per-residue inclusion information can be found in section 3 on page 8.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 6.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (6.0).



































9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (6.0) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7956	 0.5320
A	 0.8223	 0.5500
B	 0.9095	 0.5840
C	 0.8942	 0.5810
D	 0.5382	 0.3930
E	 0.8612	 0.5480
F	 0.8337	 0.5170
G	 0.2973	 0.3050
H	 0.6723	 0.4510
I	 0.8596	 0.5550
J	 0.8195	 0.5210
K	 0.6936	 0.4640
L	 0.8980	 0.5720
M	 0.9152	 0.5850
N	 0.6041	 0.4140
O	 0.8193	 0.5280
P	 0.5514	 0.4530

